WATER QUALITY RULES AND REGULATIONS

Chapter 1



WYOMING SURFACE WATER QUALITY STANDARDS

Proposed Rules

EQC Draft November, 2006

TABLE OF CONTENTS

Section 1.	Authority	1- 1
Section 2.	Definitions.	1- 1
Section 3.	Water Uses	1- 9
Section 4.	Surface Water Classes and Uses	1- 10
Section 5.	Standards Enforcement	1- 13
Section 6.	Interstate Compacts, Court Decrees and Water Rights	1- 14
Section 7.	Class 1 Waters	1- 14
Section 8.	Antidegradation	1- 14
Section 9.	Mixing Zones	1- 15
Section 10.	Testing Procedures.	1- 15
Section 11.	Flow Conditions	1- 16
Section 12.	Protection of Wetlands	1- 16
Section 13.	Toxic Materials.	1- 17
Section 14.	Dead Animals and Solid Waste	1- 17
Section 15.	Settleable Solids	1- 17
Section 16.	Floating and Suspended Solids	1- 17
Section 17.	Taste, Odor and Color	1- 17
Section 18.	Human Health	1- 18
Section 19.	Industrial Water Supply	1- 18
Section 20.	Agricultural Water Supply	1- 18
Section 21.	Protection of Aquatic Life	1- 19
Section 22.	Radioactive Material	1- 21
Section 23.	Turbidity	1- 21
Section 24.	Dissolved Oxygen	1- 21

Table of Contents (continued)

Section 25.	Temperature	1- 22
Section 26.	pH	1- 22
Section 27.	Fecal Coliform Bacteria	1 22
Section 27.	E. coli Bacteria.	1- 23
Section 28.	Undesirable Aquatic Life	1- 24
Section 29.	Oil and Grease	1- 24
Section 30.	Total Dissolved Gases	1- 24
Section 31.	Salinity	1- 24
Section 32.	Biological Criteria	1- 24
Section 33.	Reclassifications and Site Specific Criteria.	1- 24
Section 34.	Use Attainability Analysis.	1- 25
Section 35.	Credible Data.	1- 26
Section 36.	Effluent Dependent Criteria	1- 27
Appendix A		A-1
Appendix B		B-1
Appendix C		C-1
Appendix D		D-1
Appendix E		E-1
Appendix F		F-1
Appendix G		G-1

1	Chapter 1
2	WYOMING SURFACE WATER QUALITY STANDARDS
3 4	W TOMING SURFACE WATER QUALITT STANDARDS
5	
6	
7	Section 1. Authority . These regulations are promulgated pursuant to W. S. 35-11-
8	101 through 1507 specifically 302 (a) (i) and 302 (b) (i) and (ii), and no person shall cause,
9	threaten or allow violation of a surface water quality standard contained herein. Nothing in this
10	definition is intended to expand the scope of the Environmental Quality Act, as limited in W. S.
11	35-11-1104 nor do these regulations supersede or abrogate the authority of the state to
12	appropriate quantities of water for beneficial uses.
13 14	Section 2. Definitions .
15	Section 2. Definitions.
16	(a) The definitions in section 35-11-103(a) and (c) of the Wyoming Environmental
17	Quality Act apply to these rules. For example:
18	
19	(i) "Compensatory mitigation" means replacement, substitution or
20	enhancement of ecological functions and wetland values to offset anticipated losses of those
21	values caused by filling, draining or otherwise damaging a wetland;
22	
23	(ii) "Credible data" means scientifically valid chemical, physical and
24	biological monitoring data collected under an accepted sampling and analysis plan, including
25 26	quality control, quality assurance procedures and available historical data;
27	(iii) "Discharge" means any addition of any pollution or wastes to any waters
28	of the state;
29	· · · · · · · · · · · · · · · · · · ·
30	(iv) "Ecological function" means the ability of an area to support vegetation
31	and fish and wildlife populations, recharge aquifers, stabilize base flows, attenuate flooding, trap
32	sediment and remove or transform nutrients and other pollutants;
33	
34	(v) "Man-made wetlands" means those wetlands that are created intentionally
35	or occur incidental to human activities, and includes any enhancement made to an existing
36	wetland which increases its function or value;
37 38	(vi) "Mitigation" means all actions to avoid, minimize, restore and compensate
39	for ecological functions or wetland values lost;
40	101 00010510al lulioliolio 01 molialia miaos 1006,
41	(vii) "Natural wetlands" means those wetlands that occur independently of
42	human manipulation of the landscape;
43	

1	
2	(viii) "Nonpoint source" means any source of pollution other than a point
3	source. For purposes of W.S. 16-1-201 through 16-1-207 only, nonpoint source includes leaking
4	underground storage tanks as defined by W.S. 35-11-1415(a)(ix) and aboveground storage tanks
5	as defined by W.S. 35-11-1415(a)(xi);
6	
7	(ix) "Point source" means any discernible, confined and discrete conveyance,
8	including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure,
9	container, rolling stock, concentrated animal feeding operation or vessel or other floating craft,
10	from which pollutants are or may be discharged;
11	
12	(x) "Pollution" means contamination or other alteration of the physical,
13	chemical or biological properties of any waters of the state, including change in temperature,
14	taste, color, turbidity or odor of the waters or any discharge of any acid or toxic material,
15	chemical or chemical compound, whether it be liquid, gaseous, solid, radioactive or other
16	substance, including wastes, into any waters of the state which creates a nuisance or renders any
17	waters harmful, detrimental or injurious to public health, safety or welfare, to domestic,
18	commercial, industrial, agricultural, recreational or other legitimate beneficial uses, or to
19	livestock, wildlife or aquatic life, or which degrades the water for its intended use, or adversely
20	affects the environment. This term does not mean water, gas or other material which is injected
21	into a well to facilitate production of oil, or gas or water, derived in association with oil or gas
22	production and disposed of in a well, if the well used either to facilitate production or for
23	disposal purposes is approved by authority of the state, and if the state determines that such
24	injection or disposal well will not result in the degradation of ground or surface or water
25	resources;
26	
27	(xi) "Wastes" means sewage, industrial waste and all other liquid, gaseous,
28	solid, radioactive, or other substances which may pollute any waters of the state;
29	
30	(xii) "Waters of the state" means all surface and groundwater, including waters
31	associated with wetlands, within Wyoming;
32	
33	(xiii) "Wetlands" means those areas in Wyoming having all three (3) essential
34	characteristics:
35	
36	(A) Hydrophytic vegetation;
37	
38	(B) Hydric soils; and
39	
40	(C) Wetland hydrology.
41	
42	(xiv) "Wetland value" means those socially significant attributes of wetlands
43	such as uniqueness, heritage, recreation, aesthetics and a variety of economic values.

(b) The following definitions supplement those definitions contained in section 35-11-103 of the Wyoming Environmental Quality Act.

 (i) "Acute value" means the one hour average concentration. The EPA has determined that this value, if not exceeded more than once every three years on average, should not result in unacceptable effects on freshwater aquatic organisms and their uses. Acute values represent a response to a stimulus severe enough to induce a rapid reaction, typically in 96 hours or less. Appendix B contains acute values for certain pollutants.

(ii) "Adjacent wetlands" means wetlands that are connected by a defined channel to a surface tributary system, or are within the 100 year flood plain of a river or stream, or occupy the fringe of any still water body which is connected by a defined channel to a surface tributary system.

(iii) "Ambient-based criteria means water quality criteria that are calculated based upon actual ambient or background water body conditions.

(iiiiv) "Aquatic life" means fish, invertebrates, amphibians, and other flora and fauna which inhabit waters of the state at some stage of their life cycles. Aquatic life does not include insect pests or exotic species which may be considered undesirable by the Wyoming Game and Fish or U.S. Fish and Wildlife Service within their appropriate jurisdictions and identified human pathogens.

"Assimilative capacity" means the increment of water quality in terms of concentration, during the appropriate critical condition(s), that is better than the applicable numeric criterion. The concept of assimilative capacity has no meaning in relation to pollutants that are limited only by narrative criteria.

(<u>vvi</u>) "Best management practices (BMPs)" means a practice or combination of practices that after problem assessment, examination of alternative practices, and in some cases public participation, are determined to be the most technologically and economically feasible means of managing, preventing or reducing nonpoint source pollution.

(vivii) "Chronic value" means the four day average concentration. The EPA has determined that this value, if not exceeded more than once every three years on average, should not result in unacceptable effects on freshwater aquatic organisms and their uses. Chronic values represent a response to a continuous, long-term stimulus. Appendix B contains chronic values for certain pollutants.

(<u>viiviii</u>) "Cold water game fish "means burbot (Genus Lota), grayling (<u>Genus Thymallus</u>), trout, salmon and char (<u>Genus Salmo, Oncorhynchus and Salvelinus</u>), and whitefish (<u>Genus Prosopium</u>).

1	(viiiix) "Construction-related discharge" means discharges of sediment or
2	turbidity related to construction activities in or along waters of the state. Generally, these
3	discharges include but are not limited to construction site dewatering, temporary diversions,
4	runoff from construction sites, excavation or equipment operation beneath the water's surface,
5	the discharge of dredged or fill material and placement of structural members such as bridge
6	abutments, culverts, pipelines, etc. into or across any water of the state.
7	abdefinests, earvertes, piperines, etc. into or deross any water or the state.
8	(ixx) "Designated uses" means those uses specified in water quality standards
9	for each water body or segment whether or not they are being attained.
10	To reach water soup or segment whether or not they are some attained.
11	(*xi) "Dissolved oxygen" means a measure of the amount of free oxygen in
12	water.
13	
14	(xii) "E. coli" means any of the bacterium in the Family <i>Enterobacteriaceae</i>
15	named Escherichia (Genus) coli (Species).
16	
17	(xiii) Effluent dependent water means a water body that would be ephemeral
18	without the presence of permitted effluent, but which has perennial or intermittent flows for all
19	or a portion of its length as the result of the discharge of wastewater.
20	
21	(xiv) Effluent Dominated Water means a water body that would be intermittent
22	or perennial without the presence of wastewater effluent, but for which the flow or volume of
23	water for the majority of the year is primarily attributable to the discharge of wastewater.
24	
25	(xixv) "Effluent limitations" means any restriction established by the state or by
26	the administrator of the Environmental Protection Agency on quantities, rates and concentrations
27	of chemical, physical, biological and other constituents which are discharged from point sources
28	into waters of the state, including schedules of compliance.
29	
30	(xiixvi) "Environmental Protection Agency" means the federal
31	Environmental Protection Agency (EPA).
32	
33	(xiiixvii) "Ephemeral stream" means a stream which flows only in direct
34	response to a single precipitation in the immediate watershed or in response to a single snow
35	melt event, and which has a channel bottom that is always above the prevailing water table.
36	
37	(xivxviii) "Eutrophic" means the condition whereby waters or environments
38	saturated with water become nutrient enriched (especially with phosphorus or nitrogen). This
39	action leads to those waters becoming oxygen depleted or anaerobic.
40	
41	(xvxix) "Existing quality" as used in these regulations refers only to Class 1
42	waters and means the established chemical, physical, and biological water quality as of the date
43	the specific water segment was designated Class 1 with recognition of the fact that water quality

will tend to fluctuate on a seasonal and year-to-year basis depending upon natural fluctuations in water quantity. (xvixx)"Existing use" means those uses actually attained in the water body on or after November 28, 1975, whether or not they are included in the water quality standards. (xvii) "Fecal coliform" means those species within the coliform bacteria group which are present in the gut or feces of warm-blooded animals. The group includes organisms which are capable of producing gas from lactose broth in a suitable culture medium within 24 hours at 44.5 degrees C ± .2 degrees C. (xviiixxi) "Federal Act" means the Federal Water Pollution Control Act (Clean Water Act) and amendments as of June 21, 2001. (xixxxii) "Full body contact water recreation" means any recreational or other surface water use in which there is contact with the water sufficient to pose a significant health hazard (i.e., water skiing, swimming). (xxxxiii) "Game fish" means bass (Genus Micropterus and Ambloplites), catfish and bullheads (Genus Ameiurus, Ictalurus Noturus and Pylodictis), crappie (Genus Pomoxis), freshwater drum (Genus Aplodinotus) grayling (Genus Thymallus), burbot (Genus Lota), pike (Genus Esox), yellow perch (Genus Perca), sturgeon (Genus Scaphirhynchus), sunfish (Genus Lepomis), trout, salmon and char (Genus Salmo, Oncorhynchus, and Salvelinus), walleye and sauger (Genus Stizostedion), and whitefish (Genus Prosopium). (xxixxiv) "Historic data" means scientifically valid data that is more than five years old, or qualitative information that adds some factual information on the historic conditions of a water body. This historic qualitative information may include photographs, journals and

303132

on water use and water conditions.

1 2

3 4

5 6

7

8

9

10 11

12

13 14

15

16

17 18 19

20

21 22

23

242526

27

28

29

(xxiixxv) "Hydric soil" means a soil that formed under conditions of saturation, flooding or ponding long enough during the growing season to develop anaerobic conditions in the upper part.

factual testimony of persons who have lived near or relied upon the water body, and old records

343536

37

38

39

40

33

(xxiiixxvi) "Hydrophytic vegetation" means a community of plants where, under normal circumstances more than 50 percent of the composition of the dominant species from all strata are obligate wetland (OBL), facultative wetland (FACW), and/or facultative (FAC) species; or a frequency analysis of all species within the community yields a prevalence index value of less than 3.0 (where OBL = 1.0, FACW = 2.0, FAC = 3.0, FACU (facultative upland) = 4.0, and UPL (upland species) = 5.0).

1 2	(xxivxxvii) "Intermittent stream" means a stream or part of a stream where the channel bottom is above the local water table for some part of the year, but is not a perennial
3 4	stream.
5	(xxvxxviii) "Isolated water" means any surface water of the state which is not
6	connected by a defined channel to a surface tributary system and is not within the 100 year flood
7	plain of any river or stream and does not occupy the fringe of any still water body which is
8	connected by a defined channel to a surface tributary system.
9	
10	(xxvixxix) "Main stem" means the major channel of a river or stream as shown on
11	the latest and most detailed records of the Wyoming State Engineer.
12	
13	(xxviixxx) "Micrograms per liter (mg/L)" means micrograms of solute per
14	liter of solution equivalent to parts per billion (ppb) in liquids, assuming unit density.
15	
16	(xxviiixxxi) "Milligrams per liter (mg/L)" means milligrams of solute per liter
17	of solution equivalent to parts per million (ppm) in liquids, assuming unit density.
18	
19	(xxixxxii) "Mixing zone" means limited area or volume of a surface water
20	body within which an effluent becomes thoroughly mixed with the water body.
21	
22	(xxxxxiii) "Nanograms per liter (ng/L)" means nanograms of solute per liter
23	of solution equivalent to parts per trillion in liquids, assuming unit density.
24	(very invarie) "Noturel" many that condition which would exist without the
25	(xxxixxxiv) "Natural" means that condition which would exist without the measurable effects or measurable influence of man's activities.
26	measurable effects of measurable influence of man's activities.
27 28	(xxxiixxxv) "Natural biotic community" means the population structures which
29	were historically or normally present under a given set of chemical and physical conditions or
30	which would potentially exist without the measurable effects or measurable influence of man's
31	activities had not the habitat been altered.
32	astrones had not the hastat ossit attered.
33	(xxxiiixxxvi) "Natural water quality" means that quality of water which would
34	exist without the measurable effects or measurable influence of man's activities.
35	
36	(xxxivxxvii) "Nephelometric turbidity unit (NTU)" means the standard unit
37	used to measure the optical property that causes light to be scattered and absorbed rather than
38	transmitted in straight lines through water, as measured by a nephelometer.
39	
40	(xxxviii) "Net environmental benefit (NEB)" means a risk management approach
41	to derive site-specific criteria for effluent dependent water bodies that weighs the potential for
42	loss of a permitted effluent discharge against the benefits of augmented flow. A net
43	environmental benefit is demonstrated where there is a credible threat to remove the permitted

discharge, and the discharge has been shown to create an environmental benefit and removal of

1	the discharge would cause more environmental harm than leaving it in place and the discharge
2	will not pose a health risk to humans, livestock or wildlife.
3	
4	(xxxvxxxix) "Nongame fish" means all fish species except those listed in
5	Section 2 (b)(xx) above.
6	
7	(xxxvixl) "Non-priority pollutant" means any substance or combination of
8	substances other than those listed by EPA under Section 307(a) of the Federal Clean Water Act.
9	
10	(xxxviixli) "Perennial stream" means a stream or part of a stream that flows
11	continually during all of the calendar year as the result of a groundwater discharge or surface
12	runoff.
13	
14	(xxxviiixlii) "pH" means a term used to express the intensity of acid or alkaline
15	conditions. pH is a measure of the hydrogen ion activity in a water sample. It is mathematically
16	related to hydrogen ion activity according to the expression: $pH = -log 10 (H^+)$, where (H^+) is the
17	hydrogen ion activity. A pH value of 7 at 25 degrees C is neutral, with pHs of less than 7
18	progressively more acid and pHs of greater than 7 progressively more basic (alkaline).
19	
20	(**xxix*xliii*) "PicoCuries per liter (pCi/L)" means a term describing the
21	radiation level of water or solutions. A picocurie is equal to 10^{-12} curie; a curie is defined as 3.7
22	x 10 ¹⁰ disintegrations per second.
23	
24	(xlxliv) "Priority pollutants" means those substances or combination of
25	substances that are listed by EPA under Section 307(a) of the Federal Clean Water Act.
26	
27	(xlv) "Primary contact recreation" means any recreational or other surface
28	water use that could be expected to result in ingestion of the water or immersion (full body
29	<u>contact).</u>
30	
31	(xlixlvi) "Salinity" means the total mineral dissolved constituents, after
32	carbonates have been converted to oxides, organics have been oxidized and bromine and iodine
33	have been replaced by chloride. This term is often used interchangeably with the term total
34	dissolved solids.
35	
36	(xliixlvii) "Seasonal fishery" means a water body, or portion thereof, which
37	supports game and/or nongame fish or spawning for only a portion of the year, but does not have
38	the natural physical conditions necessary to support those uses on a year round basis. Seasonal
39	fisheries may include intermittent and ephemeral streams, shallow reservoirs, lakes, or ponds,
40	which either naturally recruit fish from adjacent perennial water bodies or are managed as put-
41	and-take fisheries.
42	
43	(xliiixlviii) "Secondary body contact recreation" means any recreational or other
44	surface water use in which contact with water is either incidental or accidental and in which the

probability of ingesting appreciable quantities of water is minimal, such as fishing, hunting and commercial and recreational boating. that would not be expected to result in ingestion of the water or immersion.

(xlivxlix) "Storm water" for the purposes of Section 7 of this chapter, means surface runoff from construction sites or industrial activities which are regulated under Section 402 (p) of the federal Clean Water Act and Chapter 2 or Chapter 18 of the Wyoming Water Quality Rules and Regulations. Excluded from this definition are those storm water discharges associated with industrial activities which are subject to an existing federal effluent limitation guideline addressing storm water and where the constituents listed in the federal effluent limitations have a reasonable potential to affect the receiving waters.

(xlv]) "Surface waters of the state" means all perennial, intermittent and ephemeral defined drainages, lakes, reservoirs, and wetlands which are not man-made retention ponds used for the treatment of municipal, agricultural or industrial waste; and all other bodies of surface water, either public or private which are wholly or partially within the boundaries of the state. Nothing in this definition is intended to expand the scope of the Environmental Quality Act, as limited in W.S. 35-11-1104.

(xlvili) "Toxic materials" means those materials or combinations of materials including disease causing agents, which, after discharge and upon exposure, ingestion, inhalation or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, will, on the basis of information available to the director of the Wyoming Department of Environmental Quality cause death, disease, behavioral abnormalities, cancer, genetic malfunctions, physiological malfunctions (including malfunctions in reproduction) or physical deformations in such organisms or their offspring.

(xlviilii) "Tributary" means those streams or stream segments which flow into or contribute water to another stream, stream segment, downstream reach of the same stream, or other water body.

(xlviii]iii) "Undesirable aquatic life" means organisms generally associated with degraded or eutrophic conditions. These may include the following organisms where they have replaced members of the natural biotic community: exotic fish, or species which are designated "undesirable" by the Wyoming Game and Fish Department or the U.S. Fish and Wildlife Service within their appropriate jurisdictions.

(xlixliv) "Use attainability analysis (UAA)" means a structured scientific assessment of the factors affecting the attainment of the use. The factors may include physical, chemical, biological, and economic factors as described in Section 33 of these regulations.

(H<u>v</u>) "Warm water game fish" means bass (<u>Genus Micropterus and Ambloplites</u>), catfish and bullheads (<u>Genus Ameiurus, Ictalurus, Noturus and Pylodictus</u>), crappie (<u>Genus Pomoxis</u>), yellow perch (<u>Genus Perca</u>), sunfish (<u>Genus Lepomis</u>), walleye and

sauger (Genus Stizostedion), pike (Genus Esox), sturgeon (Genus Scaphirhynchus) and freshwater drum (Genus Aplodinotus).

(lilvi) "Wetland hydrology" means the presence of water on or near the land surface at a frequency and duration to cause the formation of hydric soils and support a prevalence of vegetation typically adapted to saturated and/or inundated conditions.

(liilvii) "Wyoming Continuing Planning Process (CPP)" means a planning process provided for under Section 303 (e) (1) of the Federal Act developed through public participation and consisting of policies, procedures and programs that result in the definition and implementation of actions that lead to the prevention, reduction and abatement of water pollution and for the protection and enhancement of water uses in the State of Wyoming. The CPP is continuous in time and is designed to respond to changes in conditions and attitudes. The CPP is adopted by resolution of the Water and Waste Advisory Board and is certified by the Governor.

(liiilviii) "Wyoming surface waters" shall have the same meaning as "surface waters of the state" defined in Section 2 (b)(xlv).

(livlvix) "Zone of passage" means a continuous water route which joins segments of a surface water body above and below a mixing zone.

(lylx) "404 permit" means a permit issued pursuant to Section 404 of the Federal Act to regulate the discharge of dredged or fill materials into surface waters of the United States.

Section 3. **Water Uses**. The objectives of the Wyoming water pollution control program are described in W.S. 35-11-102. These objectives are designed to serve the interests of the state and achieve the related goals, objectives, and policies of the Federal Act. The objectives of the Wyoming program are to provide, wherever attainable, the highest possible water quality commensurate with the following uses:

(a) Agriculture. For purposes of water pollution control, agricultural uses include irrigation or stock watering.

(b) Fisheries. The fisheries use includes water quality, habitat conditions, spawning and nursery areas, and food sources necessary to sustain populations of game and nongame fish. This use does not include the protection of exotic species which are designated "undesirable" by the Wyoming Game and Fish Department or the U.S. Fish and Wildlife Service within their appropriate jurisdictions.

(c) Industry. Industrial use protection involves maintaining a level of water quality useful for industrial purposes.

(d) Drinking water. The drinking water use involves maintaining a level of water quality that is suitable for potable water or intended to be suitable after receiving conventional drinking water treatment.

- (e) Recreation. Recreational use protection involves maintaining a level of water quality which is safe for human contact. It does not guarantee the availability of water for any recreational purpose.
- (f) Scenic value. Scenic value use involves the aesthetics of the aquatic systems themselves (odor, color, taste, settleable solids, floating solids, suspended solids, and solid waste) and is not necessarily related to general landscape appearance.
- (g) Aquatic life other than fish. This use includes water quality and habitat necessary to sustain populations of organisms other than fish in proportions which make up diverse aquatic communities common to the waters of the state. This use does not include the protection of insect pests or exotic species which may be considered "undesirable" by the Wyoming Game and Fish Department or the U.S. Fish and Wildlife Service within their appropriate jurisdictions and human pathogens.
- (h) Wildlife. The wildlife use includes protection of water quality to a level which is safe for contact and consumption by avian and terrestrial wildlife species.
- (i) Fish consumption. The fish consumption use involves maintaining a level of water quality that will prevent any unpalatable flavor and/or accumulation of harmful substances in fish tissue.
- Section 4. **Surface Water Classes and Uses**. The following water classes are a hierarchical categorization of waters according to existing and designated uses. Except for Class 1 waters, each classification is protected for its specified uses plus all the uses contained in each lower classification. Class 1 designations are based on value determinations rather than use support and are protected for all uses in existence at the time or after designation. There are four major classes of surface water in Wyoming with various subcategories within each class (see "Wyoming Surface Water Classification List" for current listing).
- (a) Class 1, Outstanding Waters. Class 1 waters are those surface waters in which no further water quality degradation by point source discharges other than from dams will be allowed. Nonpoint sources of pollution shall be controlled through implementation of appropriate best management practices. Pursuant to Section 7 of these regulations, the water quality and physical and biological integrity which existed on the water at the time of designation will be maintained and protected. In designating Class 1 waters, the Environmental Quality Council shall consider water quality, aesthetic, scenic, recreational, ecological, agricultural, botanical, zoological, municipal, industrial, historical, geological, cultural, archaeological, fish and wildlife, the presence of significant quantities of developable water and other values of present and future benefit to the people.

3

4

5

6 7

8 9

15 16 17

18 19 20

22 23 24

21

25 26 27

28

35 36 37

38

39

40

34

- (b) Class 2, Fisheries and Drinking Water. Class 2 waters are waters, other than those designated as Class 1, that are known to support fish or drinking water supplies or where those uses are attainable. Class 2 waters may be perennial, intermittent or ephemeral and are protected for the uses indicated in each sub category listed below. There are fourfive subcategories of Class 2 waters.
- Class 2AB. Class 2AB waters are those known to support game fish (i) populations or spawning and nursery areas at least seasonally and all their perennial tributaries and adjacent wetlands and where a game fishery and drinking water use is otherwise attainable. Class 2AB waters include all permanent and seasonal game fisheries and can be either "cold water" or "warm water" depending upon the predominance of cold water or warm water species present. All Class 2AB waters are designated as cold water game fisheries unless identified as a warm water game fishery by a "ww" notation in the "Wyoming Surface Water Classification List". Unless it is shown otherwise, these waters are presumed to have sufficient water quality and quantity to support drinking water supplies and are protected for that use. Class 2AB waters are also protected for nongame fisheries, fish consumption, aquatic life other than fish, primary contact recreation, wildlife, industry, agriculture and scenic value uses.
- Class 2A. Class 2A waters are those that are not known nor have the (ii) potential to support game fish but are used for public or domestic drinking water supplies, including their perennial tributaries and adjacent wetlands. Uses designated on Class 2A waters include drinking water, aquatic life other than fish, primary contact recreation, wildlife, industry, agriculture and scenic value.
- Class 2B. Class 2B waters are those known to support or have the (iii) potential to support game fish populations or spawning and nursery areas at least seasonally and all their perennial tributaries and adjacent wetlands and where it has been shown that drinking water uses are not attainable pursuant to the provisions of Section 33. Class 2B waters include permanent and seasonal game fisheries and can be either "cold water" or "warm water" depending upon the predominance of cold water or warm water species present. All Class 2B waters are designated as cold water game fisheries unless identified as a warm water game fishery by a "ww" notation in the "Wyoming Surface Water Classification List". Uses designated on Class 2B waters include game and nongame fisheries, fish consumption, aquatic life other than fish, primary contact-recreation, wildlife, industry, agriculture and scenic value.
- Class 2C. Class 2C waters are those known to support or have the (iv) potential to support only nongame fish populations or spawning and nursery areas at least seasonally including their perennial tributaries and adjacent wetlands. Class 2C waters include all permanent and seasonal nongame fisheries and are considered "warm water". Uses designated on Class 2C waters include nongame fisheries, fish consumption, aquatic life other than fish, primary contact recreation, wildlife, industry, agriculture, and scenic value.

(v) Class 2D. Effluent dependent waters which are known to support fish populations and where the resident fish populations would be significantly degraded in terms of numbers or species diversity if the effluent flows were removed or reduced. Class 2D waters are protected to the extent that the existing fish communities and other designated uses are maintained and that the water quality does not pose a health risk or hazard to humans, livestock or wildlife. Uses designated on Class 2D waters include game or nongame fisheries, fish consumption, aquatic life other than fish, recreation, wildlife, industry, agriculture, and scenic value.

(c) Class 3, Aquatic Life Other than Fish. Class 3 waters are waters, other than those designated as Class 1, that are intermittent, ephemeral or isolated waters and because of natural habitat conditions, do not support nor have the potential to support fish populations or spawning, or certain perennial waters which lack the natural water quality to support fish (e.g., geothermal areas). Class 3 waters provide support for invertebrates, amphibians, or other flora and fauna which inhabit waters of the state at some stage of their life cycles. Uses designated on Class 3 waters include aquatic life other than fish, recreation, wildlife, industry, agriculture and scenic value. Generally, waters suitable for this classification have wetland characteristics, and such characteristics will be a primary indicator used in identifying Class 3 waters. There are three four subcategories of Class 3 waters.

(i) Class 3A. Class 3A waters are isolated waters including wetlands that are not known to support fish populations or drinking water supplies and where those uses are not attainable.

(ii) Class 3B. Class 3B waters are tributary waters including adjacent wetlands that are not known to support fish populations or drinking water supplies and where those uses are not attainable. Class 3B waters are intermittent and ephemeral streams with sufficient hydrology to normally support and sustain communities of aquatic life including invertebrates, amphibians, or other flora and fauna which inhabit waters of the state at some stage of their life cycles. In general, 3B waters are characterized by frequent linear wetland occurrences or impoundments within or adjacent to the stream channel over its entire length. Such characteristics will be a primary indicator used in identifying Class 3B waters.

(iii) Class 3C. Class 3C waters are perennial streams without the natural water quality potential to support fish or drinking water supplies but do support wetland characteristics. These may include geothermal waters and waters with naturally high concentrations of dissolved salts or metals or pH extremes.

(iv) Class 3D. Effluent dependent waters which are known to support communities of aquatic life other than fish and where the existing aquatic habitat would be significantly reduced in terms of aerial extent, habitat diversity or ecological value if the effluent flows are removed or reduced. Class 3D waters are protected to the extent that the existing aquatic community, habitat and other designated uses are maintained and the water quality does not pose a health risk or hazard to humans, livestock or wildlife.

- 1 2
- 3 4 5 6
- 7
- 8 9
- 10 11
- 12 13 14
- 15 16
- 17 18
- 19 20 21 22
- 23 24 25

- 27 28 29 30
- 31 32 33
- 34 35 36
- 37 38

39

- 40 41
- 42 43
- 44
 - **Standards Enforcement**. The numerical and narrative standards Section 5. contained within these regulations shall be used to establish effluent limitations for those

waters, other than those designated as Class 1, where it has been determined that aquatic life uses are not attainable pursuant to the provisions of Section 33 of these regulations. Uses designated on Class 4 waters include primary contact recreation, wildlife, industry, agriculture and scenic

Class 4, Agriculture, Industry, Recreation and Wildlife. Class 4 waters are

- value.
- (i) Class 4A. Class 4A waters are artificial canals and ditches that are not known to support fish populations.
- Class 4B. Class 4B waters are intermittent and ephemeral stream channels (ii) that have been determined to lack the hydrologic potential to normally support and sustain aquatic life pursuant to the provisions of Section 33(b)(ii) of these regulations. In general, 4B streams are characterized by only infrequent wetland occurrences or impoundments within or adjacent to the stream channel over its entire length. Such characteristics will be a primary indicator used in identifying Class 4B waters.
- Class 4C. Class 4C waters are all-isolated waters that have been (iii) determined to lack the potential to normally support and sustain aquatic life pursuant to the provisions of Section 33(b)(i), (iii), (iv), (v), and or (vi) of these regulations. Class 4C includes, but is not limited to off-channel effluent-dependent dominated ponds streams where it has been determined under Section 33(b)(iii) that removing a source of pollution to achieve full attainment of aquatic life uses would cause more environmental damage than leaving the source in place.
- Specific stream segment classifications are contained in a separate document entitled "Wyoming Surface Water Classification List" which is published by the department and periodically revised and updated according to the provisions of sections 4, 33, 34, 35 and Appendix A of this chapter. Class 1 waters are those waters that have been specifically designated by the Environmental Quality Council. Class 2AB, 2A, 2B and 2C designations are based upon the fisheries information contained in the Wyoming Game and Fish Department's "Stream and Lakes" inventory database as submitted to the Department of Environmental Quality in June, 2000. This database represents the best available information and is considered conclusive. Class 2D and 3D designations are based upon Use Attainability Analyses demonstrating that the waters are effluent dependent and do not pose a hazard to humans, wildlife or livestock. Class 4 designations are based upon knowledge that a water body is an artificial, man made conveyance, or has been determined not to support aquatic life uses through an approved Use Attainability Analysis. All other waters are designated as Class 3A or 3B. New information made available to the department may be cause to amend the classifications. Additionally, Section 27 of this chapter describes how recreation use designations are made for specific water bodies.

discharges requiring control via permits to discharge in the case of point sources and best management practices in the case of nonpoint sources. If no permit or best management practice has been issued or implemented for a pollution source the state may, in addition to other appropriate legal action, take direct action to enforce these standards.

The processes used to implement the standards are described in various implementation documents adopted by the department. Such documents are adopted with full public participation and include, but are not limited to, the implementation policies for antidegradation, mixing zones, turbidity, and use attainability analysis and agricultural use protection, the Wyoming Continuing Planning Process (CPP), and best management practices.

These regulations shall not be interpreted to preclude the establishment of appropriate compliance schedules for permitting purposes nor shall compliance with the conditions of these regulations exempt any discharger from the penalty provisions of W.S. 35-11-901.

Section 6. **Interstate Compacts, Court Decrees and Water Rights**. The department shall, after review and conference with the State Engineer, make recommendations to the State Engineer concerning proposed new diversions which could cause violations of these regulations.

Section 7. Class 1 Waters.

(a) Except as authorized in paragraph (b), no new point sources other than dams, may discharge, and no existing point sources, other than dams, may increase their quantity of pollution discharge, to any water designated as Class 1.

(b) Storm water and construction-related discharges of pollution to Class 1 waters may be authorized and shall be controlled through applicable water quality permits, Section 401 certifications and/or by the application of best management practices. Such discharges shall not degrade the quality of any Class 1 water below its existing quality or adversely affect any existing use of the water. Temporary increases in turbidity that are within the limits established in Section 23 of these regulations and that do not negatively affect existing uses can be permitted. For purposes of this section, temporary increases in turbidity shall not exceed the actual construction period. The department shall impose whatever controls and monitoring are necessary on point source discharges to Class 1 waters and their tributaries to ensure that the existing quality and uses of the Class 1 water are protected and maintained.

(c) Nonpoint source discharges of pollution to Class 1 waters or tributaries of Class 1 waters shall be controlled by application of best management practices adopted in accordance with the Wyoming Continuing Planning Process. For Class 1 waters, best management practices will maintain existing quality and water uses.

Section 8. **Antidegradation**.

(a) Water uses in existence on or after November 28, 1975 and the level of water quality necessary to protect those uses shall be maintained and protected. Those surface waters not designated as Class 1, but whose quality is better than the standards contained in these regulations, shall be maintained at that higher quality. However, after full intergovernmental coordination and public participation, the Wyoming Department of Environmental Quality may issue a permit for or allow any project or development which would constitute a new source of pollution, or an increased source of pollution, to these waters as long as the following conditions are met:

(i) The quality is not lowered below these standards;

(ii) All existing water uses are fully maintained and protected;

(iii) The highest statutory and regulatory requirements for all new and existing point sources and all cost effective and reasonable best management practices for nonpoint sources have been achieved; and

(iv) The lowered water quality is necessary to accommodate important economic or social development in the area in which the waters are located.

(b) The administrator may require an applicant to submit additional information, including but not limited to an analysis of alternatives to any proposed discharge and relevant economic information before making a determination under this section.

(c) The procedures used to implement this section are described in the "Antidegradation Implementation Policy."

 Section 9. **Mixing Zones**. Except for acute whole effluent toxicity (WET) values and Sections 14, 15, 16, 17, 28 and 29 (b) of these regulations, compliance with water quality standards shall be determined after allowing reasonable time for mixing. Except for the zone of initial dilution, which is the initial 10% of the mixing zone, the mixing zone shall not contain pollutant concentrations that exceed the acute aquatic life values (see Appendix B). In addition, there shall be a zone of passage around the mixing zone which shall not contain pollutant concentrations that exceed the chronic aquatic life values (see Appendix B). Under no circumstance may a mixing zone be established which would allow human health criteria (see Appendix B) to be exceeded within 500 yards of a drinking water supply intake or result in acute lethality to aquatic life. The procedures used to implement this section are described in the "Mixing Zone and Dilution Allowances Policy."

Section 10. **Testing Procedures.** For determination of the parameters involved in the standards, analyses will be in accordance with test procedures defined pursuant to: Title 40, Code of Federal Regulations, Part 136, or any modifications thereto. For test procedures not listed in the Code of Federal Regulations, test procedures outlined in the latest editions of: <u>EPA</u>

Methods for Chemical Analysis of Water and Wastes; or, <u>Standard Methods for the Examination</u> of Water and Wastewaters; or, ASTM Standards, Part 31, Water shall be used.

The analytical technique for total uranium (as U) shall be the fluorometric method as referenced in Methods for Determination of Radioactive Substances in Water and Fluvial Sediments, Techniques of Water - Resource Investigations of the U.S. Geological Survey, Book 5, Chapter A-5, pp. 83 - 92.

Where standard methods of testing have not been established, the suitability of testing procedures shall be determined by the department and the EPA using defensible scientific methods.

Section 11. Flow Conditions.

 (a) Numeric water quality standards shall be enforced at all times except during periods below low flow. Low flow can be determined by the following methods. Whatever method is selected for a specific situation, application of the standards will conform to the magnitude, frequency, and duration provisions as described in these regulations.

(i) Using the 7Q10 (the minimum seven (7) consecutive day flow which has the probability of occurring once in ten (10) years) for acute exposures;

(ii) The EPA's biologically based flow method which determines a four (4) day, three (3) year low flow for chronic exposures and a one (1) day, three (3) year low flow for acute exposures (ref: <u>Technical Guidance Manual For Performing Waste Load Allocation; Book VI, Design Conditions: Chapter 1, Stream Design Flow for Steady-State Modeling</u>, August 1986, US EPA);

(iii) Other defensible scientific methods.

(b) During periods when stream flows are less than the minimums described above, the department may, in consultation with the Wyoming Game and Fish Department and the affected discharger(s), require permittees to institute operational modifications as necessary to insure the protection of aquatic life. This section should not be interpreted as requiring the maintenance of any particular stream flow.

(c) The narrative water quality standards in Sections 14, 15, 16, 17, 28 and 29(b) of these regulations shall be enforced at all stream-flow conditions.

 Section 12. **Protection of Wetlands**. Point or nonpoint sources of pollution shall not cause the destruction, damage, or impairment of naturally occurring wetlands except when mitigated through an authorized wetlands mitigation process. When approving mitigation, the department may consider both the ecological functions and the wetland value of the disturbed wetland.

43 (b) Visibly alter the natural color of the water or impart color to skin, clothing, 44 vessels or structures;

This section does not apply to wetlands created by point or nonpoint sources; nor are such wetlands required to be maintained through continuation of such discharges. Similarly, any man-made wetlands or enhancements which have been credited in the state wetland banking program are not required to be maintained until the credit is used for mitigation purposes. These areas will, however, be protected from discharges of wastes, toxic substances or chemical pollutants as are any other waters of the state.

Section 13. **Toxic Materials**. Except for those substances referenced in Sections 21 (e) and (f) of these regulations, toxic materials attributable to or influenced by the activities of man shall not be present in any Wyoming surface water in concentrations or combinations which constitute "pollution".

Section 14. **Dead Animals and Solid Waste**. Dead animals or solid waste shall not be placed or allowed to remain in Wyoming surface waters. When discovered, removal shall be expeditious unless removal would likely cause more contamination than non-removal. This section should not be interpreted to place a burden on any person to remove dead wildlife from surface waters where the death of the animals occurs under natural or uncontrollable circumstances.

Except as authorized through a 404 permit, solid waste shall not be placed or allowed to remain in surface waters of the state, nor shall solid wastes be placed or allowed to remain in any location which would cause or threaten contamination of Wyoming surface waters.

- Section 15. **Settleable Solids**. In all Wyoming surface waters, substances attributable to or influenced by the activities of man that will settle to form sludge, bank or bottom deposits shall not be present in quantities which could result in significant aesthetic degradation, significant degradation of habitat for aquatic life or adversely affect public water supplies, agricultural or industrial water use, plant life or wildlife.
- Section 16. **Floating and Suspended Solids**. In all Wyoming surface waters, floating and suspended solids attributable to or influenced by the activities of man shall not be present in quantities which could result in significant aesthetic degradation, significant degradation of habitat for aquatic life, or adversely affect public water supplies, agricultural or industrial water use, plant life or wildlife.
- Section 17. **Taste, Odor and Color**. No Class 1, 2, or 3 waters shall contain substances attributable to or influenced by the activities of man that produce taste, odor and color or that would:
 - (a) Of themselves or in combination, impart an unpalatable or off-flavor in fish flesh;
 - 1- 17

1 2	(c)	Produce detectable odor; or
3	(C)	1 Todace detection odor, of
4	(d)	Directly or through interaction among themselves, or with chemicals used in
5	•	r treatment processes, result in concentrations that will impart undesirable taste or
6	odor to public	c water supplies.
7		
8		on 18. Human Health . In all Class 1, 2AB, and 2A waters, the human health
9	values for "Fi	ish and Drinking Water" listed in Appendix B of these regulations shall not be
10	exceeded. In	all Class 2B, 2C and 2CD waters, the human health values for "Fish Only"
11	(consumption	n of aquatic organisms) shall not be exceeded.
12		
13	In cer	tain waters, the criteria listed in Appendix B of these regulations may not be
14	appropriate d	ue to unique physical or chemical conditions. In such cases, human health values
15	may be determ	mined by use of the site-specific procedures outlined in the references listed in
16	Appendix E	of these regulations.
17		
18	Section	on 19. Industrial Water Supply . All Wyoming surface waters which have the
19	natural water	quality potential for use as an industrial water supply shall be maintained at a
20	quality which	allows continued use of such waters for industrial purposes.
21		
22		adation of such waters shall not be of such an extent to cause a measurable increase
23	in raw water	treatment costs to the industrial user(s).
24		
25		s otherwise demonstrated, all Wyoming surface waters have the natural water
26	quality poten	tial for use as an industrial water supply.
27		
28	Section	
29		ater quality potential for use as an agricultural water supply shall be maintained at a
30	quality which	allows continued use of such waters for agricultural purposes.
31		
32	•	adation of such waters shall not be of such an extent to cause a measurable decrease
33	in crop or live	estock production.
34		
35		s otherwise demonstrated, all Wyoming surface waters have the natural water
36	quality poten	tial for use as an agricultural water supply.
37		
38		rocedures used to implement this section are described in the "Agricultural Use
39	Protection Po	<u>plicy."</u>
40		
41	Section 21.	Protection of Aquatic Life.
42		
43	(a)	Ammonia.

(i) The toxicity of ammonia varies with pH and temperature and the applicable limitations are included in the charts in Appendix C of these regulations. The numeric ammonia criteria in Appendix C apply to all Class 1₂ and 2A, 2B, 2AB and 2C waters.

- (ii) In all Class 3 waters, concentrations of ammonia attributable to or influenced by human activities shall not be present in concentrations which could result in harmful acute or chronic effects to aquatic life, or which would not fully support existing and designated uses.
- (b) Specific numeric standards for a number of toxicants are listed in the aquatic life "acute value" and "chronic value" columns in Appendix B of these regulations. These standards apply to all Class 1, 2<u>A, 2B, 2AB, 2C, and 3A, 3B and 3C</u> waters. For these pollutants, the chronic value (four (4) day average concentration) and the acute value (one (1) hour average concentration) shall not be exceeded more than once every three (3) years.
- (c) Others. For those pollutants not listed in Appendix B or C of these regulations, maximum allowable concentrations on Class 1, 2 and 3 waters shall be determined through the bioassay procedures outlined in the references listed in Appendix E of these regulations.
- (d) In certain waters, the criteria listed in Appendix B or C of these regulations may not be appropriate due to unique physical or chemical conditions. In such cases, acute and chronic values may be determined by use of the site-specific procedures outlined in <u>sections 33</u> or 36 or in the references listed in Appendix E of these regulations.
- (e) Aquatic pesticides specifically designed to kill, repel or mitigate aquatic pest problems (such as mosquito larvae or heavy plant growth in irrigation ditches) may be added to surface waters of the state if the use and application is in compliance with the following:
- (i) The chemical toxicant used is a product which has been registered by the EPA and approved by the Wyoming Department of Agriculture for use in the state;
- (ii) The application is conducted by a person licensed by the Wyoming Department of Agriculture to purchase and apply such toxicants in the state;
- (iii) All applications of aquatic pesticides must be administered in accordance with label directions. However, compliance with label directions shall not exempt any person or agency from the penalty provisions of W.S. 35-11-901 should non-target species or non-target areas be affected.
- (f) This section shall not apply to the use of fish toxicants if the use and application is in compliance with the following:
- (i) The chemical toxicant used is a product which has been registered by the EPA and approved by the Wyoming Department of Agriculture for use in the state;

- (ii) The application is conducted by a person certified and licensed by the Wyoming Department of Agriculture to purchase and apply such toxicants in the state;
- (iii) All applications of fish toxicants must be administered in accordance with label directions. However, compliance with label directions shall not exempt any person or agency from the penalty provisions of W.S. 35-11-901 should non-target species or non-target areas be affected.
- (iv) The Wyoming Game and Fish Department may apply fish toxicants to any surface water of the state provided that prior notice is made to the Department of Environmental Quality and after receipt of a verification from the Water Quality Division that the proposed application is in compliance with this section.
- (v) The National Park Service, as the wildlife management agency in Yellowstone National Park, may apply fish toxicants to surface waters within Yellowstone National Park for the purpose of killing or controlling fish provided that prior notice is made to the Department of Environmental Quality and after receipt of a verification from the Water Quality Division that the proposed application is in compliance with this section. Approval from the Wyoming Game and Fish Department is also required prior to application of fish toxicants to waters which flow into surface waters of the state outside of Yellowstone National Park.
- (vi) Private certified pesticide applicators for restricted use pesticides may apply fish toxicants only to waters located entirely on private property where there is no surface outlet to waters of the state provided that prior notice is made to the Department of Environmental Quality and after receipt of a verification from the Water Quality Division that the proposed application is in compliance with this section. Approval, including any necessary permits, from the Wyoming Game and Fish Department is also required prior to application of fish toxicants to insure protection of fish and wildlife resources.
- (vii) Pesticide applications must be conducted in a manner that minimizes to the extent practicable, the magnitude of any change in the concentration of the parameters affected by the activity and the length of time during which any change may occur. The application must include measures that prevent significant risk to public health and ensure that existing and designated uses of the water are protected and maintained upon the completion of the activity.
- (viii) Except for the circumstances described in (i) through (vii) above, no other agency or person may apply fish toxicants in any water of the state.
 - Section 22. Radioactive Material.

1 In Class 1, 2AB and 2A waters, the radiological limits established in the most (a) recent Federal Primary Drinking Water Standards published by EPA or its successor agency (40 2 CFR parts 141.15 and 141.16, published July 1, 1998) shall not be exceeded. 3 4 In Class 2B, 2C, 2D, 3 and 4 waters, the total radium 226 concentration shall not 5 6 exceed 60 pCi/L. 7 8 In all Wyoming surface waters, radioactive materials attributable or influenced by the activities of man shall not be present in the water or in the sediments in amounts which could 9 cause harmful accumulations of radioactivity in plant, wildlife, stock, or aquatic life. 10 11 Section 23. Turbidity. 12 13 In all cold water fisheries and drinking water supplies (classes 1, 2AB, 2A, and 14 2B), the discharge of substances attributable to or influenced by the activities of man shall not be 15 present in quantities which would result in a turbidity increase of more than ten (10) 16 17 nephelometric turbidity units (NTUs). 18 In all warm water or nongame fisheries (classes 1, 2AB, 2B and 2C), the 19 (b) discharge of substances attributable to or influenced by the activities of man shall not be present 20 in quantities which would result in a turbidity increase of more than 15 NTUs. 21 22 23 An exception to paragraphs (a) and (b) of this section shall apply to: (c) 24 25 The North Platte River from Guernsey Dam to the Nebraska line during (i) 26 the annual "silt run" from Guernsey Dam; and 27 Short-term increases of turbidity that have been determined by the 28 (ii) administrator to have only a minimal effect on water uses. Such determinations shall be made on 29 a case-by-case basis and shall be subject to whatever controls, monitoring, and best management 30 practices are necessary to fully maintain and protect all water uses. The procedures used to 31 implement this section are described in the "Turbidity Implementation Policy." 32 33 Section 24. **Dissolved Oxygen**. In all Class 2A, 2D and 3 waters, wastes attributable 34 to or influenced by the activities of man shall not deplete dissolved oxygen amounts to a level 35 which will result in harmful acute or chronic effects to aquatic life, or which would not fully 36 37 support existing and designated uses. 38 39 In all Class 1, 2AB, 2B and 2C waters, wastes attributable to or influenced by the activi-

ties of man shall not be present in amounts which will result in a dissolved oxygen content of

less than that presented on the chart in Appendix D of these regulations.

Temperature.

40 41

42

43 44 Section 25.

- (a) For Class 1, 2 and 3 waters, effluent attributable to or influenced by the activities of man shall not be discharged in amounts which change ambient water temperatures to levels which result in harmful acute or chronic effects to aquatic life, or which would not fully support existing and designated uses.
- (b) When ambient temperatures are above 60 degrees F in all Class 1, 2AB, and 2B waters which are cold water fisheries, effluent attributable to or influenced by the activities of man shall not be discharged in amounts which will result in an increase of more than 2 degrees F (1.1 degree C) in existing temperatures.
- (c) When ambient temperatures are above 60 degrees F in all Class 1, 2AB, 2B and 2C waters, which are warm water fisheries, effluent attributable to or influenced by the activities of man shall not be discharged in amounts which will result in an increase of more than 4 degrees F (2.2 degrees C) in existing temperatures.
- (d) Except on Class <u>2D</u>, 3 and Class 4 waters, the maximum allowable stream temperature will be the maximum natural daily stream temperature plus the allowable change, provided that this temperature is not lethal to existing fish life and under no circumstance shall this maximum temperature exceed 68 degrees F (20 degrees C) in the case of cold water fisheries and 86 degrees F (30 degrees C) in the case of warm water fisheries.
- (e) With the exception of the provisions of Sections 9 and 11 of these regulations, temperature standards shall apply at all times and at all depths of the receiving water and may not be violated at any time or at any depth.
- (f) The various requirements of this section may be waived only under the provisions of Section 316 (a) of the Federal Act.

Section 26. **pH**.

- (a) For all Wyoming surface waters, wastes attributable to or influenced by the activities of man shall not be present in amounts which will cause the pH to be less than 6.5 or greater than 9.0 standard units.
- (b) For all Class 1, 2 and 3 waters, effluent attributable or influenced by human activities shall not be discharged in amounts which change the pH to levels which result in harmful acute or chronic effects to aquatic life, directly or in conjunction with other chemical constituents, or which would not fully support existing and designated uses.
- Section 27. **Fecal Coliform Bacteria**. During the entire year, fecal coliform concentrations shall not exceed a geometric mean of 200 organisms per 100 milliliters (based on a minimum of not less than 5 samples obtained during separate 24 hour periods for any 30 day period), nor shall the geometric mean of 3 separate samples collected within a 24 hour period exceed 400 organisms per 100 milliliters in any Wyoming surface water.

1	
2	Section 27. E. coli Bacteria.
3	
4	(a) Primary Contact Recreation. In all waters designated for primary contact
5	recreation, during the summer recreation season (May 1 through September 30), concentrations
6	of E. coli bacteria shall not exceed a geometric mean of 126 organisms per 100 milliliters based
7	on a minimum of not less than 5 samples obtained during separate 24 hour periods for any 30-
8	day period. All waters in Table A of the Wyoming Surface Water Classification List are
9	designated for primary contact recreation unless identified as a secondary contact water by a
10	"(s)" notation. Waters not specifically listed in Table A of the Wyoming Surface Water
11	Classification List shall be designated as secondary contact waters. During the period October 1
12	through April 30, all waters are protected for secondary contact recreation only.
13	
14	(b) Secondary Contact Recreation. In all waters designated for secondary contact
15	recreation, and in waters designated for primary contact recreation during the winter recreation
16	season (October 1 through April 30), concentrations of E. coli bacteria shall not exceed a
17	geometric mean of 630 organisms per 100 milliliters based on a minimum of not less than 5
18	samples obtained during separate 24 hour periods for any 30-day period.
19	
20	(c) Single-sample Maximum Concentrations. During the summer recreation season, on
21	all waters designated for primary contact recreation, the following single-sample maximum
22	concentrations of E. coli bacteria shall apply:
23	
24	(i) High use swimming areas - 235 organisms per 100 milliliters
25	
26	(ii) Moderate full body contact - 298 organisms per 100 milliliters
27	
28	(iii) Lightly used full body contact - 410 organisms per 100 milliliters
29	
30	(iv) Infrequently used full body contact - 576 organisms per 100 milliliters
31	
32	Single-sample maximum values may be used to post recreational use advisories in public
33	recreation areas and to derive single-sample maximum effluent limitations on point source
34	discharges. An exceedence of the single-sample maxima shall not be cause for listing a water
35	body on the State 303(d) list or development of a TMDL or watershed plan. The appropriate
36	recreational use category (i through iv above) shall be determined by the administrator as
37	needed, on a case by case basis. In making such a determination, the administrator may consider
38	such site-specific circumstances as type and frequency of use, time of year, public access,
39	proximity to populated areas, and local interests.
40	
41	(d) Variances. Temporary and/or permanent variances to the E. coli values provided in
42	(a) through (c) above may be granted in instances where the primary source of bacterial
43	contamination is found to be natural in origin (wildlife), unavoidable (off-channel stock watering
44	pits), or otherwise in the public interest.

- (ii) Natural, ephemeral, intermittent or low flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating state water conservation requirements to enable uses to be met; or
- (iii) Human caused conditions or sources of pollution prevent the attainment of the use and cannot be remedied or would cause more environmental damage to correct than to leave in place; or
- (iv) Dams, diversions, or other types of hydrologic modifications preclude the attainment of the classification or use, and it is not feasible to restore the water body to its original condition or to operate such modification in such a way that would result in the attainment of the classification or use; or
- (v) Physical conditions related to the natural features of the water body, such as the lack of a proper substrate, cover, depth, pools, riffles, and the like, unrelated to water quality, preclude attainment of the classification or use; or
- (vi) Controls more stringent than those required by Sections 301(b) and 306 of the Federal Act would result in substantial and widespread economic and social impact. This subsection shall not apply to the derivation of site-specific criteria.
- (c) The Water Quality Administrator may raise a classification, add a designated use, or make a recommendation to the Environmental Quality Council to establish sub-categories of a use or site-specific criteria, if it can be demonstrated through a Use Attainability Analysis (UAA) that such uses are existing uses or may be attained with the imposition of more stringent controls or management practices.
- (d) The procedures used to implement this section are described in the "Use Attainability Analysis Implementation Policy."
- (e) The provisions of subsections (b) and (c) above are not applicable to Class 1 designations. Class 1 designations may be added or removed in accordance with the provisions of the Environmental Quality Act, the Wyoming Administrative Procedures Act and Section 4 (a) of these regulations.
- Section 34. **Use Attainability Analysis.** The Water Quality administrator shall review all petitions submitted under Section 33 of these regulations and make a determination based upon the technical merits of the Use Attainability Analysis. Public notice and opportunity for comment shall be provided prior to making this determination.
- (a) Any changes in water classifications or use designations resulting from the administrator's determination shall be submitted to EPA for approval as revised water quality

standards for Clean Water Act purposes and shall become effective either upon EPA approval or 90 days after submittal, whichever comes first. If within 90 days of submittal, the EPA determines that any such revised or new standard is not consistent with the applicable requirements of the Federal Act and specifies the changes needed to meet such requirements, the administrator may consider EPA's recommendations and publish a revised final determination. All determinations made under this subsection are considered final actions of the administrator and may be appealed pursuant to Chapter 1, Section 16 of the Rules of Practice and Procedure.

changes in water quality criteria that result from the administrator's findings shall be recommended to the Environmental Quality Council for adoption as revised rules. Ambient-based criteria for effluent dependent waters shall be established according to the provisions of Section 36 of these rules. If adopted by the Council, the revised rules shall be filed with the secretary of state and shall become effective 90 days after filing. The revised rules shall also be concurrently submitted to EPA for approval as revised water quality standards for Clean Water Act purposes. If within 90 days of submittal, the EPA determines that any such revised or new standard is not consistent with the applicable requirements of the Federal Act and specifies the changes needed to meet such requirements, the department may recommend a new standard incorporating EPA's specifications to the Environmental Quality Council for adoption.

Section 35. Credible Data.

(a) Development of scientifically valid chemical, physical and biological monitoring data shall:

(i) Consist of data collection using accepted referenced laboratory and field methods employed by a person who has received specialized training and has field experience in developing a monitoring plan, a quality assurance plan, and employing the methods outlined in such plans; or works under the supervision of a person who has these qualifications. Specialized training includes a thorough knowledge of written sampling protocols and field methods such that the data collection and interpretation are reproducible, scientifically defensible, and free from preconceived bias; and

(ii) Includes documented quality assurance consisting of a plan that details how environmental data operations are planned, implemented, and assessed with respect to quality during the duration of the project.

 (b) Credible data shall be collected on each water body, as required in this section and shall be considered for purposes of characterizing the integrity of the water body including consideration of soil, geology, hydrology, geomorphology, climate, stream succession and the influences of man upon the system. These data in combination with other available and applicable information shall be used through a weight-of-evidence approach to designate uses and determine whether those uses are being attained. In those instances where numerical standards contained in these rules are exceeded or on ephemeral and intermittent water bodies

1 2	where chemical and biological sampling may not be practical or feasible, less than a complete set of data may be used to make a decision on attainment.
3 4 5 6 7 8	(c) All changes to use designations after the effective date of this rule shall include the consideration of credible data relevant to the decision. Changes which involve the removal of a use designation or the replacement of a designation shall be supported by a use attainability analysis (UAA).
8 9 10	(d) After the effective date of this rule, credible data shall be utilized in determining a water body's attainment of designated uses.
11	
12	Section 36. Effluent Dependent Criteria. In addition to the provisions of Section 33, the
13	Water Quality Administrator may make modifications to the numeric values for pollutants listed
14	in Appendix B on Class 2D and 3D waters. These modifications may be made on a categorical
15	or site-specific basis by application of the following process:
16	
17	a. The adopted statewide numeric criteria may be modified on Class 2D and 3D
18	waters to reflect ambient conditions by developing a UAA demonstrating that the water body is
19	effluent dependent and that continued discharge of a permitted effluent to the water body has
20	been shown to create a net environmental benefit. Criteria modification based on a finding of net
21	environmental benefit is authorized where:
22	
23	1. The water body is effluent dependent;
24	
25	2. The discharge has been shown to create an environmental benefit and
26	removal of the discharge would cause more environmental harm than leaving it in place;
27	
28	3. There is a credible threat to remove the discharge; and
29	
30	4. Appropriate safeguards are in place, ensuring that downstream uses will
31	be protected and the discharge will pose no health risk or hazard to humans, livestock or wildlife.
32	
33	
34	b. Where the above factors have been satisfied, site specific criteria may be set equal
35	to the background concentration plus a margin of error for each parameter where the highest
36	background concentration exceeds the statewide numeric criteria. Such site-specific criteria will
37	be implemented as instantaneous maximum values.
38	
39	1. The background concentration shall be the highest concentration recorded over the
40	course of a one year period where samples have been taken at least once in each month.
41	
42	2. The margin of error shall be one standard deviation calculated from the same data set
43	used to establish background.
44	

3. In addition to water column values, aquatic life tissue criteria shall also be established
for all parameters known to be bio-accumulating and where recommended criteria have been
developed by EPA. Such values shall be at least equal to the nationally recommended tissue
criteria published by EPA under section 304(a) of the Clean Water Act.
(c) The procedures used to implement this section are described in the "Use
Attainability Analysis Implementation Policy."

1		Annandiy A						
2 3	Appendix A							
4	Wyoming Surface Water Classifications							
5	"Johning Burlace "tutor Clussifications							
6	All surface waters in Wyoming are classified as follows:							
7								
8	(a) Class	1 Waters. The following waters are designated Class 1:						
9								
10	(i) All surface waters located within the boundaries of national parks and							
11	congressionally designated wilderness areas as of January 1, 1999;							
12	(ii)	The main stem of the Sneke Diver through its entire length shows the U.S.						
13 14	` '	The main stem of the Snake River through its entire length above the U.S. Wilson Bridge):						
15	Highway 22 Bridge (Wilson Bridge);							
16	(iii)	The main stem of the Green River, including the Green River Lakes from						
17	` /	Fork River upstream to the wilderness boundary;						
18								
19	(iv)	The Main Stem of the Wind River from the Wedding of the Waters						
20	upstream to Boysen Dam;							
21								
22	(v)	The main stem of the North Platte River from the mouth of Sage Creek						
23	(approximately 15 stream miles downstream of Saratoga, Wyoming) upstream to the Colorado							
24	state line;							
25	<i>(</i> •)							
26	(vi)	The main stem of the North Platte River from the headwaters of Pathfinder						
27 28	Reservoir upstream u	o Kortes Dam (Miracle Mile segment);						
29	(vii)	The main stem of the North Platte River from the Natrona County Road						
30	309 bridge (Goose Egg bridge) upstream to Alcova Reservoir;							
31	50) blidge (Goose L	55 oriage) appareum to rice va reservoir,						
32	(viii)	The main stem of Sand Creek above the U.S. Highway 14 bridge;						
33	,							
34	(ix)	The main stem of the Middle Fork of the Powder River through its entire						
35	length above the mouth of Buffalo Creek;							
36								
37	(x)	The main stem of the Tongue River, the main stem of the North Fork of						
38	the Tongue River, and the main stem of the South Fork of the Tongue River above the U.S.							
39	Forest Service Boundary;							
40								
41	(xi)	The main stem of the Sweetwater River above the mouth of Alkali Creek;						
42	(th	The main stam of the Encommunant Diver from the neathern LLC Encort						
43	(Xii)	The main stem of the Encampment River from the northern U.S. Forest						
44	Service boundary ups	stream to the Colorado state line;						

1								
2	(xiii)	The main s	stem of the Clarks Fork River from the U.S. Forest Service					
3	boundary upstream t	o the Montai	na state line;					
4	• 1							
5	(xiv)	All waters	within the Fish Creek (near Wilson, Wyoming) drainage;					
6	(777)	The main	stam of Cronita Croak (tributory of the Hoheek Divor) through					
7	(XV)	The main s	stem of Granite Creek (tributary of the Hoback River) through					
8	its entire length;							
9	(vvi)	Fremont L	akai					
10	(xvi)	riemont L	ake,					
11	(vvii)	Watlanda	adjacent to the above listed Class 1 westers					
12	(XVII)	wettailus a	adjacent to the above listed Class 1 waters.					
13 14	(b) Indivi	idual matar a	described tions for major water hadias are listed in the most					
15	(b) Individual water classifications for major water bodies are listed in the most current version of the "Wyoming Surface Water Classification List" published and periodically							
16 17	updated by the Wyoming Department of Environmental Quality, Water Quality Division. In addition to the listings contained in that document, the following provisions apply:							
18	addition to the fishing	38 contained	in that document, the following provisions appry.					
19	(i)	National P	arks and Wilderness Areas. All surface waters located within					
20								
21	the boundaries of Yellowstone and Grand Teton National Parks and congressionally designated							
22	wilderness areas as of January 1, 1999 are Class 1 waters. Such Class 1 designation always							
23	takes precedence over the classification given in the listing. For example, Dinwoody Creek is							
24	shown as a Class 2 water; however, the upper portions are within a wilderness area and those portions are Class 1. The portion below the wilderness boundary is Class 2.							
25	portions are class 1.	The portion	below the winderness boundary is class 2.					
26	(ii)	Unlisted W	Vaters. The waters contained in the "Wyoming Surface Water					
27	Classification List" are all waters which are named on the USGS 1:500,000 hydrologic map of							
28	Wyoming and those otherwise classified by the department. The Classification List does not							
29	contain an exhaustive listing of all the surface waters in the state. Waters which are not listed							
30	are classified as follows:							
31	are classified as folio	, , , , , , , , , , , , , , , , , , ,						
32		(1) All	waters shown as having any species of game fish present in the					
33	Wyoming Game and		tment's Streams and Lakes Database as submitted to the					
34	Department of Environmental Quality in June, 2000 are classified as 2AB;							
35	2 optimizate of 2m in		, , , , , , , , , , , , , , , , , , ,					
36		(2) All	waters shown as having only nongame fish species present in					
37	the Wyoming Game and Fish Department's <i>Streams and Lakes Database</i> as submitted to the							
38	Department of Environmental Quality in June, 2000 are classified as 2C;							
39	1							
40		(3) All	other waters shall be classified as follows:					
41		` /						
42		(A)	Those waters supported by an approved UAA containing					
43	defensible reasons for not protecting aquatic life uses shall be 4A, 4B or 4C. This category							
44	includes isolated, effluent dependent waters;							

1	
2	(B) Effluent dependent waters that support resident fish
3	populations shall be 2D;
4	
5	(C) Effluent dependent waters that do not support resident fish
6	populations shall be 3D;
7	
8	(C)(B) The remaining waters shall be 3A, 3B or 3C.
9	
10	(iii) Wetlands. All adjacent wetlands shall have the same classification as the
11	water to which they are adjacent.
12	

PRIORITY POLLUTANTS

1 2 3 4

Appendix BWater Quality Criteria (1)

PRIORITY POLLUTANTS

<u>Pollutant</u>	Aquatic Life Acute Value <u>Micrograms/L</u>	Aquatic Life Chronic Value <u>Micrograms/L</u>	Human Health Value Fish & Drinking Water ⁽²⁾ <u>Micrograms/L</u>	Human Health Value Fish Only ⁽⁸⁾ <u>Micrograms/L</u>
Acenaphthene			20 ⁽⁷⁾	2700 <u>990</u>
Acrolein			<u>320</u> <u>190</u>	780 <u>290</u>
Acrylonitrile ⁽³⁾			0.059 <u>0.051</u>	<u>0.66</u> <u>0.25</u>
Benzene ⁽³⁾			<u>1.2_2.2</u>	<u>74_51</u>
Benzidine ⁽³⁾			0.00012 <u>0.000086</u>	0.00054 0.00020
Carbon tetrachloride ⁽³⁾ (Tetrachloromethane)			<u>0.25_0.23</u>	4.4 <u>1.6</u>
Chlorobenzene (Monochlorobenzene)			20⁽⁷⁾ 100⁽⁹⁾	21000 <u>1600</u>
1,2,4 Trichlorobenzene			70⁽⁹⁾ 35	940<u>70</u>
Hexachlorobenzene ⁽³⁾			-0.00075 <u>0.00028</u>	0.00077 0.00029
1,2-Dichloroethane ⁽³⁾			0.38	<u>99_37</u>
1,1,1-Trichloroethane			200 ⁽⁹⁾	
Hexachloroethane ⁽³⁾			1.9 <u>1.4</u>	<u>8.9_3.3</u>
1,1,2-Trichloroethane ⁽³⁾			<u>0.60</u> <u>0.59</u>	42 <u>16</u>
1,1,2,2,-Tetrachloroethane ⁽³⁾			0.17	<u> 11_4</u>
Bis(2-chloroethyl) ether ⁽³⁾			0.031 <u>0.030</u>	<u>1.4_0.53</u>
2-Chloronaphthalene			<u>1700_1000</u>	4300 <u>1600</u>
2,4,6-Trichlorophenol ⁽³⁾			<u>2.1_1.4</u>	<u>6.5</u> <u>2.4</u>
p-Chloro-m-cresol (4-Chloro-3-methylphenol)			3000 ⁽⁷⁾	
Chloroform (HM) ⁽³⁾ (Trichloromethane)			5.7	470
2-Chlorophenol			0.1 ⁽⁷⁾	<u>400_150</u>
1,2-dichlorobenzene			600 ⁽⁹⁾ 420	<u>17000</u> <u>1300</u>
1,3-Dichlorobenzene			400 <u>320</u>	2600 <u>960</u>
1,4-Dichlorobenzene			75 ⁽⁹⁾ 63	<u>2600 190</u>

<u>Pollutant</u>	Aquatic Life Acute Value Micrograms/L	Aquatic Life Chronic Value <u>Micrograms/L</u>	Human Health Value Fish & Drinking Water ⁽²⁾ <u>Micrograms/L</u>	Human Health Value Fish Only ⁽⁸⁾ <u>Micrograms/L</u>
3,3-Dichlorobenzidine ⁽³⁾			0.04 <u>0.021</u>	0.077 <u>0.028</u>
1,1-Dichloroethylene ⁽³⁾			0.057 <u>330</u>	<u>3.2_7100</u>
1,2-trans-Dichloroethylene			100 ⁽⁹⁾	140000 <u>10000</u>
2,4-Dichlorophenol			0.3 ⁽⁷⁾	790 <u>290</u>
1,2-Dichloropropane			<u>0.52</u> <u>0.50</u>	39 <u>15</u>
1,3-Dichloropropylene (1,3-Dichloropropene) (cis and trans isomers)			10 <u>0.34</u>	1700 <u>21</u>
2,4-Dimethylphenol			400 <u>380</u> ⁽⁷⁾	2300 <u>850</u>
2,4-Dinitrotoluene ⁽³⁾			0.11	<u>9.1_3.4</u>
1,2-Diphenylhydrazine ⁽³⁾			<u>0.040</u> <u>0.036</u>	<u>0.54</u> <u>0.20</u>
Ethylbenzene			700⁽⁹⁾ <u>530</u>	29000 <u>2100</u>
Fluoranthene			<u>300_130</u>	370 <u>140</u>
Bis(2-chloroisopropyl) ether			1400	<u>170000</u> <u>65000</u>
Methylene chloride (HM) ⁽³⁾ (Dichloromethane)			4 .7 <u>4.6</u>	<u>1600_590</u>
Methyl bromide (HM) (Bromomethane)			48 <u>47</u>	4 000 1500
Bromoform (HM) ⁽⁶⁾ (Tribromomethane)			4.3	360 <u>140</u>
Dichlorobromomethane (HM) ⁽⁶⁾			0.56 <u>0.55</u>	4 <u>6</u> 17
Chlorodibromomethane (HM) ⁽⁶⁾			0.41 <u>0.40</u>	34 <u>13</u>
Hexachlorobutadiene ⁽³⁾			0.44	<u>50_18</u>
Hexachlorocyclopentadine			1 ⁽⁷⁾	<u>17000_1100</u>
Isophorone ⁽³⁾			36 <u>35</u>	2600 <u>960</u>
Nitrobenzene			17	<u>1900_690</u>
2,4-Dinitrophenol			70 <u>69</u>	14000 <u>5300</u>
4,6-Dinitro-o-cresol (4,6-Dinitro-2-methylphenol)			13	765 <u>280</u>
N-Nitrosodimethylamine ⁽³⁾			0.00069	<u>8.1_3</u>
N-Nitrosodiphenylamine ⁽³⁾			<u>5.0_3.3</u>	<u>16_6</u>
N-Nitrosodi-n-propylamine ⁽³⁾			0.005	<u>1.4</u> <u>0.51</u>
Pentachlorophenol	19 ⁽⁵⁾	15 ⁽⁵⁾	0.28 <u>0.27⁽³⁾</u>	8.2 <u>3⁽³⁾</u>

<u>Pollutant</u>	Aquatic Life Acute Value Micrograms/L	Aquatic Life Chronic Value <u>Micrograms/L</u>	Human Health Value Fish & Drinking Water ⁽²⁾ <u>Micrograms/L</u>	Human Health Value Fish Only ⁽⁸⁾ <u>Micrograms/L</u>	
Phenol			300 ⁽⁷⁾	4 600000 1700000	
Bis(2-ethylhexyl)phthalate ⁽³⁾			<u>1.8_1.2</u>	<u>5.9</u> <u>2.2</u>	
Butyl benzyl phthalate			<u>3000_1500</u>	<u>5200</u> <u>1900</u>	
Di-n-butyl phthlate			2700 <u>2000</u>	<u>12000</u> <u>4500</u>	
Diethyl phthalate			23000 <u>17000</u>	120000 <u>44000</u>	
Dimethyl phthalate			313000 <u>270000</u>	2900000 1100000	
Benzo(a)anthracene (PAH) ⁽³⁾ (1,2-Benzanthracene)			-0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Benzo(a)pyrene (PAH) ⁽³⁾ (3, 4-Benzopyrene)			0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Benzo(b)fluoranthene (PAH) ⁽³⁾ (3,4-Benzofluoranthene)			-0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Benzo(k)fluoranthene (PAH) ⁽³⁾ (11,12-Benzofluoranthene)			0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Chrysene (PAH) ⁽³⁾			0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Anthracene (PAH) ⁽⁶⁾			9600 <u>8300</u>	<u>110000</u> <u>40000</u>	
Fluorene (PAH) ⁽⁶⁾			<u>1300</u> <u>1100</u>	<u>14000</u> <u>5300</u>	
Dibenzo(a,h)anthracene (PAH) ⁽³⁾ (1,2,5,6-Dibenzanthracene)			0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Indeno(1,2,3-cd)pyrene (PAH) ⁽³⁾			0.0044 <u>0.0038</u>	0.049 <u>0.018</u>	
Pyrene (PAH) ⁽⁶⁾			960 <u>830</u>	<u>11000_4000</u>	
Tetrachloroethylene ⁽³⁾			0.8 <u>0.69</u>	<u>8.85_3.3</u>	
Toluene			1000 ⁽⁹⁾	200000 <u>15000</u>	
Trichloroethylene ⁽³⁾			<u>2.7_2.5</u>	<u>81_30</u>	
Vinyl chloride ⁽³⁾ (Chloroethylene)			<u>2 0.025</u>	<u>525</u> <u>2.4</u>	
Aldrin ⁽³⁾	1.5		0.00013 0.000049	0.00014 0.000050	
Dieldrin ⁽³⁾	0.24	0.056	0.00014 <u>0.000052</u>	0.00014 0.000054	
Chlordane ⁽³⁾	1.2	0.0043	0.0021 <u>0.00080</u>	<u>0.0022</u> <u>0.00081</u>	

<u>Pollutant</u>	Aquatic Life Acute Value Micrograms/L Aquatic Life Chronic Value Micrograms/I		Human Health Value Fish & Drinking Water ⁽²⁾ <u>Micrograms/L</u>	Human Health Value Fish Only ⁽⁸⁾ <u>Micrograms/L</u>	
4,4'-DDT ⁽³⁾	0.55	0.001	0.00059 <u>0.00022</u>	0.00059 0.00022	
4,4'-DDE ⁽³⁾			0.00059 <u>0.00022</u>	0.00059 0.00022	
4,4'-DDD ⁽³⁾			0.00083 <u>0.00031</u>	0.00084 0.00031	
alpha-Endosulfan	0.11	0.056	<u>110_62</u>	240 <u>89</u>	
beta-Endosulfan	0.11	0.056	<u>110_62</u>	240 <u>89</u>	
Endosulfan sulfate			<u>110_62</u>	240 <u>89</u>	
Endrin	0.086	0.036	0.76 <u>0.59</u>	0.81 <u>0.060</u>	
Endrin aldehyde			<u>0.76</u> <u>0.29</u>	<u>0.81_0.30</u>	
Heptachlor ⁽³⁾	0.26	0.0038	0.00021 <u>0.000079</u>	0.00021 0.000079	
Heptachlor epoxide ⁽³⁾	0.26	0.0038	0.0001 0.000039	0.00011 0.000039	
alpha-BHC ⁽³⁾ (Hexachlorocyclohexane-alpha)			0.0039 <u>0.0026</u>	0.013 <u>0.0049</u>	
beta-BHC ⁽³⁾ (Hexachlorocyclohexane-beta)			0.014 <u>0.0091</u>	<u>0.046</u> <u>0.017</u>	
gamma-BHC (Lindane) ⁽³⁾ (Hexachlorocyclohexane- gamma)	0.95		0.019 0.2(9)	<u>0.063</u> <u>1.8</u>	
PCB-1242 (Arochlor 1242) ⁽³⁾		0.014	0.00017 0.000064 (13)	0.00017 0.000064 (13)	
PBC-1254 (Arochlor 1254) ⁽³⁾		0.014	0.00017 0.000064 (13)	0.00017 0.000064 (13)	
PBC-1221 (Arochlor 1221) ⁽³⁾		0.014	0.00017 0.000064 (13)	0.00017 0.000064 (13)	
PBC-1232 (Arochlor 1232) ⁽³⁾		0.014	0.00004 0.00017 0.000064 (13)	0.00004 0.00017 0.000064 (13)	
PBC-1248 (Arochlor 1248) ⁽³⁾		0.014	0.00004 0.00017 0.000064 (13)	0.00004 0.00017 0.000064 (13)	
PBC-1260 (Arochlor 1260) ⁽³⁾		0.014	0.000064 0.00017 0.000064 (13)	0.000064 0.00017 0.000064	

<u>Pollutant</u>	Aquatic Life Acute Value <u>Micrograms/L</u>	Aquatic Life Chronic Value <u>Micrograms/L</u>	Human Health Value Fish & Drinking Water ⁽²⁾ Micrograms/L	Human Health Value Fish Only ⁽⁸⁾ Micrograms/L
PBC-1016 (Arochlor 1016) ⁽³⁾		0.014	0.00017 0.000064 (13)	0.00017 0.000064 (13)
Toxaphene ⁽³⁾	0.73	0.0002	0.00073 0.0028	0.00075 <u>0.0028</u>
Antimony			<u>14_5.6</u>	<u>4300_640</u>
Arsenic ⁽³⁾	340	150	<u>710</u>	7 <u>10</u>
Asbestos ⁽³⁾			7000000 fibers/L ⁽⁹⁾	
Beryllium ⁽³⁾			4 ⁽⁹⁾	
Cadmium	4.3 ⁽⁴⁾ 2.0 ⁽⁴⁾	2.2 ⁽⁴⁾ 0.25 ⁽⁴⁾	5 ⁽⁹⁾	
Chromium (III)	569.8 ⁽⁴⁾	74.1 ⁽⁴⁾	100 ⁽⁹⁾ (total)	
Chromium (VI)	16	11	100 ⁽⁹⁾ (total)	
Copper	13.4 ⁽⁴⁾	9 ⁽⁴⁾	1000 ⁽⁷⁾	
Cyanide (free)	22	5.2	200 ⁽⁹⁾	220000
Lead	64.6 ⁽⁴⁾	2.5 ⁽⁴⁾	15 ⁽⁹⁾	
Mercury	1.4	0.77	0.050	0.051
Nickel	468.2 ⁽⁴⁾	52.0 ⁽⁴⁾	100 ⁽⁹⁾	4600
Selenium	20	5 ⁽¹⁰⁾	50 ⁽⁹⁾	9000 <u>4200</u>
Silver	3.4 ⁽⁴⁾			
Thallium			<u>1.7_2.4</u>	<u>6.3_4.7</u>
Zinc	117.2 ⁽⁴⁾	118.1 ⁽⁴⁾	5000 ⁽⁷⁾	69000 <u>26000</u>
Dioxin (2,3,7,8-TCDD) ⁽³⁾			0.000000013 0.000000005	0.000000014 0.000000005

<u>Pollutant</u>	Aquatic Life Acute Value Micrograms/L	Aquatic Life Chronic Value <u>Micrograms/L</u>	Human Health Value Fish & Drinking Water ⁽²⁾ Micrograms/L	Human Health Value Fish Only ⁽⁸⁾ <u>Micrograms/L</u>	
Alachlor ⁽³⁾			2 ⁽⁹⁾		
Aluminum (pH 6.5-9.0 only)	750 ⁽¹⁰⁾	87 ⁽¹⁰⁾ (14)			
Ammonia	See Appendix C				
Atrazine			3 ⁽⁹⁾		
Barium			2000 ⁽⁹⁾		
Bis(chloromethyl) Ether ⁽³⁾			0.00013 <u>0.00010</u>	0.00078 0.00029	
Carbofuran			40 ⁽⁹⁾		
Chloride	860000 ⁽¹⁵⁾	230000(15)			
Chlorine (total residual)	19	11			
Chlorophenoxy Herbicide 2,4,5,- TP			10		
Chlorpyrifos	0.083	0.041			
Chlorophenoxy Herbicide 2,4,-D			70 ⁽⁹⁾		
Dalapon			200 ⁽⁹⁾		
Demeton		0.1			
Di(2-ethylhexyl)adipate			400 ⁽⁹⁾		
Dibromochloropropane (DBCP) ⁽³⁾			$0.2^{(9)}$		
Dichloroethylene (cis-1,2-)			70 ⁽⁹⁾		
Dinoseb			7 ⁽⁹⁾		
Dinitrophenols			70 <u>69</u>	<u>14000_5300</u>	
Dissolved Gases		100% Sat.			
Dissolved Oxygen		See Appendix D			
Fecal ColiformE. coli			See Section 27		
Diquat			20 ⁽⁹⁾		
Endothall			100 ⁽⁹⁾		
Ether, Bis Chloromethyl			0.00013	0.00078	
Ethylene dibromide (EDB) ⁽³⁾			0.05 ⁽⁹⁾		
Fluoride			4000 <u>2000</u> ⁽⁹⁾		
Glyphosate			700 ⁽⁹⁾		
Guthion		0.01			

<u>Pollutant</u>	Aquatic Life Acute Value Micrograms/L Aquatic Life Chronic Value Micrograms/L		Human Health Value Fish & Drinking Water ⁽²⁾ <u>Micrograms/L</u>	Human Health Value Fish Only ⁽⁸⁾ <u>Micrograms/L</u>
Iron		1000 ⁽¹²⁾	300 ⁽¹¹⁾	
Malathion		0.1		
Manganese	3110 ⁽⁴⁾⁽¹²⁾	1462 ⁽⁴⁾⁽¹²⁾	50 ⁽¹¹⁾	
Methoxychlor		0.03	40 ⁽⁹⁾	
Mirex		0.001		
Nitrite (as N)			1000 ⁽⁹⁾	
Nitrates (as N)			10000 ⁽⁹⁾	
Nitrite+Nitrate (both as N)			10000 ⁽⁹⁾	
Nitrosamines			0.0008	1.24
Nitrosodi di butylamine,N			0.0064 <u>0.0063</u>	0.587 <u>0.22</u>
Nitrosodiethylamine,N			0.0008	1.24
N-nitrosopyrrolidene ⁽³⁾			0.016	<u>91.9</u> <u>34</u>
Oxamyl (Vydate)			200 ⁽⁹⁾	
Parathion	0.065	0.013		
Pentachlorobenzene			<u>3.5_1.4</u>	4.1 <u>1,5</u>
рН		6.5-9.0		
Picloram			500 ⁽⁹⁾	
Simazine			4 ⁽⁹⁾	
Styrene			100 ⁽⁹⁾	
Sulfide-Hydrogen Sulfide (S ²⁻ , HS ⁻)		2		
1,2,4,5-tetrachlorobenzene			<u>2.3</u> <u>0.97</u>	2.9 <u>1.1</u>
Tributyltin	0.46	0.063		
Trichlorfluoromethane			10000	860000
2,4,5-trichlorophenol			1.0 ⁽⁷⁾	9800 <u>3600</u>
2,4,5-TP (2,4,5-trichlorophenoxy) propionic acid			50 ⁽⁹⁾	
Xylenes			10000 ⁽⁹⁾	

1 2 3

4

(1)

Except for the aquatic life values for metals and where otherwise indicated, the values given in this Appendix refer to the total recoverable (dissolved plus suspended) amount

1 2		of each substance. For the aquatic life values for metals, the values refer to dissolved amount.
3 4 5 6	(2)	Except where otherwise indicated, these values are based on EPA Section 304(a) criteria recommendations assuming consumption of 2 liters of water and 6.5 grams of aquatic organisms per day.
7		
8	(3)	Except for arsenic, the substance is classified as a carcinogen with the value based on
9		an incremental risk of one additional instance of cancer in one million persons. Arsenic
10		is classified as a carcinogen, however, the value is not based on an additional
11		1:1,000,000 cancer risk.
12		
13	(4)	Hardness dependent criteria. Value given is an example only and is based on a CaC0 ₃
14		hardness of 100 mg/L. Criteria for each case must be calculated using the formula in
15		Appendix F.
16		
17	(5)	pH dependent criteria. Value given is an example only and is based on a pH of 7.8.
18		Criteria for each case must be calculated using the formula in Appendix G.
19		
20	(6)	Chemicals which are not individually classified as carcinogens but which are contained
21		within a class of chemicals with carcinogenicity as the basis for the criteria derivation
22		for that class of chemicals; an individual carcinogenicity assessment for these chemicals
23		is pending.
24		
25	(7)	Value is based on organoleptic (taste and odor) effects and is more stringent than if
26		based solely on toxic or carcinogenic effects.
27		
28	(8)	EPA Section 304(a) human health criteria recommendation assuming consumption of
29		contaminated aquatic organisms at a rate of 6.5 grams per day.
30		
31	(9)	The criterion is based on an EPA drinking water standard (Maximum Contaminant
32		Level or MCL).
33		,
34	(10)	This value is expressed in terms of total recoverable metal in the water column. It is
35		scientifically acceptable to use the conversion factor 0.922 to convert this to a value tha
36		is expressed in terms of dissolved metal. Using this conversion, the chronic aquatic life
37		value for selenium is 4.61 μg/L as dissolved metal.
38		
39	(11)	The iron and manganese criteria are based on Safe Drinking Water Act secondary
40		standards and are intended to prevent undesirable aesthetic effects. These values
41		represent the dissolved amount of each substance rather than the total amount.
42		The same of the same same same same same same same sam
43	(12)	Value is based on the dissolved amount which is the amount that will pass through a
44		0.45 µm membrane filter prior to acidification to pH 1.5-2.0 with nitric acid.

This criterion applies to total PCBs, i.e., the sum of all congener or all isomer analyses.

22

23 24

25

26

1

2

The aluminum criteria are expressed as total recoverable metal in the water column. The 87 µg/L chronic criterion for aluminum is based on information showing chronic effects on brook trout and striped bass. The studies underlying the 87 µg/L chronic value, however, were conducted at low pH (6.5 - 6.6) and low hardness (< 10 ppm CaCO₃), conditions uncommon in Wyoming surface waters. A water effect ratio toxicity study in West Virginia indicated that aluminum is substantially less toxic at higher pH and hardness (although the relationship is not well quantified at this time). Further, EPA is aware of field data indicating that many high quality waters in the U.S. contain more than 87 ug/L aluminum when either the total recoverable or dissolved aluminum is measured. Based on this information and considering the available toxicological information in Tables 1 and 2 of EPA's Aluminum Criteria Document (EPA 440/5-86-008), the Department of Environmental Quality will implement the 87 μg/L chronic criterion for aluminum as follows: where the pH is equal to or greater than 7.0 and the hardness is equal to or greater than 50 ppm as CaCO₃ in the receiving water after mixing, the 87 µg/L chronic criterion will not apply, and aluminum will be regulated based on compliance with the 750 µg/L acute aluminum criterion. In situations where the 87 µg/L chronic criterion applies, a discharger may request development of and provide the basis for a site-specific chronic criterion based on a water-effect ratio. Or, a discharger may request development of and provide the basis for a permitting procedure (a translator) that would take into account less toxic forms of particulate aluminum.

<u>Criterion applies on Class 1, 2AB, 2B and 2C waters only.</u>

1	SITE-SPECIFIC CRITERIA
2	
3	
4 5	The criteria in this section is applicable only to the waters and/or locations specified and replaces similar criteria expressed elsewhere in these regulations.
6 7	Belle Fourche Drainage
8	
9 10	The numeric human health criteria for iron and manganese shall not apply to Class 2 waters in the Belle Fourche River Drainage above the confluence of Donkey Creek and
11 12	the main stem of the Belle Fourche River (including Donkey Creek);
13 14 15	The numeric human health criteria for iron and manganese shall not apply to main stem of the Belle Fourche River below the confluence of Donkey Creek.
16	Big Horn River Drainage
17 18	Cottonwood Creek (near Hamilton Dome): The aquatic life criterion for chloride shall
19	be 860 mg/L and the aquatic life criterion for selenium shall be 43 µg/L. These values
20	represent instantaneous maximum values, not to be exceeded at any time.
21 22	
23 24	Cheyenne River Drainage
25 26	The numeric human health criteria for iron and manganese shall not apply to Antelope Creek and all of its Class 2 tributaries of Antelope Creek;
27 28 29	The numeric human health criteria for iron and manganese shall not apply to Little Thunder Creek and all of its Class 2 tributaries below the confluence of North Prong.
30	Little Powder River Drainage
32	
33	The numeric human health criteria for iron and manganese shall not apply to Class 2
34 35	waters in the Little Powder River Drainage.
36	North Platte River Drainage
37	Noth Flatte River Brainage
38	Poison Spider Creek: The aquatic life criterion for chloride shall be 531 mg/L. This
39	value represents an instantaneous maximum value, not to be exceeded at any time.
40	
41	Powder River Drainage
42	
43	The numeric human health criteria for iron and manganese shall not apply to Class 2
44	waters in the Powder River Drainage except on the following waters:

1	
2	The main stem of Clear Creek and its Class 2 tributaries upstream of
3	Clearmont, Wyoming;
4	
5	The main stem of Crazy Woman Creek and its Class 2 tributaries;
6	
7	The North Fork of the Powder River and all its Class 2 tributaries; and
8	
9	The Middle Fork of the Powder River and all its Class 2 tributaries.
10	
11	Salt Creek: The aquatic life criterion for chloride shall be 1600 mg/L. This value
12	represents an instantaneous maximum value, not to be exceeded at any time.
13	
14	Meadow Creek (tributary to Salt Creek): The aquatic life criterion for chloride shall be
15	1600 mg/L. This value represents an instantaneous maximum value, not to be
16	exceeded at any time.
17	
18	Powder River below Salt Creek: The aquatic life criterion for chloride shall be 984
19	mg/L. The aquatic life criterion for chloride shall be 1600 mg/L. This value represents
20	an instantaneous maximum value, not to be exceeded at any time.

1 2

Appendix C

Ammonia Toxicity Criteria

2 3 4 (a) The ammonia values in the tables below are expressed in milligrams ammonia nitrogen per liter (mg N/L) and vary with temperature and/or pH, and fish species or fish life stage. The ammonia criteria for pH values not represented in the tables can be calculated using the formulas in section (b) of this appendix.

5 6 7

pH-Dependent Values of the Acute Criterion $(CMC)^{(1)}$ for Ammonia

pH-Dependent Values of the Acute Criterion (CMC) ⁽¹⁾ for Ammonia Acute Values, mg N/L							
рН	Salmonids Present	Salmonids Absent					
6.5	32.6	48.8					
6.6	31.3	46.8					
6.7	29.8	44.6					
6.8	28.1	42.0					
6.9	26.2	39.1					
7.0	24.1	36.1					
7.1	22.0	32.8					
7.2	19.7	29.5					
7.3	17.5	26.2					
7.4	15.4	23.0					
7.5	13.3	19.9					
7.6	11.4	17.0					
7.7	9.65	14.4					
7.8	8.11	12.1					
7.9	6.77	10.1					
8.0	5.62	8.40					
8.1	4.64	6.95					
8.2	3.83	5.72					
8.3	3.15	4.71					
8.4	2.59	3.88					
8.5	2.14	3.20					
8.6	1.77	2.65					
8.7	1.47	2.20					
8.8	1.23	1.84					
8.9	1.04	1.56					
9.0	0.885	1.32					

Appendix C Ammonia Toxicity Criteria Temperature and pH Dependent Values of the Chronic Criterion (CCC)⁽²⁾ for Fish Early Life Stages <u>Present</u>

	Temperature, °C									
рН	0	14	16	18	20	22	24	26	28	30
6.5	6.67	6.67	6.06	5.33	4.68	4.12	3.62	3.18	2.80	2.46
6.6	6.57	6.57	5.97	5.25	4.61	4.05	3.56	3.13	2.75	2.42
6.7	6.44	6.44	5.86	5.15	<u>54</u> .52	3.98	3.50	3.07	2.70	2.37
6.8	6.29	6.29	5.72	5.03	4.42	3.89	3.42	3.00	2.64	2.32
6.9	6.12	6.12	5.56	4.89	4.30	3.78	3.32	2.92	2.57	2.25
7.0	5.91	5.91	5.37	4.72	4.15	3.65	3.21	2.82	2.48	2.18
7.1	5.67	5.67	5.15	4.53	3.98	3.50	3.08	2.70	2.38	2.09
7.2	5.39	5.39	4.90	4.31	3.78	3.33	2.92	2.57	2.26	1.99
7.3	5.08	5.08	4.61	4.06	3.57	3.13	2.76	2.42	2.13	1.87
7.4	4.73	4.73	4.30	3.78	3.32	2.92	2.57	2.26	1.98	1.74
7.5	4.36	4.36	3.97	3.49	3.06	2.69	2.37	2.08	1.83	1.61
7.6	3.98	3.98	3.61	3.18	2.79	2.45	2.16	1.90	1.67	1.47
7.7	3.58	3.58	3.25	2.86	2.51	2.21	1.94	1.71	1.50	1.32
7.8	3.18	3.18	2.89	2.54	2.23	1.96	1.73	1.52	1.33	1.17
7.9	2.80	2.80	2.54	2.24	1.96	1.73	1.52	1.33	1.17	1.03
8.0	2.43	2.43	2.21	1.94	1.71	1.50	1.32	1.16	1.02	0.897
8.1	2.10	2.10	1.91	1.68	1.47	1.29	1.14	1.00	0.879	0.773
8.2	1.79	1.79	1.63	1.43	1.26	1.11	0.973	0.855	0.752	0.661
8.3	1.52	1.52	1.39	1.22	1.07	0.941	0.827	0.727	0.639	0.562
8.4	1.29	1.29	1.17	1.03	0.906	0.796	0.700	0.615	0.541	0.475
8.5	1.09	1.09	0.990	0.870	0.765	0.672	0.591	0.5200	0.457	0.401
8.6	0.920	0.920	0.836	0.735	0.646	0.568	0.499	0.439	0.386	0.339
8.7	0.778	0.778	0.707	0.622	0.547	0.480	0.422	0.371	0.326	0.287
8.8	0.661	0.661	0.601	0.528	0.464	0.408	0.359	0.315	0.277	0.244
8.9	0.565	0.565	0.513	0.451	0.397	0.349	0.306	0.2690	0.237	0.208
9.0	0.486	0.486	0.442	0.389	0.342	0.300	0.264	0.2321	0.204	0.179

Appendix C Ammonia Toxicity Criteria

Temperature and pH Dependent Values of the Chronic Criterion $(CCC)^{(2)}$ for Fish Early Life Stages <u>Absent</u>

	Temperature, °C									
pН	0-7	8	9	10	11	12	13	14	15*	16*
6.5	10.8	10.1	9.51	8.92	8.36	7.84	7.35	6.89	6.46	6.06
6.6	10.7	9.99	9.37	8.79	8.24	7.72	7.24	6.79	6.36	5.97
6.7	10.5	9.81	9.20	8.62	8.08	7.58	7.11	6.66	6.25	5.86
6.8	10.2	9.58	8.98	8.42	7.90	7.40	6.94	6.51	6.10	5.72
6.9	9.93	9.31	8.73	8.19	7.68	7.20	6.75	6.33	5.93	5.56
7.0	9.60	9.00	8.43	7.91	7.41	6.95	6.52	6.11	5.73	5.37
7.1	9.20	8.63	8.09	7.58	7.11	6.67	6.25	5.86	5.49	5.15
7.2	8.75	8.20	7.69	7.21	6.76	6.34	5.94	5.57	5.22	4.90
7.3	8.24	7.73	7.25	6.79	6.37	5.97	5.60	5.25	4.92	4.61
7.4	7.69	7.21	6.76	6.33	5.94	5.57	5.22	4.89	4.59	4.30
7.5	7.09	6.64	6.23	5.84	5.48	5.13	4.81	4.51	4.23	3.97
7.6	6.46	6.05	5.67	5.32	4.99	4.68	4.38	4.11	3.85	3.61
7.7	5.81	5.45	5.11	4.79	4.49	4.21	3.95	3.70	3.47	3.25
7.8	5.17	4.84	4.54	4.26	3.99	3.74	3.51	3.29	3.09	2.89
7.9	4.54	4.26	3.99	3.74	3.51	3.29	3.09	2.89	2.71	2.54
8.0	3.95	3.70	3.47	3.26	3.05	2.86	2.68	2.52	2.36	2.21
8.1	3.41	3.19	2.99	2.81	2.63	2.47	2.31	2.17	2.03	1.91
8.2	2.91	2.73	2.56	2.40	2.25	2.11	1.98	1.85	1.74	1.63
8.3	2.47	2.32	2.18	2.04	1.91	1.79	1.68	1.58	1.48	1.39
8.4	2.09	1.96	1.84	1.73	1.62	1.52	1.42	1.33	1.25	1.17
8.5	1.77	1.66	1.55	1.46	1.37	1.28	1.20	1.13	1.06	0.990
8.6	1.49	1.40	1.31	1.23	1.15	1.08	1.01	0.951	0.892	0.836
8.7	1.26	1.18	1.11	1.04	0.976	0.915	0.858	0.805	0.754	0.707
8.8	1.07	1.01	0.944	0.885	0.829	0.778	0.729	0.684	0.641	0.601
8.9	0.917	0.860	0.806	0.756	0.709	0.664	0.623	0.584	0.548	0.513
9.0	0.790	0.740	0.694	0.651	0.610	0.572	0.536	0.503	0.471	0.442

 $^{^{*}}$ At 15 $^{\circ}$ C and above, the criterion for fish early life stages absent is the same as the criterion for fish early life stages present.

(b) For pH values not expressed in the table above, ammonia toxicity criteria can be calculated as follows: (i) Salmonids or other sensitive cold water species present:

 $CMC = \frac{0.275}{1+10^{7.204-pH}} + \frac{39.0}{1+10^{pH}-7.204}$ Salmonids or other sensitive cold water species absent:

absent

(ii)

$$CMC = \frac{0.411}{1 + 10^{7.204 - pH}} + \frac{58.4}{1 + 10^{pH} - 7.204}$$

(iii) Criterion Continuous Concentration (CCC) when fish early life stages are present

$$CCC = \left(\frac{0.0577}{1+10^{7.688-pH}} + \frac{2.487}{1+10^{pH-7.688}}\right) \bullet MIN(2.85, 1.45 \bullet 10^{0.028 \bullet (25-T)})$$

Criterion Continuous Concentration (CCC) when fish early life stages are (iv)

$$CCC = \left(\frac{0.0577}{1 + 10^{7.688 - pH}} + \frac{2.487}{1 + 10^{pH - 7.688}}\right) \bullet 1.45 \bullet 10^{0.028 \bullet (25 - MAX(T,7))}$$

¹ Criterion Maximum Concentration (CMC) refers to the one-hour average concentration of total ammonia nitrogen (in mg N/L) not to be exceeded more than once every three (3) years. The CMC can also be referred to as the acute value.

² Criterion Continuous Concentration (CCC) refers to the 30-day average concentration of total ammonia nitrogen (in mg N/L) not to be exceeded more than once every three (3) years. In addition, the highest 4-day average within the 30-day period should not exceed 2.5 times the CCC. The CCC can also be referred to as the chronic value. The CCC values are implemented on Class 2 waters with an assumption that early life stages of fish are present. This assumption can be rebutted, but only where a permittee, discharge permit applicant or affected party provides sufficient site-specific information to support a conclusion that the assumption is not appropriate for that waterbody.

1	Appendix D
2	Minimum Dissolved Oxygen Criteria* (mg/L)
3	

8.0 (5.0)

5					
		Cold water Criteria		Class 2C and Warm water Criteria	
		Early Life	Other Life	Early Life	Other Life
		Stages ^{(1),(2)}	Stages	Stages (2)	Stages
	30 Day Mean	$NA^{(3)}$	6.5	NA	5.5
	7 Day Mean	9.5 (6.5)	$NA^{(3)}$	6.0	$NA^{(3)}$
	7 Day Mean Minimum ⁽⁴⁾	NA ⁽³⁾	5.0	$NA^{(3)}$	4.0

6 7 8

9

10

4

(1) These are water column concentrations recommended to achieve the required intergravel dissolved oxygen concentrations shown in parentheses. For species that have early life stages exposed directly to the water column, the figures in parentheses apply.

4.0

5.0

3.0

11 12 13

(2) Includes all embryonic and larval stages and all juvenile forms to 30-days following hatching.

14 15

(3) NA (not applicable).

1 Day Minimum⁽⁴⁾

16 17

(4) All minima should be considered as instantaneous concentrations to be achieved at all times.

18 19

* These limitations apply to Class 1, 2A, 2B and 2C waters only and in no case shall be interpreted to require dissolved oxygen concentrations greater than 100 percent saturation at ambient temperature and elevation.

1	Appendix E
2	References for Use in Making Bioassays of Surface Waters
3	
4	
5	II C. Environmental Brotaction Acanava Ovality Criterio for Water EDA 440/5 96/001 II C
6 7	U.S. Environmental Protection Agency: Quality Criteria for Water. EPA-440/5-86/001. U.S. EPA, 1986.
8	El A, 1700.
9	U.S. Environmental Protection Agency: Ambient Water Quality Criteria Documents, 1980, and
10	subsequent revisions. U.S. EPA, 1980.
11	
12	U.S. Environmental Protection Agency: Guidelines for Deriving Numerical National Water
13	Qual-ity Criteria for the Protection of Aquatic Organisms and their Uses. U.S. EPA, 1985.
14	
15	U.S. Environmental Protection Agency: Technical Support Manual: Waterbody Surveys and
16	Assessments for Conducting Use Attainability Analyses. U.S. EPA, 1983.
17	
18	U.S. Environmental Protection Agency: Technical Guidance Manual for Performing Waste
19	Load Allocation, Book VI, Chapter 1: Stream Design Flow for Steady-State Modeling. U.S.
20	EPA, 1986.
21	
22	U.S. Environmental Protection Agency: Technical Support Document for Water Quality Based
23	Toxics Control. U.S. EPA, 1985.
24 25	U.S. Environmental Protection Agency: Methods for Measuring the Acute Toxicity of Effluents
26	to Freshwater and Marine Organisms. EPA-600/4-85/013. U.S. EPA, 1985.
27	to Freshwater and France Organisms. Eff. 6007 F 05/013. C.S. Eff., 1703.
28	U.S. Environmental Protection Agency: Short-Term Methods for Estimating the Chronic
29	Toxicity of Effluents and Receiving Waters to Freshwater Organisms, Second Edition. EPA-
30	600/4-89/001. U.S. EPA, 1989.
31	
32	U.S. Environmental Protection Agency: Water Quality Standards Handbook, Second Edition,
33	EPA 823-B-94-005a, August 1994, with Appendices.
34	
35	

2 3 Conversion Factors: Total Recoverable Values -→Dissolved Values for Metals 4 Equations For Parameters With Hardness⁽¹⁾ Dependence 5 6 7 8 **Conversion Factors**: Aquatic life values for the following metals are based on dissolved amounts of each substance. Because the National Toxics Criteria (EPA's Section 304(a) criteria) 9 are expressed as "total recoverable" values, the application of a conversion factor is necessary to 10 convert from "total recoverable" to "dissolved". 11 12 Furthermore, the toxicity of the associated metals varies with hardness and the total recoverable 13 value must be calculated based on the CaCO₃ hardness prior to multiplying by the conversion 14 factor (CF). 15 16 The conversion factors for the following metals are constants: 17 18 Metal Acute Value Chronic Value 0.316 0.860 Chromium (III) Copper 0.960 0.960 Nickel 0.998 0.997 Silver 0.85 N/A Zinc 0.978 0.986 19 20 The conversion factors (CF) for Cadmium and Lead are not constant but vary with hardness 21 (CaCO₃) and can be calculated using the following equations: 22 23 Cadmium Acute: CF = 1.136672 - [(ln hardness)(0.041838)]24 Cadmium Chronic: CF = 1.101672 - [(ln hardness)(0.041838)]25 26 27 Lead Acute and Chronic: CF = 1.46203 - [(ln hardness)(0.145712)]28 29 30 31

Appendix F

1

32 33

34

Footnote:

(1) Hardness as mg/L CaC0₃

Equations For Parameters With Hardness⁽¹⁾ **Dependence**

The following equations include the conversion factors to derive the dissolved metals values:

	Acute	Chronic
Parameter	1-Hour Average Concentration (μg/L)	4-Day Average Concentration (μg/L)
Cadmium	_e (1.128 [ln(hardness)]-3.6867)(CF)	e(0.7852 [ln(hardness)]-2.715)(CF)
Caamum	<u>e</u> (1.0166 [ln(hardness)]-3.924)(CF)	<u>e(0.7409 [ln(hardness)]-4.719)(CF)</u>
Chromium (III)	_e (0.8190 [ln(hardness)] +3.7256)(0.316)	$_{e}(0.8190\ [ln(hardness)]+0.6848)(0.860)$
Copper	_e (0.9422 [ln(hardness)]-1.700)(0.960)	$_{e}(0.8545\ [ln(hardness)]-1.702)(0.960)$
Lead	$_{e}(1.273\ [ln(hardness)]-1.460)(CF)$	$_{e}(1.273\ [ln(hardness)]-4.705)(CF)$
Manganese	$_{e}(0.7693[ln(hardness)]+4.4995)$	$_{e}(0.5434[ln(hardness)]+4.7850)$
Nickel	$_{e}(0.8460\ [ln(hardness)]+2.255)(0.998)$	$_{e}(0.8460\ [ln(hardness)]+0.0584)(0.997)$
Silver	_e (1.72 [ln(hardness)]-6.52)(0.85)	N/A
Zinc	$_{e}(0.8473\ [ln(hardness)]+0.884)(0.978)$	$_{e}(0.8473\ [ln(hardness)]+0.884)(0.986)$

⁽¹⁾ Hardness as mg/L CaCO₃. Hardness values used in these equations must be between 25 mg/L and less than 400 mg/L. For hardness values less than 25 mg/L, use 25. For hardness values greater than 400 mg/L use 400.

1	Appendix G					
2						
3						
4						
5						
6	Equations For Parameters With pH Dependence					
7						
	Parameter	4-Day Average Concentration (µg/L)	1-Hour Average Concentration (µg/L)			
	Pentachloro-Phenol	_e [1.005 (pH)-5.290]	_e [1.005 (pH)-4.830]			
8 9 10 11	/WJD 05-1259.doc					