

BEFORE THE
ENVIRONMENTAL QUALITY COUNCIL
STATE OF WYOMING

FILED
JAN 17 2012

Jim Ruby, Executive Secretary
Environmental Quality Council

IN THE MATTER OF THE)
ADMINISTRATIVE ORDER ON) EQC Docket No. 10-5901
CONSENT ISSUED TO THE CITY) DEQ Docket No. 4743-10
OF DOUGLAS, WYOMING)

ORDER MODIFYING ADMINISTRATIVE ORDER ON CONSENT

On October 5, 2010, the Wyoming Department of Environmental Quality, Solid and Hazardous Waste Division, and the City of Douglas entered into an Administrative Order on Consent for the purpose of bringing the City's municipal solid waste management facility operations into compliance with the permit requirements of Wyo. Stat. § 35-11-502 and the Solid Waste Rules and Regulations. The parties have since jointly stipulated to modify the terms of the Administrative Order on Consent, and requested on December 19, 2011, that the Council approve the modifications. Having considered the matter in accordance with Wyo. Stat. § 35-11-112(a)(ii), and being fully advised in the premises;

IT IS HEREBY ORDERED THAT the Administrative Order on Consent be modified in accordance with the terms stipulated to by the parties.

DATED this 12 day of January, 2012.



Tim Flitner, Chairman
Environmental Quality Council
Room 1714, Herschler Building, 1st Floor West
122 West 25th Street
Cheyenne, Wyoming 82002
(307) 777-7170
(307) 777-6134 facsimile

CERTIFICATE OF SERVICE


I, Kim Waring, certify that at Cheyenne, Wyoming, on the 18TH day of January, 2012, I served a copy of the foregoing **ORDER MODIFYING ADMINISTRATIVE ORDER ON CONSENT** by electronic mail to the following:

Carl Anderson
DEQ, SHWD Administrator
cander@wyo.gov

John Corra
Director, DEQ
jcorra@wyo.gov

also by depositing the same in the United States mail addressed to:

Honorable Marilyn Werner
Mayor
City of Douglas
Landfill Supervisor
P.O. Box 1030
Douglas, WY 82633


Kim Waring, Sr. Office Supp. Spec.
Environmental Quality Council
122 W. 25th, Rm. 1714
Herschler Bldg.
Cheyenne, WY 82002
Phone: 307-777-7170
FAX: 307-777-6134