

**Addendum OP-5b-3**

**Laboratory Report**



Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

BILLING: TW105784

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

Lab #	Sample ID #	-----paste-----		% saturation	Lime Estimate	% OM	-----AB-DTPA-----						
		pH	EC mmhos/cm				NO <sub>3</sub> -N	P	K	Zn	Fe	Mn	Cu
R668	NE PAD PR-2 0-3"	5.5	0.2	28.1	Low	1.1	5.9	8.1	180	0.76	20.9	5.09	1.86
R669	NE PAD PR-2 3-16"	7.0	0.1	27.2	Low	0.5	10.3	0.6	63.8	0.11	4.75	1.04	1.07
R670	NE PAD PR-2 16-30"	8.2	0.3	26.9	High	0.7	10.3	0.9	54.9	0.05	2.62	0.68	0.75
R671	NE PAD PR-2 30-62"	8.2	3.7	27.7	High	0.5	8.3	11.2	51.7	0.10	2.32	0.50	0.85
R672	NE PAD PR-1 0-3"	7.0	0.3	22.1	Low	1.2	5.5	3.7	153	0.27	6.17	1.13	1.40
R673	NE PAD PR-1 3-8"	7.4	0.1	28.1	Low	0.9	9.2	0.9	77.4	0.08	3.30	0.52	1.10
R674	NE PAD PR-1 8-16"	7.7	0.2	28.1	Low	0.4	5.5	1.2	25.3	0.03	1.38	0.24	0.65
R675	NE PAD PR-1 16-34"	8.5	0.2	27.8	Medium	0.3	6.2	6.5	19.5	<0.01	0.88	0.15	0.47
R676	NE PAD PR-1 34-68"	8.8	0.3	23.7	Medium	0.2	6.7	7.4	17.3	0.03	1.25	0.35	0.57
R677	EWRD PR-1 0-3.5"	6.4	0.2	31.1	Low	2.4	6.5	7.4	252	0.68	22.9	3.85	1.67
R678	EWRD PR-1 3.5-14"	6.4	0.2	26.8	Low	1.0	6.0	2.5	190	0.21	19.1	0.96	1.25
R679	EWRD PR-1 14-24"	6.9	0.1	22.7	Low	0.4	9.2	2.5	54.8	0.06	9.42	0.53	0.65
R680	EWRD PR-1 24-35"	6.9	0.1	34.5	Low	0.8	4.8	1.8	32.0	0.04	3.20	0.25	0.98
R681	EWRD PR-2 0-2"	7.0	0.1	22.9	Low	0.7	5.7	3.1	114	0.23	6.34	1.11	0.92
R682	EWRD PR-2 2-7"	7.2	0.1	31.2	Low	0.9	4.3	1.2	42.8	<0.01	2.67	0.36	1.03
R683	EWRD PR-2 7-14"	7.4	0.2	29.3	Low	0.4	4.3	1.2	27.6	<0.01	1.31	0.01	0.89
R684	EWRD PR-2 14-27"	8.2	0.2	31.8	Medium	0.2	3.9	0.9	24.6	<0.01	0.97	<0.01	0.23

**AATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

BILLING: TW105784

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

Lab #	Sample ID #	-----paste-----		% saturation	Lime Estimate	% OM	-----AB-DTPA-----						
		pH	EC mmhos/cm				NO <sub>3</sub> -N	P	K	Zn	Fe	Mn	Cu
R685	EWRD PR-3 0-3"	7.1	0.2	27.7	Low	1.0	3.8	4.3	235	<0.01	5.60	1.63	1.10
R686	EWRD PR-3 3-16"	7.7	0.2	26.4	Low	0.7	4.5	<0.1	70.4	<0.01	3.97	0.28	0.91
R687	EWRD PR-3 16-30"	8.3	0.9	29.8	High	0.6	5.3	0.9	29.2	<0.01	1.62	0.18	0.70
R688	EWRD PR-3 30-55"	8.3	5.7	31.6	High	0.5	8.0	11.2	40.9	<0.01	0.93	0.06	0.52
R689	EWRD PR-4 0-4"	6.1	0.3	34.6	Low	1.7	7.7	10.6	246	0.57	27.7	3.88	1.51
R690	EWRD PR-4 4-19"	6.7	0.1	29.0	Low	0.9	4.2	10.6	122	<0.01	21.5	0.64	0.92
R691	EWRD PR-4 19-34"	6.2	0.1	25.7	Low	0.3	8.2	3.1	49.8	<0.01	5.53	0.18	0.87
R692	EWRD PR-4 34-58"	6.5	0.1	22.4	Low	0.5	4.3	3.1	42.7	<0.01	9.32	0.08	0.44
R693	EWRD PR 4 34-58"D	6.3	0.1	22.6	Low	0.5	3.8	3.1	47.0	<0.01	9.02	0.09	0.46
R694	NCPAD PR-1 0-3"	6.9	0.2	29.1	Low	1.1	3.0	2.5	119	<0.01	4.85	0.83	0.88
R695	NCPAD PR-1 3-11"	7.3	0.2	29.9	Low	0.8	3.3	0.6	50.3	<0.01	2.96	0.28	0.69
R696	NCPAD PR-1 11-18"	8.1	0.2	26.4	Low	0.7	5.9	0.6	34.1	0.03	2.05	0.39	0.55
R697	NCPAD PR-1 18-40"	8.5	1.1	28.3	High	0.5	4.8	0.6	29.8	<0.01	1.61	<0.01	0.41
R698	NCPAD PR-1 40-62"	8.0	4.8	29.0	High	0.4	8.8	1.2	76.4	0.48	3.11	0.66	0.30
R699	SE PAD2 PR-1 0-3"	6.5	0.2	20.6	Low	0.9	3.9	3.7	83.9	0.17	7.03	1.27	0.87
R700	SE PAD2 PR-1 3-16"	7.1	0.1	26.1	Low	0.5	4.9	0.9	43.7	0.11	3.47	0.53	1.18
R701	SE PAD2 PR-1 16-30"	8.7	1.3	29.0	Medium	0.5	2.3	6.2	54.0	0.04	1.12	0.32	0.42
R702	SE PAD2 PR-1 30-52"	8.3	0.3	26.5	Low	0.4	3.5	2.5	19.3	0.03	1.03	0.20	0.55

**AATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

BILLING: TW105784

Lab #	Sample ID #	-----paste-----		% saturation	Lime Estimate	% OM	-----AB-DTPA-----						
		pH	EC mmhos/cm				NO <sub>3</sub> -N	P	K	Zn	Fe	Mn	Cu
R703	NW PAD PR-1 0-3"	6.3	0.1	26.1	Low	1.0	10.7	6.2	99.2	0.28	9.43	1.93	0.83
R704	NW PAD PR-1 3-12"	7.1	0.2	30.4	Low	1.3	4.6	1.8	51.6	0.06	2.53	0.47	0.75
R705	NW PAD PR-1 12-16"	7.4	0.2	33.8	Low	0.6	6.6	0.3	24.9	0.06	0.89	0.37	0.54
R706	NW PAD PR-1 16-48"	8.8	0.7	32.9	Very High	0.9	7.7	0.6	24.4	0.03	0.45	0.21	0.50
R707	NW PAD PR-2 0-3"	7.2	0.2	24.0	Low	1.1	5.3	2.8	110	0.22	4.44	0.95	1.19
R708	NW PAD PR-2 3-10"	7.3	0.2	31.2	Low	0.9	2.2	0.3	53.3	0.11	2.32	0.54	0.95
R709	NW PAD PR-2 10-18"	7.8	1.9	31.6	Medium	0.7	5.7	0.3	27.2	0.10	0.90	0.29	0.93
R710	NW PAD PR-2 18-38"	8.3	5.2	38.4	Very High	0.5	8.7	3.1	17.0	0.08	0.73	0.22	0.67
R711	NW PAD PR-2 18-38" I	8.3	5.4	35.3	Very High	0.5	8.9	3.1	16.9	0.08	0.79	0.20	0.65
R712	EWRD PR-7 0-4"	6.2	0.3	47.5	Low	4.0	11.4	14.9	320	1.85	39.5	5.83	3.04
R713	EWRD PR-7 4-12"	5.9	0.1	53.1	Low	1.6	4.7	3.1	158	0.24	14.6	0.74	1.13
R714	EWRD PR-7 12-22"	6.4	0.1	29.1	Low	0.8	4.9	0.6	92.1	0.07	5.50	0.34	0.71
R715	EWRD PR-7 22-47"	7.6	0.2	28.2	Low	0.3	8.9	0.6	23.5	0.06	1.21	0.16	0.48
R716	EWRD PR-6 0-3"	7.0	0.2	25.4	Low	1.0	2.8	3.7	129	0.24	4.54	1.34	0.79
R717	EWRD PR-6 3-14"	7.3	0.1	27.9	Low	0.6	1.3	0.3	29.1	0.05	1.49	0.28	0.61
R718	EWRD PR-6 14-28"	8.6	0.2	30.4	Very High	0.5	4.9	0.3	10.1	0.04	0.48	0.19	0.33
R719	EWRD PR-6 28-56"	8.3	2.1	29.6	High	0.9	8.3	1.2	47.6	0.04	0.66	0.19	1.02

**AATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

BILLING: TW105784

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

Lab #	Sample ID #	-----paste-----		% saturation	Lime Estimate	% OM	-----AB-DTPA-----						
		pH	EC mmhos/cm				NO <sub>3</sub> -N	P	K	Zn	Fe	Mn	Cu
R720	EWRD PR-5 0-3"	7.1	0.2	23.6	Low	1.0	12.0	2.8	117	0.21	3.86	1.19	0.97
R721	EWRD PR-5 3-10"	7.6	0.1	32.2	Low	0.8	3.1	<0.1	28.0	0.09	1.44	0.28	1.49
R722	EWRD PR-5 10-16"	8.1	0.2	28.2	Low	0.4	1.2	<0.1	15.2	0.04	0.96	0.20	1.21
R723	EWRD PR-5 16-25"	8.3	0.2	22.4	Very High	0.8	4.2	<0.1	11.7	0.01	1.02	0.18	0.60
R724	EWRD PR-5 25-53"	8.3	2.2	40.7	Medium	0.4	7.5	0.6	14.0	0.01	0.77	0.15	0.42
R725	EWRD PR-8 0-2"	7.0	0.2	21.1	Low	0.8	7.6	2.5	84.2	0.23	4.46	0.86	0.77
R726	EWRD PR-8 2-6"	7.4	0.1	31.1	Low	0.7	11.2	0.6	34.0	0.08	2.03	0.38	0.70
R727	EWRD PR-8 6-15"	7.7	0.8	29.1	Low	0.4	3.5	<0.1	14.8	0.33	1.05	0.45	0.61
R728	EWRD PR-8 15-27"	8.4	0.2	27.8	High	0.3	6.2	0.3	8.89	0.08	0.52	0.21	0.33
R729	EWRD PR-8 27-53"	8.5	0.3	28.2	Medium	0.2	9.2	2.5	7.06	0.07	0.43	0.17	0.54
R730	EWRD PR-8 27-53"D	8.6	0.3	28.2	Medium	0.3	9.7	2.1	7.96	0.07	0.46	0.18	0.49

**AATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

BILLING: TW105784

Lab #	Sample ID #	-----meq/L-----					SAR	-----%-----			Texture	Extractable ppm Se	Hot Water mg/kg B
		Ca	Mg	Na	K			Sand	Silt	Clay			
R668	NE PAD PR-2 0-3"	0.6	0.2	0.5	0.3	0.8	65	19	16	Sandy Loam	0.042	0.03	
R669	NE PAD PR-2 3-16"	0.5	<0.1	0.6	<0.1	1.3	58	25	17	Sandy Loam	0.048	0.03	
R670	NE PAD PR-2 16-30"	1.6	0.8	1.4	<0.1	1.3	55	27	18	Sandy Loam	0.045	0.02	
R671	NE PAD PR-2 30-62"	26.7	16.6	25.6	0.3	5.5	79	8	13	Sandy Loam	0.047	0.11	
R672	NE PAD PR-1 0-3"	0.8	0.3	0.9	0.2	1.2	67	21	12	Sandy Loam	0.035	0.02	
R673	NE PAD PR-1 3-8"	0.7	0.1	0.5	<0.1	0.9	58	20	22	Sandy Clay Loam	0.036	0.03	
R674	NE PAD PR-1 8-16"	0.8	0.1	0.6	<0.1	0.8	78	7	15	Sandy Loam	0.037	0.02	
R675	NE PAD PR-1 16-34"	1.1	0.1	0.7	<0.1	0.9	84	4	12	Loamy Sand	0.035	0.01	
R676	NE PAD PR-1 34-68"	1.5	0.2	1.9	<0.1	2.0	80	8	12	Sandy Loam	0.036	0.00	
R677	EWRD PR-1 0-3.5"	0.6	0.1	0.7	0.3	1.1	61	27	12	Sandy Loam	0.032	0.03	
R678	EWRD PR-1 3.5-14"	0.4	0.1	0.7	0.4	1.5	63	22	15	Sandy Loam	0.022	0.02	
R679	EWRD PR-1 14-24"	0.2	<0.1	0.5	<0.1	1.6	73	13	14	Sandy Loam	0.029	0.01	
R680	EWRD PR-1 24-35"	0.2	<0.1	0.4	<0.1	1.2	82	4	14	Sandy Loam	0.019	0.01	
R681	EWRD PR-2 0-2"	0.7	0.1	0.5	0.1	0.8	73	14	13	Sandy Loam	0.013	0.02	
R682	EWRD PR-2 2-7"	0.6	0.1	0.5	<0.1	0.9	74	12	14	Sandy Loam	0.026	0.02	
R683	EWRD PR-2 7-14"	1.1	0.3	0.5	<0.1	0.7	82	5	13	Sandy Loam	0.024	0.02	
R684	EWRD PR-2 14-27"	1.0	0.1	0.8	<0.1	1.0	86	2	12	Loamy Sand	0.023	0.01	

**ATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

BILLING: TW105784

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

Lab #	Sample ID #	-----meq/L-----					SAR	-----%-----			Texture	Extractable ppm Se	Hot Water mg/kg B
		Ca	Mg	Na	K			Sand	Silt	Clay			
R685	EWRD PR-3 0-3"	1.0	0.4	0.5	1.1	0.6	77	13	10	Sandy Loam	0.028	0.03	
R686	EWRD PR-3 3-16"	0.9	0.3	1.1	0.1	1.5	54	27	19	Sandy Loam	0.033	0.04	
R687	EWRD PR-3 16-30"	3.0	1.3	7.2	0.1	4.9	66	15	19	Sandy Loam	0.024	0.02	
R688	EWRD PR-3 30-55"	43.3	21.2	40.3	0.5	7.1	80	6	14	Sandy Loam	0.030	0.11	
R689	EWRD PR-4 0-4"	1.1	0.4	0.9	0.5	1.1	49	37	14	Loam	0.025	0.03	
R690	EWRD PR-4 4-19"	0.3	<0.1	0.6	0.1	1.4	54	30	16	Sandy Loam	0.013	0.01	
R691	EWRD PR-4 19-34"	<0.1	<0.1	0.4	0.1	2.6	75	8	17	Sandy Loam	0.016	0.01	
R692	EWRD PR-4 34-58"	<0.1	<0.1	0.4	0.1	2.7	79	8	13	Sandy Loam	0.031	0.01	
R693	EWRD PR 4 34-58"D	<0.1	<0.1	0.4	<0.1	3.2	79	7	14	Sandy Loam	0.032	0.01	
R694	NCPAD PR-1 0-3"	0.7	0.2	0.6	0.2	0.9	70	15	15	Sandy Loam	0.019	0.02	
R695	NCPAD PR-1 3-11"	1.5	0.6	0.7	<0.1	0.6	61	15	24	Sandy Clay Loam	0.025	0.03	
R696	NCPAD PR-1 11-18"	0.4	0.1	1.7	<0.1	3.3	52	27	21	Sandy Clay Loam	0.039	0.02	
R697	NCPAD PR-1 18-40"	3.2	1.4	9.2	0.1	6.1	65	19	16	Sandy Loam	0.022	0.03	
R698	NCPAD PR-1 40-62"	44.1	14.4	44.4	0.8	8.2	65	19	16	Sandy Loam	0.045	0.16	
R699	SE PAD2 PR-1 0-3"	0.7	0.2	0.8	0.2	1.3	71	16	13	Sandy Loam	0.032	0.01	
R700	SE PAD2 PR-1 3-16"	0.3	0.0	0.7	<0.1	1.6	65	19	16	Sandy Loam	0.028	0.01	
R701	SE PAD2 PR-1 16-30"	3.1	1.0	14.9	0.1	10.5	70	15	15	Sandy Loam	0.045	0.03	
R702	SE PAD2 PR-1 30-52"	1.3	0.4	1.1	<0.1	1.2	79	7	14	Sandy Loam	0.057	0.02	

**AATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

BILLING: TW105784

Lab #	Sample ID #	-----meq/L-----					SAR	-----%-----			Texture	Extractable ppm Se	Hot Water mg/kg B
		Ca	Mg	Na	K			Sand	Silt	Clay			
R703	NW PAD PR-1 0-3"	0.4	0.1	0.6	0.2	1.2	69	16	15	Sandy Loam	0.049	0.01	
R704	NW PAD PR-1 3-12"	0.8	0.2	0.8	<0.1	1.1	51	26	23	Sandy Clay Loam	0.045	0.03	
R705	NW PAD PR-1 12-16"	1.4	0.4	0.7	<0.1	0.7	62	20	18	Sandy Loam	0.015	0.02	
R706	NW PAD PR-1 16-48"	3.0	0.6	6.7	<0.1	5.0	69	9	22	Sandy Clay Loam	0.040	0.02	
R707	NW PAD PR-2 0-3"	0.7	0.2	1.2	0.2	1.8	59	27	14	Sandy Loam	0.041	0.03	
R708	NW PAD PR-2 3-10"	0.5	0.1	1.9	<0.1	3.4	43	29	28	Clay Loam	0.019	0.03	
R709	NW PAD PR-2 10-18"	5.7	1.9	16.7	<0.1	8.6	51	29	20	Loam	0.032	0.02	
R710	NW PAD PR-2 18-38"	31.0	9.2	53.7	0.1	12.0	50	37	13	Loam	0.034	0.11	
R711	NW PAD PR-2 18-38" I	31.6	9.5	54.8	0.1	12.1	50	36	14	Loam	0.035	0.13	
R712	EWRD PR-7 0-4"	1.2	0.4	0.9	0.3	1.0	33	52	15	Silt Loam	0.038	0.04	
R713	EWRD PR-7 4-12"	0.6	0.2	0.6	0.1	0.9	38	43	19	Loam	0.040	0.04	
R714	EWRD PR-7 12-22"	0.2	<0.1	0.5	<0.1	1.3	49	26	25	Sandy Clay Loam	0.033	0.02	
R715	EWRD PR-7 22-47"	0.9	0.2	0.3	0.1	0.5	80	6	14	Sandy Loam	0.027	0.01	
R716	EWRD PR-6 0-3"	0.7	0.3	0.5	0.1	0.6	65	18	17	Sandy Loam	0.015	0.03	
R717	EWRD PR-6 3-14"	0.3	0.1	0.5	<0.1	1.1	59	17	24	Sandy Clay Loam	0.051	0.02	
R718	EWRD PR-6 14-28"	1.5	0.3	0.9	<0.1	1.0	79	7	14	Sandy Loam	0.045	0.01	
R719	EWRD PR-6 28-56"	6.3	3.3	19.5	0.2	8.9	80	8	12	Sandy Loam	0.030	0.05	



**AATA International**  
 300 E Boardwalk Suite 4A  
 Fort Collins CO 80525



**Colorado State University**  
**Soil, Water and Plant Testing Laboratory**  
 Natural & Environmental Sciences Bldg - A319  
 Fort Collins, CO 80523-1120

DATE RECEIVED: 09-24-2009  
 DATE REPORTED: 10-14-2009

(970) 491-5061 FAX: 491-2930

BILLING: **TW105784**

Project name: Ur Energy/Lost Creek Uranium ISR Project  
 Sweetwater County, WY

**RESEARCH SOIL ANALYSIS**

Lab #	Sample ID #	-----meq/L-----					SAR	-----%-----			Texture	Extractable ppm Se	Hot Water mg/kg B
		Ca	Mg	Na	K			Sand	Silt	Clay			
R720	EWRD PR-5 0-3"	0.7	0.3	0.8	0.2	1.1	72	13	15	Sandy Loam	0.033	0.02	
R721	EWRD PR-5 3-10"	0.4	0.1	0.7	<0.1	1.4	49	26	25	Sandy Clay Loam	0.044	0.03	
R722	EWRD PR-5 10-16"	<0.1	<0.1	0.0	<0.1	<0.1	50	30	20	Loam	0.036	0.02	
R723	EWRD PR-5 16-25"	0.8	<0.1	1.7	<0.1	2.5	61	26	13	Sandy Loam	0.040	0.02	
R724	EWRD PR-5 25-53"	8.8	2.7	15.7	<0.1	6.5	69	17	14	Sandy Loam	0.046	0.05	
R725	EWRD PR-8 0-2"	0.7	0.2	0.9	<0.1	1.3	67	19	14	Sandy Loam	0.038	0.02	
R726	EWRD PR-8 2-6"	0.1	<0.1	0.1	<0.1	0.4	67	15	18	Sandy Loam	0.041	0.01	
R727	EWRD PR-8 6-15"	<0.1	<0.1	0.0	<0.1	<0.1	80	4	16	Sandy Loam	0.040	<0.01	
R728	EWRD PR-8 15-27"	1.8	0.4	0.6	<0.1	0.6	81	2	17	Sandy Loam	0.044	0.01	
R729	EWRD PR-8 27-53"	1.9	0.3	1.8	<0.1	1.7	81	4	15	Sandy Loam	0.015	0.01	
R730	EWRD PR-8 27-53"D	1.8	0.2	1.6	<0.1	1.5	80	6	14	Sandy Loam	0.016	0.01	