

ANALYTICAL SUMMARY REPORT

May 31, 2007

UR Energy USA Inc
 10758 W Centennial Rd Ste 200
 Ken Caryl Ranch, CO 80127

Workorder No.: C07050277

Project Name: Lost Creek

Energy Laboratories, Inc. received the following 20 samples from UR Energy USA Inc on 5/4/2007 for analysis.

| Sample ID | Client Sample ID | Collect Date | Receive Date | Matrix | Test |
|---------------|------------------|----------------|--------------|---------|--|
| C07050277-001 | LC27M | 05/03/07 16:43 | 05/04/07 | Aqueous | Metals by ICP/ICPMS, Dissolved Metals by ICP/ICPMS, Total Alkalinity QA Calculations Chloride Conductivity Sample Filtering Fluoride Nitrogen, Ammonia Nitrogen, Nitrate + Nitrite pH Gross Alpha, Gross Beta Radium 226, Dissolved Radium 228, Dissolved Solids, Total Dissolved Sulfate |
| C07050277-002 | LC26M | 05/03/07 15:51 | 05/04/07 | Aqueous | Same As Above |
| C07050277-003 | LC25M | 05/03/07 14:51 | 05/04/07 | Aqueous | Same As Above |
| C07050277-004 | LC23M | 05/03/07 13:29 | 05/04/07 | Aqueous | Same As Above |
| C07050277-005 | LC22M | 05/03/07 13:03 | 05/04/07 | Aqueous | Same As Above |
| C07050277-006 | LC21M | 05/03/07 12:31 | 05/04/07 | Aqueous | Same As Above |
| C07050277-007 | LC30M | 05/03/07 12:01 | 05/04/07 | Aqueous | Same As Above |
| C07050277-008 | LC1 | 05/03/07 11:25 | 05/04/07 | Aqueous | Same As Above |
| C07050277-009 | LC31M | 05/03/07 10:55 | 05/04/07 | Aqueous | Same As Above |
| C07050277-010 | LC28M | 05/03/07 10:46 | 05/04/07 | Aqueous | Same As Above |
| C07050277-011 | LC24M | 05/04/07 14:06 | 05/04/07 | Aqueous | Same As Above |
| C07050277-012 | LC16M | 05/04/07 13:26 | 05/04/07 | Aqueous | Same As Above |
| C07050277-013 | LC17M | 05/04/07 12:46 | 05/04/07 | Aqueous | Same As Above |
| C07050277-014 | LC29M | 05/04/07 12:06 | 05/04/07 | Aqueous | Same As Above |
| C07050277-015 | LC15M | 05/04/07 11:56 | 05/04/07 | Aqueous | Same As Above |
| C07050277-016 | LC01M | 05/04/07 11:00 | 05/04/07 | Aqueous | Same As Above |
| C07050277-017 | LC19M | 05/04/07 10:46 | 05/04/07 | Aqueous | Same As Above |

| | | | |
|---------------------------|-------------------------|---------|---------------|
| C07050277-018 LC20M | 05/04/07 10:18 05/04/07 | Aqueous | Same As Above |
| C07050277-019 LC18M | 05/04/07 09:53 05/04/07 | Aqueous | Same As Above |
| C07050277-020 Field Blank | 05/04/07 09:00 05/04/07 | Aqueous | Same As Above |

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative or Report.

If you have any questions regarding these tests results, please call.

Report Approved By:



ROGER CARLING
LABORATORY SUPERVISOR

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-001
 Client Sample ID: LC27M

Report Date: 05/31/07
 Collection Date: 05/03/07 16:43
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | 5 | mg/L | | 1 | | A2320 B | 05/15/07 08:47 / jaj |
| Bicarbonate as HCO3 | 33 | mg/L | | 1 | | A2320 B | 05/15/07 08:47 / jaj |
| Calcium | 7 | mg/L | | 1 | | E200.7 | 05/10/07 14:33 / ts |
| Chloride | 4 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:05 / jl |
| Fluoride | 0.3 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:23 / jaj |
| Magnesium | ND | mg/L | | 1 | | E200.7 | 05/10/07 14:33 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:05 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/07/07 11:55 / jal |
| Potassium | 5 | mg/L | | 1 | | E200.7 | 05/10/07 14:33 / ts |
| Silica | 17.8 | mg/L | | 0.1 | | E200.7 | 05/10/07 14:33 / ts |
| Sodium | 22 | mg/L | | 1 | | E200.7 | 05/10/07 14:33 / ts |
| Sulfate | 32 | mg/L | | 1 | | A4500-SO4 E | 05/07/07 12:31 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 178 | umhos/cm | | 1.0 | | A2510 B | 05/15/07 09:36 / bas |
| pH | 9.51 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:23 / bas |
| Solids, Total Dissolved TDS @ 180 C | 89 | mg/L | | 10 | | A2540 C | 05/15/07 16:24 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 14:20 / bws |
| Arsenic | 0.005 | mg/L | | 0.001 | | E200.8 | 05/09/07 14:20 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 14:20 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 14:33 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 14:20 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 14:20 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 14:20 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 14:33 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 14:20 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 14:20 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 14:20 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 14:20 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 14:20 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 14:20 / bws |
| Uranium | 0.0015 | mg/L | | 0.0003 | | E200.8 | 05/09/07 14:20 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 14:20 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 14:20 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.04 | mg/L | | 0.03 | | E200.7 | 05/10/07 17:37 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 17:37 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-001
 Client Sample ID: LC27M

Report Date: 05/31/07
 Collection Date: 05/03/07 16:43
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 2.9 | pCi/L | | 1.0 | | E900.0 | 05/25/07 04:52 / res |
| Gross Alpha precision (±) | 0.7 | pCi/L | | | | E900.0 | 05/25/07 04:52 / res |
| Gross Beta | 3.9 | pCi/L | | 2.0 | | E900.0 | 05/25/07 04:52 / res |
| Gross Beta precision (±) | 1.4 | pCi/L | | | | E900.0 | 05/25/07 04:52 / res |
| Radium 226 | 0.4 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 0.2 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -0.541 | % | | | | Calculation | 05/21/07 15:33 / bws |
| Anions | 1.52 | meq/L | | | | Calculation | 05/21/07 15:33 / bws |
| Cations | 1.50 | meq/L | | | | Calculation | 05/21/07 15:33 / bws |
| Solids, Total Dissolved Calculated | 111 | mg/L | | | | Calculation | 05/21/07 15:33 / bws |
| TDS Balance (0.80 - 1.20) | 0.800 | dec. % | | | | Calculation | 05/21/07 15:33 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-002
 Client Sample ID: LC26M

Report Date: 05/31/07
 Collection Date: 05/03/07 15:51
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 09:46 / jaj |
| Bicarbonate as HCO3 | 57 | mg/L | | 1 | | A2320 B | 05/07/07 09:46 / jaj |
| Calcium | 90 | mg/L | | 1 | | E200.7 | 05/10/07 14:39 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:06 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:24 / jaj |
| Magnesium | 5 | mg/L | | 1 | | E200.7 | 05/10/07 14:39 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:11 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/07/07 11:57 / jal |
| Potassium | 8 | mg/L | | 1 | | E200.7 | 05/10/07 14:39 / ts |
| Silica | 17.5 | mg/L | | 0.1 | | E200.7 | 05/10/07 14:39 / ts |
| Sodium | 34 | mg/L | | 1 | | E200.7 | 05/10/07 14:39 / ts |
| Sulfate | 259 | mg/L | D | 3 | | A4500-SO4 E | 05/07/07 12:36 / lji |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 653 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:25 / bas |
| pH | 8.44 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:25 / bas |
| Solids, Total Dissolved TDS @ 180 C | 394 | mg/L | | 10 | | A2540 C | 05/07/07 13:48 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:27 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:27 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:27 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 14:39 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 15:27 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:27 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:27 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 14:39 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:27 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:27 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:27 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:27 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:27 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:27 / bws |
| Uranium | 0.0366 | mg/L | | 0.0003 | | E200.8 | 05/09/07 15:27 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:27 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:27 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 17:56 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 17:56 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-002
 Client Sample ID: LC26M

Report Date: 05/31/07
 Collection Date: 05/03/07 15:51
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 50.2 | pCi/L | | 1.0 | | E900.0 | 05/25/07 04:52 / res |
| Gross Alpha precision (±) | 1.7 | pCi/L | | | | E900.0 | 05/25/07 04:52 / res |
| Gross Beta | 23.4 | pCi/L | | 2.0 | | E900.0 | 05/25/07 04:52 / res |
| Gross Beta precision (±) | 1.7 | pCi/L | | | | E900.0 | 05/25/07 04:52 / res |
| Radium 226 | 12.4 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 1.2 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 0.803 | % | | | | Calculation | 05/14/07 12:52 / bws |
| Anions | 6.51 | meq/L | | | | Calculation | 05/14/07 12:52 / bws |
| Cations | 6.62 | meq/L | | | | Calculation | 05/14/07 12:52 / bws |
| Solids, Total Dissolved Calculated | 449 | mg/L | | | | Calculation | 05/14/07 12:52 / bws |
| TDS Balance (0.80 - 1.20) | 0.880 | dec. % | | | | Calculation | 05/14/07 12:52 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-003
 Client Sample ID: LC25M

Report Date: 05/31/07
 Collection Date: 05/03/07 14:51
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO ₃ | ND | mg/L | | 1 | | A2320 B | 05/07/07 09:53 / jaj |
| Bicarbonate as HCO ₃ | 36 | mg/L | | 1 | | A2320 B | 05/07/07 09:53 / jaj |
| Calcium | 34 | mg/L | | 1 | | E200.7 | 05/10/07 14:43 / ts |
| Chloride | 4 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:06 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:27 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 14:43 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH ₃ G | 05/07/07 16:13 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/07/07 12:00 / jal |
| Potassium | 4 | mg/L | | 1 | | E200.7 | 05/10/07 14:43 / ts |
| Silica | 13.5 | mg/L | | 0.1 | | E200.7 | 05/10/07 14:43 / ts |
| Sodium | 34 | mg/L | | 1 | | E200.7 | 05/10/07 14:43 / ts |
| Sulfate | 133 | mg/L | D | 1 | | A4500-SO ₄ E | 05/07/07 12:42 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 390 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:27 / bas |
| pH | 8.57 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:27 / bas |
| Solids, Total Dissolved TDS @ 180 C | 194 | mg/L | | 10 | | A2540 C | 05/07/07 13:48 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:35 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:35 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:35 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 14:43 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 15:35 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:35 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:35 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 14:43 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:35 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:35 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:35 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:35 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:35 / bws |
| Selenium | 0.015 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:35 / bws |
| Uranium | 0.289 | mg/L | | 0.0003 | | E200.8 | 05/09/07 15:35 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:35 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:35 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:00 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 18:00 / ts |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

D - RL increased due to sample matrix interference.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-003
 Client Sample ID: LC25M

Report Date: 05/31/07
 Collection Date: 05/03/07 14:51
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 194 | pCi/L | | 1.0 | | E900.0 | 05/25/07 04:53 / res |
| Gross Alpha precision (±) | 3.7 | pCi/L | | | | E900.0 | 05/25/07 04:53 / res |
| Gross Beta | 72.5 | pCi/L | | 2.0 | | E900.0 | 05/25/07 04:53 / res |
| Gross Beta precision (±) | 2.4 | pCi/L | | | | E900.0 | 05/25/07 04:53 / res |
| Radium 226 | 2.9 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 0.5 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -0.231 | % | | | | Calculation | 05/14/07 13:01 / bws |
| Anions | 3.51 | meq/L | | | | Calculation | 05/14/07 13:01 / bws |
| Cations | 3.50 | meq/L | | | | Calculation | 05/14/07 13:01 / bws |
| Solids, Total Dissolved Calculated | 244 | mg/L | | | | Calculation | 05/14/07 13:01 / bws |
| TDS Balance (0.80 - 1.20) | 0.800 | dec. % | | | | Calculation | 05/14/07 13:01 / bws |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-004
 Client Sample ID: LC23M

Report Date: 05/31/07
 Collection Date: 05/03/07 13:29
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | 66 | mg/L | | 1 | | A2320 B | 05/07/07 10:08 / jaj |
| Bicarbonate as HCO3 | 4 | mg/L | | 1 | | A2320 B | 05/07/07 10:08 / jaj |
| Calcium | 86 | mg/L | | 1 | | E200.7 | 05/10/07 14:46 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:13 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:28 / jaj |
| Magnesium | ND | mg/L | | 1 | | E200.7 | 05/10/07 14:46 / ts |
| Nitrogen, Ammonia as N | 0.75 | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:15 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/07/07 12:02 / jal |
| Potassium | 52 | mg/L | | 1 | | E200.7 | 05/10/07 14:46 / ts |
| Silica | 9.4 | mg/L | | 0.1 | | E200.7 | 05/10/07 14:46 / ts |
| Sodium | 63 | mg/L | | 1 | | E200.7 | 05/10/07 14:46 / ts |
| Sulfate | 126 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 12:54 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 1720 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:28 / bas |
| pH | 11.6 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:28 / bas |
| Solids, Total Dissolved TDS @ 180 C | 494 | mg/L | | 10 | | A2540 C | 05/07/07 13:49 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | 0.2 | mg/L | | 0.1 | | E200.8 | 05/09/07 15:43 / bws |
| Arsenic | 0.002 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:43 / bws |
| Barium | 0.3 | mg/L | | 0.1 | | E200.8 | 05/09/07 15:43 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 14:46 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 15:43 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:43 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:43 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 14:46 / ts |
| Lead | 0.002 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:43 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:43 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:43 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:43 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:43 / bws |
| Selenium | 0.005 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:43 / bws |
| Uranium | 0.0023 | mg/L | | 0.0003 | | E200.8 | 05/09/07 15:43 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:43 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:43 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:03 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 18:03 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-004
 Client Sample ID: LC23M

Report Date: 05/31/07
 Collection Date: 05/03/07 13:29
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 15.1 | pCi/L | | 1.0 | | E900.0 | 05/25/07 04:53 / res |
| Gross Alpha precision (±) | 0.9 | pCi/L | | | | E900.0 | 05/25/07 04:53 / res |
| Gross Beta | 44.7 | pCi/L | | 2.0 | | E900.0 | 05/25/07 04:53 / res |
| Gross Beta precision (±) | 2.0 | pCi/L | | | | E900.0 | 05/25/07 04:53 / res |
| Radium 226 | 4.7 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 0.7 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | 1.5 | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| Radium 228 precision (±) | 0.8 | pCi/L | | | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -2.93 | % | | | | Calculation | 05/14/07 13:02 / bws |
| Anions | 8.93 | meq/L | | | | Calculation | 05/14/07 13:02 / bws |
| Cations | 8.42 | meq/L | | | | Calculation | 05/14/07 13:02 / bws |
| Solids, Total Dissolved Calculated | 526 | mg/L | | | | Calculation | 05/14/07 13:02 / bws |
| TDS Balance (0.80 - 1.20) | 0.940 | dec. % | | | | Calculation | 05/14/07 13:02 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-005
 Client Sample ID: LC22M

Report Date: 05/31/07
 Collection Date: 05/03/07 13:03
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:10 / jaj |
| Bicarbonate as HCO3 | 113 | mg/L | | 1 | | A2320 B | 05/07/07 10:10 / jaj |
| Calcium | 64 | mg/L | | 1 | | E200.7 | 05/10/07 14:56 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:17 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:29 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 14:56 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:23 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/07/07 12:05 / jal |
| Potassium | 4 | mg/L | | 1 | | E200.7 | 05/10/07 14:56 / ts |
| Silica | 13.0 | mg/L | | 0.1 | | E200.7 | 05/10/07 14:56 / ts |
| Sodium | 35 | mg/L | | 1 | | E200.7 | 05/10/07 14:56 / ts |
| Sulfate | 137 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 12:56 / lji |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 513 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:30 / bas |
| pH | 8.11 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:30 / bas |
| Solids, Total Dissolved TDS @ 180 C | 278 | mg/L | | 10 | | A2540 C | 05/07/07 13:49 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:50 / bws |
| Arsenic | 0.002 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:50 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:50 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 14:56 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 15:50 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:50 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:50 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 14:56 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:50 / bws |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.8 | 05/09/07 15:50 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:50 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:50 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:50 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:50 / bws |
| Uranium | 0.0969 | mg/L | | 0.0003 | | E200.8 | 05/09/07 15:50 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:50 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:50 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.03 | mg/L | | 0.03 | | E200.7 | 05/10/07 18:07 / ts |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:07 / ts |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-005
 Client Sample ID: LC22M

Report Date: 05/31/07
 Collection Date: 05/03/07 13:03
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 576 | pCi/L | | 1.0 | | E900.0 | 05/25/07 04:53 / res |
| Gross Alpha precision (±) | 5.8 | pCi/L | | | | E900.0 | 05/25/07 04:53 / res |
| Gross Beta | 186 | pCi/L | | 2.0 | | E900.0 | 05/25/07 04:53 / res |
| Gross Beta precision (±) | 3.3 | pCi/L | | | | E900.0 | 05/25/07 04:53 / res |
| Radium 226 | 308 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 5.7 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | 3.8 | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| Radium 228 precision (±) | 0.9 | pCi/L | | | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 1.88 | % | | | | Calculation | 05/14/07 13:04 / bws |
| Anions | 4.85 | meq/L | | | | Calculation | 05/14/07 13:04 / bws |
| Cations | 5.03 | meq/L | | | | Calculation | 05/14/07 13:04 / bws |
| Solids, Total Dissolved Calculated | 316 | mg/L | | | | Calculation | 05/14/07 13:04 / bws |
| TDS Balance (0.80 - 1.20) | 0.880 | dec. % | | | | Calculation | 05/14/07 13:04 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-006
 Client Sample ID: LC21M

Report Date: 05/31/07
 Collection Date: 05/03/07 12:31
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:12 / jaj |
| Bicarbonate as HCO3 | 124 | mg/L | | 1 | | A2320 B | 05/07/07 10:12 / jaj |
| Calcium | 41 | mg/L | | 1 | | E200.7 | 05/10/07 15:09 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:18 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:30 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 15:09 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:25 / jal |
| Nitrogen, Nitrate+Nitrite as N | 1.0 | mg/L | | 0.1 | | E353.2 | 05/08/07 10:55 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/10/07 15:09 / ts |
| Silica | 13.7 | mg/L | | 0.1 | | E200.7 | 05/10/07 15:09 / ts |
| Sodium | 30 | mg/L | | 1 | | E200.7 | 05/10/07 15:09 / ts |
| Sulfate | 58 | mg/L | | 1 | | A4500-SO4 E | 05/07/07 12:58 / lji |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 371 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:32 / bas |
| pH | 8.17 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:32 / bas |
| Solids, Total Dissolved TDS @ 180 C | 182 | mg/L | | 10 | | A2540 C | 05/07/07 13:49 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:58 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:58 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:58 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 15:09 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 15:58 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:58 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:58 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 15:09 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:58 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:58 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 15:58 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:58 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 15:58 / bws |
| Selenium | 0.032 | mg/L | | 0.001 | | E200.8 | 05/09/07 15:58 / bws |
| Uranium | 0.236 | mg/L | | 0.0003 | | E200.8 | 05/09/07 15:58 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 15:58 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 15:58 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:10 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 18:10 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-006
 Client Sample ID: LC21M

Report Date: 05/31/07
 Collection Date: 05/03/07 12:31
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 202 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 3.6 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 65.2 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 2.3 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 3.7 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 0.6 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 2.11 | % | | | | Calculation | 05/14/07 13:04 / bws |
| Anions | 3.48 | meq/L | | | | Calculation | 05/14/07 13:04 / bws |
| Cations | 3.62 | meq/L | | | | Calculation | 05/14/07 13:04 / bws |
| Solids, Total Dissolved Calculated | 219 | mg/L | | | | Calculation | 05/14/07 13:04 / bws |
| TDS Balance (0.80 - 1.20) | 0.830 | dec. % | | | | Calculation | 05/14/07 13:04 / bws |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-007
 Client Sample ID: LC30M

Report Date: 05/31/07
 Collection Date: 05/03/07 12:01
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:15 / jaj |
| Bicarbonate as HCO3 | 176 | mg/L | | 1 | | A2320 B | 05/07/07 10:15 / jaj |
| Calcium | 28 | mg/L | | 1 | | E200.7 | 05/10/07 15:13 / ts |
| Chloride | 6 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:19 / jl |
| Fluoride | 0.5 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:31 / jaj |
| Magnesium | 2 | mg/L | | 1 | | E200.7 | 05/10/07 15:13 / ts |
| Nitrogen, Ammonia as N | 0.06 | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:27 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 10:57 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/10/07 15:13 / ts |
| Silica | 17.7 | mg/L | | 0.1 | | E200.7 | 05/10/07 15:13 / ts |
| Sodium | 62 | mg/L | | 1 | | E200.7 | 05/10/07 15:13 / ts |
| Sulfate | 55 | mg/L | | 1 | | A4500-SO4 E | 05/07/07 13:22 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 440 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:34 / bas |
| pH | 8.07 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:34 / bas |
| Solids, Total Dissolved TDS @ 180 C | 220 | mg/L | | 10 | | A2540 C | 05/07/07 13:49 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:05 / bws |
| Arsenic | 0.007 | mg/L | | 0.001 | | E200.8 | 05/09/07 16:05 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:05 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 15:13 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 16:05 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 16:05 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:05 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 15:13 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:05 / bws |
| Manganese | 0.07 | mg/L | | 0.01 | | E200.8 | 05/09/07 16:05 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:05 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:05 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 16:05 / bws |
| Selenium | 0.003 | mg/L | | 0.001 | | E200.8 | 05/09/07 16:05 / bws |
| Uranium | 0.130 | mg/L | | 0.0003 | | E200.8 | 05/09/07 16:05 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:05 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:05 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.09 | mg/L | | 0.03 | | E200.7 | 05/10/07 18:13 / ts |
| Manganese | 0.07 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:13 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-007
 Client Sample ID: LC30M

Report Date: 05/31/07
 Collection Date: 05/03/07 12:01
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 109 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 2.6 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 40.0 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 2.0 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 2.1 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:12 / trs |
| Radium 226 precision (±) | 0.5 | pCi/L | | | | E903.0 | 05/17/07 09:12 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 0.774 | % | | | | Calculation | 05/14/07 13:05 / bws |
| Anions | 4.24 | meq/L | | | | Calculation | 05/14/07 13:05 / bws |
| Cations | 4.30 | meq/L | | | | Calculation | 05/14/07 13:05 / bws |
| Solids, Total Dissolved Calculated | 260 | mg/L | | | | Calculation | 05/14/07 13:05 / bws |
| TDS Balance (0.80 - 1.20) | 0.850 | dec. % | | | | Calculation | 05/14/07 13:05 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-008
 Client Sample ID: LC1

Report Date: 05/31/07
 Collection Date: 05/03/07 11:25
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:17 / jaj |
| Bicarbonate as HCO3 | 132 | mg/L | | 1 | | A2320 B | 05/07/07 10:17 / jaj |
| Calcium | 29 | mg/L | | 1 | | E200.7 | 05/14/07 18:03 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:20 / jl |
| Fluoride | 0.4 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:32 / jaj |
| Magnesium | 2 | mg/L | | 1 | | E200.7 | 05/14/07 18:03 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:29 / jal |
| Nitrogen, Nitrate+Nitrite as N | 1.6 | mg/L | | 0.1 | | E353.2 | 05/08/07 10:59 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/14/07 18:03 / ts |
| Silica | 12.8 | mg/L | | 0.1 | | E200.7 | 05/14/07 18:03 / ts |
| Sodium | 26 | mg/L | | 1 | | E200.7 | 05/14/07 18:03 / ts |
| Sulfate | 21 | mg/L | | 1 | | A4500-SO4 E | 05/07/07 13:24 / lji |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 291 | umhos/cm | | 1.0 | | A2510 B | 05/15/07 09:39 / bas |
| pH | 8.16 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:36 / bas |
| Solids, Total Dissolved TDS @ 180 C | 142 | mg/L | | 10 | | A2540 C | 05/15/07 16:24 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:20 / bws |
| Arsenic | 0.002 | mg/L | | 0.001 | | E200.8 | 05/09/07 16:20 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:20 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/14/07 18:03 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 16:20 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 16:20 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:20 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/14/07 18:03 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:20 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:20 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:20 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:20 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 16:20 / bws |
| Selenium | 0.008 | mg/L | | 0.001 | | E200.8 | 05/09/07 16:20 / bws |
| Uranium | 0.119 | mg/L | | 0.0003 | | E200.8 | 05/09/07 16:20 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:20 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:20 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:17 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 18:17 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-008
 Client Sample ID: LC1

Report Date: 05/31/07
 Collection Date: 05/03/07 11:25
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 115 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 2.8 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 38.9 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 2.0 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 0.8 | pCi/L | | 0.2 | | E903.0 | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 0.3 | pCi/L | | | | E903.0 | 05/17/07 10:19 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 10:20 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -0.944 | % | | | | Calculation | 05/21/07 13:24 / bws |
| Anions | 2.88 | meq/L | | | | Calculation | 05/21/07 13:24 / bws |
| Cations | 2.82 | meq/L | | | | Calculation | 05/21/07 13:24 / bws |
| Solids, Total Dissolved Calculated | 170 | mg/L | | | | Calculation | 05/21/07 13:24 / bws |
| TDS Balance (0.80 - 1.20) | 0.840 | dec. % | | | | Calculation | 05/21/07 13:24 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-009
 Client Sample ID: LC31M

Report Date: 05/31/07
 Collection Date: 05/03/07 10:55
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:20 / jaj |
| Bicarbonate as HCO3 | 159 | mg/L | | 1 | | A2320 B | 05/07/07 10:20 / jaj |
| Calcium | 99 | mg/L | | 1 | | E200.7 | 05/10/07 15:19 / ts |
| Chloride | 6 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:21 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:46 / jaj |
| Magnesium | 6 | mg/L | | 1 | | E200.7 | 05/10/07 15:19 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:31 / jal |
| Nitrogen, Nitrate+Nitrite as N | 0.2 | mg/L | | 0.1 | | E353.2 | 05/08/07 11:02 / jal |
| Potassium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 15:19 / ts |
| Silica | 15.9 | mg/L | | 0.1 | | E200.7 | 05/10/07 15:19 / ts |
| Sodium | 71 | mg/L | | 1 | | E200.7 | 05/10/07 15:19 / ts |
| Sulfate | 279 | mg/L | D | 6 | | A4500-SO4 E | 05/07/07 13:26 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 860 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:46 / bas |
| pH | 7.79 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:46 / bas |
| Solids, Total Dissolved TDS @ 180 C | 526 | mg/L | | 10 | | A2540 C | 05/07/07 13:50 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:28 / bws |
| Arsenic | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:28 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:28 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 15:19 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 16:28 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 16:28 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:28 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 15:19 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:28 / bws |
| Manganese | 0.02 | mg/L | | 0.01 | | E200.8 | 05/09/07 16:28 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 16:28 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:28 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 16:28 / bws |
| Selenium | 0.111 | mg/L | | 0.001 | | E200.8 | 05/09/07 16:28 / bws |
| Uranium | 1.61 | mg/L | | 0.0003 | | E200.8 | 05/09/07 16:28 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 16:28 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 16:28 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.07 | mg/L | | 0.03 | | E200.7 | 05/10/07 18:20 / ts |
| Manganese | 0.02 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:20 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-009
 Client Sample ID: LC31M

Report Date: 05/31/07
 Collection Date: 05/03/07 10:55
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 1030 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 6.5 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 319 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 4.2 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 1.9 | pCi/L | | 0.2 | | E903.0 | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 0.4 | pCi/L | | | | E903.0 | 05/17/07 10:19 / trs |
| Radium 228 | 2.4 | pCi/L | | 1.0 | | RA-05 | 05/11/07 10:20 / plj |
| Radium 228 precision (±) | 0.8 | pCi/L | | | | RA-05 | 05/11/07 10:20 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 0.059 | % | | | | Calculation | 05/14/07 13:07 / bws |
| Anions | 8.61 | meq/L | | | | Calculation | 05/14/07 13:07 / bws |
| Cations | 8.62 | meq/L | | | | Calculation | 05/14/07 13:07 / bws |
| Solids, Total Dissolved Calculated | 559 | mg/L | | | | Calculation | 05/14/07 13:07 / bws |
| TDS Balance (0.80 - 1.20) | 0.940 | dec. % | | | | Calculation | 05/14/07 13:07 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-010
 Client Sample ID: LC28M

Report Date: 05/31/07
 Collection Date: 05/03/07 10:46
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:21 / jaj |
| Bicarbonate as HCO3 | 130 | mg/L | | 1 | | A2320 B | 05/07/07 10:21 / jaj |
| Calcium | 62 | mg/L | | 1 | | E200.7 | 05/10/07 15:23 / ts |
| Chloride | 6 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:31 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:51 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 15:23 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:39 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:12 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/10/07 15:23 / ts |
| Silica | 15.0 | mg/L | | 0.1 | | E200.7 | 05/10/07 15:23 / ts |
| Sodium | 25 | mg/L | | 1 | | E200.7 | 05/10/07 15:23 / ts |
| Sulfate | 96 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 13:28 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 440 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:49 / bas |
| pH | 8.01 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:49 / bas |
| Solids, Total Dissolved TDS @ 180 C | 234 | mg/L | | 10 | | A2540 C | 05/07/07 13:50 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:05 / bws |
| Arsenic | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:05 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:05 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 15:23 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 17:05 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:05 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:05 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 15:23 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:05 / bws |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.8 | 05/09/07 17:05 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:05 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:05 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:05 / bws |
| Selenium | 0.002 | mg/L | | 0.001 | | E200.8 | 05/09/07 17:05 / bws |
| Uranium | 0.0232 | mg/L | | 0.0003 | | E200.8 | 05/09/07 17:05 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:05 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:05 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.05 | mg/L | | 0.03 | | E200.7 | 05/10/07 18:33 / ts |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:33 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-010
 Client Sample ID: LC28M

Report Date: 05/31/07
 Collection Date: 05/03/07 10:46
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 19.4 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 1.2 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 11.2 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 1.5 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 7.1 | pCi/L | | 0.2 | | E903.0 | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 0.9 | pCi/L | | | | E903.0 | 05/17/07 10:19 / trs |
| Radium 228 | 3.7 | pCi/L | | 1.0 | | RA-05 | 05/11/07 10:20 / plj |
| Radium 228 precision (±) | 0.9 | pCi/L | | | | RA-05 | 05/11/07 10:20 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 1.82 | % | | | | Calculation | 05/14/07 13:08 / bws |
| Anions | 4.30 | meq/L | | | | Calculation | 05/14/07 13:08 / bws |
| Cations | 4.46 | meq/L | | | | Calculation | 05/14/07 13:08 / bws |
| Solids, Total Dissolved Calculated | 273 | mg/L | | | | Calculation | 05/14/07 13:08 / bws |
| TDS Balance (0.80 - 1.20) | 0.860 | dec. % | | | | Calculation | 05/14/07 13:08 / bws |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-011
 Client Sample ID: LC24M

Report Date: 05/31/07
 Collection Date: 05/04/07 14:06
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:23 / jaj |
| Bicarbonate as HCO3 | 85 | mg/L | | 1 | | A2320 B | 05/07/07 10:23 / jaj |
| Calcium | 48 | mg/L | | 1 | | E200.7 | 05/14/07 18:06 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:36 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 08:54 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/14/07 18:06 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:41 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:14 / jal |
| Potassium | 7 | mg/L | | 1 | | E200.7 | 05/14/07 18:06 / ts |
| Silica | 14.6 | mg/L | | 0.1 | | E200.7 | 05/14/07 18:06 / ts |
| Sodium | 31 | mg/L | | 1 | | E200.7 | 05/14/07 18:06 / ts |
| Sulfate | 126 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 13:42 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 452 | umhos/cm | | 1.0 | | A2510 B | 05/15/07 09:42 / bas |
| pH | 8.08 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:51 / bas |
| Solids, Total Dissolved TDS @ 180 C | 270 | mg/L | | 10 | | A2540 C | 05/15/07 16:25 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:13 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 17:13 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:13 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/14/07 18:06 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 17:13 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:13 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:13 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/14/07 18:06 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:13 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:13 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:13 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:13 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:13 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:13 / bws |
| Uranium | 0.0519 | mg/L | | 0.0003 | | E200.8 | 05/09/07 17:13 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:13 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:13 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:36 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 18:36 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-011
 Client Sample ID: LC24M

Report Date: 05/31/07
 Collection Date: 05/04/07 14:06
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 49.1 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 1.8 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 23.8 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 1.7 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 8.9 | pCi/L | | 0.2 | | E903.0 | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 1.0 | pCi/L | | | | E903.0 | 05/17/07 10:19 / trs |
| Radium 228 | 1.5 | pCi/L | | 1.0 | | RA-05 | 05/11/07 10:20 / plj |
| Radium 228 precision (±) | 0.8 | pCi/L | | | | RA-05 | 05/11/07 10:20 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 0.319 | % | | | | Calculation | 05/21/07 13:27 / bws |
| Anions | 4.17 | meq/L | | | | Calculation | 05/21/07 13:27 / bws |
| Cations | 4.20 | meq/L | | | | Calculation | 05/21/07 13:27 / bws |
| Solids, Total Dissolved Calculated | 277 | mg/L | | | | Calculation | 05/21/07 13:27 / bws |
| TDS Balance (0.80 - 1.20) | 0.970 | dec. % | | | | Calculation | 05/21/07 13:27 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-012
 Client Sample ID: LC16M

Report Date: 05/31/07
 Collection Date: 05/04/07 13:26
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:24 / jaj |
| Bicarbonate as HCO3 | 137 | mg/L | | 1 | | A2320 B | 05/07/07 10:24 / jaj |
| Calcium | 74 | mg/L | | 1 | | E200.7 | 05/14/07 18:10 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:36 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:01 / jaj |
| Magnesium | 4 | mg/L | | 1 | | E200.7 | 05/14/07 18:10 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:43 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:17 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/14/07 18:10 / ts |
| Silica | 14.8 | mg/L | | 0.1 | | E200.7 | 05/14/07 18:10 / ts |
| Sodium | 29 | mg/L | | 1 | | E200.7 | 05/14/07 18:10 / ts |
| Sulfate | 139 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 13:59 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 534 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:54 / bas |
| pH | 8.01 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:54 / bas |
| Solids, Total Dissolved TDS @ 180 C | 314 | mg/L | | 10 | | A2540 C | 05/07/07 13:50 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:20 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 17:20 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:20 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/14/07 18:10 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 17:20 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:20 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:20 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/14/07 18:10 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:20 / bws |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.8 | 05/09/07 17:20 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:20 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:20 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:20 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:20 / bws |
| Uranium | 0.122 | mg/L | | 0.0003 | | E200.8 | 05/09/07 17:20 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:20 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:20 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:40 / ts |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:40 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-012
 Client Sample ID: LC16M

Report Date: 05/31/07
 Collection Date: 05/04/07 13:26
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 188 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 3.3 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 69.2 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 2.3 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 122 | pCi/L | | 0.2 | | E903.0 | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 4.7 | pCi/L | | | | E903.0 | 05/17/07 10:19 / trs |
| Radium 228 | 3.2 | pCi/L | | 1.0 | | RA-05 | 05/11/07 10:20 / plj |
| Radium 228 precision (±) | 1.4 | pCi/L | | | | RA-05 | 05/11/07 10:20 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 0.160 | % | | | | Calculation | 05/21/07 13:28 / bws |
| Anions | 5.30 | meq/L | | | | Calculation | 05/21/07 13:28 / bws |
| Cations | 5.31 | meq/L | | | | Calculation | 05/21/07 13:28 / bws |
| Solids, Total Dissolved Calculated | 335 | mg/L | | | | Calculation | 05/21/07 13:28 / bws |
| TDS Balance (0.80 - 1.20) | 0.940 | dec. % | | | | Calculation | 05/21/07 13:28 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-013
 Client Sample ID: LC17M

Report Date: 05/31/07
 Collection Date: 05/04/07 12:46
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:26 / jaj |
| Bicarbonate as HCO3 | 142 | mg/L | | 1 | | A2320 B | 05/07/07 10:26 / jaj |
| Calcium | 61 | mg/L | | 1 | | E200.7 | 05/14/07 18:13 / ts |
| Chloride | 4 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:37 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:07 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/14/07 18:13 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:45 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | A353.2 | 05/08/07 11:20 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/14/07 18:13 / ts |
| Silica | 15.9 | mg/L | | 0.1 | | E200.7 | 05/14/07 18:13 / ts |
| Sodium | 27 | mg/L | | 1 | | E200.7 | 05/14/07 18:13 / ts |
| Sulfate | 108 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 14:01 / jl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 467 | umhos/cm | | 1.0 | | A2510 B | 05/15/07 09:44 / bas |
| pH | 8.11 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:56 / bas |
| Solids, Total Dissolved TDS @ 180 C | 266 | mg/L | | 10 | | A2540 C | 05/15/07 16:25 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:50 / bws |
| Arsenic | 0.002 | mg/L | | 0.001 | | E200.8 | 05/09/07 17:50 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:50 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/14/07 18:13 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 17:50 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:50 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:50 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/14/07 18:13 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:50 / bws |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.8 | 05/09/07 17:50 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:50 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:50 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:50 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:50 / bws |
| Uranium | 0.0090 | mg/L | | 0.0003 | | E200.8 | 05/09/07 17:50 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:50 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:50 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.05 | mg/L | | 0.03 | | E200.7 | 05/10/07 18:50 / ts |
| Manganese | 0.01 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:50 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-013
 Client Sample ID: LC17M

Report Date: 05/31/07
 Collection Date: 05/04/07 12:46
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 17.3 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 1.1 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 9.1 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 1.5 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 7.2 | pCi/L | | 0.2 | | E903.0 | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 0.9 | pCi/L | | | | E903.0 | 05/17/07 10:19 / trs |
| Radium 228 | 1.5 | pCi/L | | 1.0 | | RA-05 | 05/11/07 10:20 / plj |
| Radium 228 precision (±) | 0.8 | pCi/L | | | | RA-05 | 05/11/07 10:20 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -1.93 | % | | | | Calculation | 05/21/07 13:29 / bws |
| Anions | 4.69 | meq/L | | | | Calculation | 05/21/07 13:29 / bws |
| Cations | 4.51 | meq/L | | | | Calculation | 05/21/07 13:29 / bws |
| Solids, Total Dissolved Calculated | 291 | mg/L | | | | Calculation | 05/21/07 13:29 / bws |
| TDS Balance (0.80 - 1.20) | 0.910 | dec. % | | | | Calculation | 05/21/07 13:29 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-014
 Client Sample ID: LC29M

Report Date: 05/31/07
 Collection Date: 05/04/07 12:06
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:37 / jaj |
| Bicarbonate as HCO3 | 183 | mg/L | | 1 | | A2320 B | 05/07/07 10:37 / jaj |
| Calcium | 47 | mg/L | | 1 | | E200.7 | 05/10/07 16:23 / ts |
| Chloride | 10 | mg/L | | 1 | | A4500-Cl B | 05/09/07 10:04 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:08 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 16:23 / ts |
| Nitrogen, Ammonia as N | 0.18 | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:47 / jal |
| Nitrogen, Nitrate+Nitrite as N | 0.9 | mg/L | | 0.1 | | E353.2 | 05/08/07 11:22 / jal |
| Potassium | 2 | mg/L | | 1 | | E200.7 | 05/10/07 16:23 / ts |
| Silica | 15.3 | mg/L | | 0.1 | | E200.7 | 05/10/07 15:40 / ts |
| Sodium | 27 | mg/L | | 1 | | E200.7 | 05/10/07 15:40 / ts |
| Sulfate | 21 | mg/L | | 1 | | A4500-SO4 E | 05/07/07 14:03 / lji |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 356 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 09:58 / bas |
| pH | 7.75 | s.u. | | 0.01 | | A4500-H B | 05/07/07 09:58 / bas |
| Solids, Total Dissolved TDS @ 180 C | 180 | mg/L | | 10 | | A2540 C | 05/07/07 13:52 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:58 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 17:58 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:58 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 15:40 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 17:58 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:58 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:58 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 15:40 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:58 / bws |
| Manganese | 0.04 | mg/L | | 0.01 | | E200.8 | 05/09/07 17:58 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 17:58 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:58 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 17:58 / bws |
| Selenium | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 17:58 / bws |
| Uranium | 0.251 | mg/L | | 0.0003 | | E200.8 | 05/09/07 17:58 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 17:58 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 17:58 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.14 | mg/L | | 0.03 | | E200.7 | 05/10/07 18:54 / ts |
| Manganese | 0.04 | mg/L | | 0.01 | | E200.7 | 05/10/07 18:54 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-014
 Client Sample ID: LC29M

Report Date: 05/31/07
 Collection Date: 05/04/07 12:06
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|--------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 200 | pCi/L | | 1.0 | E900.0 | | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 3.5 | pCi/L | | | E900.0 | | 05/25/07 21:07 / res |
| Gross Beta | 84.6 | pCi/L | | 2.0 | E900.0 | | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 2.5 | pCi/L | | | E900.0 | | 05/25/07 21:07 / res |
| Radium 226 | 2.5 | pCi/L | | 0.2 | E903.0 | | 05/17/07 10:19 / trs |
| Radium 226 precision (±) | 0.5 | pCi/L | | | E903.0 | | 05/17/07 10:19 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | RA-05 | | 05/11/07 08:35 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 0.306 | % | | | Calculation | | 05/14/07 13:20 / bws |
| Anions | 3.79 | meq/L | | | Calculation | | 05/14/07 13:20 / bws |
| Cations | 3.81 | meq/L | | | Calculation | | 05/14/07 13:20 / bws |
| Solids, Total Dissolved Calculated | 219 | mg/L | | | Calculation | | 05/14/07 13:20 / bws |
| TDS Balance (0.80 - 1.20) | 0.820 | dec. % | | | Calculation | | 05/14/07 13:20 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-015
 Client Sample ID: LC15M

Report Date: 05/31/07
 Collection Date: 05/04/07 11:56
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:39 / jaj |
| Bicarbonate as HCO3 | 85 | mg/L | | 1 | | A2320 B | 05/07/07 10:39 / jaj |
| Calcium | 46 | mg/L | | 1 | | E200.7 | 05/10/07 16:26 / ts |
| Chloride | 6 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:41 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:10 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 16:26 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:55 / jal |
| Nitrogen, Nitrate+Nitrite as N | 0.4 | mg/L | | 0.1 | | E353.2 | 05/08/07 11:29 / jal |
| Potassium | 9 | mg/L | | 1 | | E200.7 | 05/10/07 16:26 / ts |
| Silica | 13.0 | mg/L | | 0.1 | | E200.7 | 05/10/07 16:26 / ts |
| Sodium | 34 | mg/L | | 1 | | E200.7 | 05/10/07 16:26 / ts |
| Sulfate | 142 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 14:13 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 492 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 10:01 / bas |
| pH | 8.27 | s.u. | | 0.01 | | A4500-H B | 05/07/07 10:01 / bas |
| Solids, Total Dissolved TDS @ 180 C | 276 | mg/L | | 10 | | A2540 C | 05/07/07 13:52 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:05 / bws |
| Arsenic | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:05 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:05 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:26 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 18:05 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:05 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:05 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 16:26 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:05 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:05 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:05 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:05 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:05 / bws |
| Selenium | 0.010 | mg/L | | 0.001 | | E200.8 | 05/09/07 18:05 / bws |
| Uranium | 0.358 | mg/L | | 0.0003 | | E200.8 | 05/09/07 18:05 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:05 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:05 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 18:57 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 18:57 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-015
 Client Sample ID: LC15M

Report Date: 05/31/07
 Collection Date: 05/04/07 11:56
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 236 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 3.8 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 92.1 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 2.5 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 3.6 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:14 / trs |
| Radium 226 precision (±) | 0.7 | pCi/L | | | | E903.0 | 05/17/07 09:14 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 11:56 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -3.92 | % | | | | Calculation | 05/14/07 13:20 / bws |
| Anions | 4.56 | meq/L | | | | Calculation | 05/14/07 13:20 / bws |
| Cations | 4.22 | meq/L | | | | Calculation | 05/14/07 13:20 / bws |
| Solids, Total Dissolved Calculated | 296 | mg/L | | | | Calculation | 05/14/07 13:20 / bws |
| TDS Balance (0.80 - 1.20) | 0.930 | dec. % | | | | Calculation | 05/14/07 13:20 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-016
 Client Sample ID: LC01M

Report Date: 05/31/07
 Collection Date: 05/04/07 11:00
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:40 / jaj |
| Bicarbonate as HCO3 | 96 | mg/L | | 1 | | A2320 B | 05/07/07 10:40 / jaj |
| Calcium | 46 | mg/L | | 1 | | E200.7 | 05/10/07 16:29 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:41 / jl |
| Fluoride | 0.1 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:10 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 16:29 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:57 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:32 / jal |
| Potassium | 8 | mg/L | | 1 | | E200.7 | 05/10/07 16:29 / ts |
| Silica | 14.6 | mg/L | | 0.1 | | E200.7 | 05/10/07 16:29 / ts |
| Sodium | 33 | mg/L | | 1 | | E200.7 | 05/10/07 16:29 / ts |
| Sulfate | 137 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 14:15 / lj |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 487 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 10:03 / bas |
| pH | 8.09 | s.u. | | 0.01 | | A4500-H B | 05/07/07 10:03 / bas |
| Solids, Total Dissolved TDS @ 180 C | 264 | mg/L | | 10 | | A2540 C | 05/07/07 13:52 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:43 / bws |
| Arsenic | 0.006 | mg/L | | 0.001 | | E200.8 | 05/09/07 18:43 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:43 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:29 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 18:43 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:43 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:43 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 16:29 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:43 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:43 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:43 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:43 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:43 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:43 / bws |
| Uranium | 0.766 | mg/L | | 0.0003 | | E200.8 | 05/09/07 18:43 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:43 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:43 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.03 | mg/L | | 0.03 | | E200.7 | 05/10/07 19:00 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 19:00 / ts |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

D - RL increased due to sample matrix interference.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-016
 Client Sample ID: LC01M

Report Date: 05/31/07
 Collection Date: 05/04/07 11:00
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 1350 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 9.0 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 568 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 5.5 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 386 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:14 / trs |
| Radium 226 precision (±) | 6.7 | pCi/L | | | | E903.0 | 05/17/07 09:14 / trs |
| Radium 228 | 1.6 | pCi/L | | 1.0 | | RA-05 | 05/11/07 11:56 / plj |
| Radium 228 precision (±) | 0.9 | pCi/L | | | | RA-05 | 05/11/07 11:56 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -4.65 | % | | | | Calculation | 05/14/07 13:21 / bws |
| Anions | 4.59 | meq/L | | | | Calculation | 05/14/07 13:21 / bws |
| Cations | 4.18 | meq/L | | | | Calculation | 05/14/07 13:21 / bws |
| Solids, Total Dissolved Calculated | 294 | mg/L | | | | Calculation | 05/14/07 13:21 / bws |
| TDS Balance (0.80 - 1.20) | 0.900 | dec. % | | | | Calculation | 05/14/07 13:21 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-017
 Client Sample ID: LC19M

Report Date: 05/31/07
 Collection Date: 05/04/07 10:46
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO ₃ | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:42 / jaj |
| Bicarbonate as HCO ₃ | 93 | mg/L | | 1 | | A2320 B | 05/07/07 10:42 / jaj |
| Calcium | 45 | mg/L | | 1 | | E200.7 | 05/10/07 16:33 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-CI B | 05/09/07 09:42 / jl |
| Fluoride | 0.1 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:11 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 16:33 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 16:59 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:34 / jal |
| Potassium | 8 | mg/L | | 1 | | E200.7 | 05/10/07 16:33 / ts |
| Silica | 14.8 | mg/L | | 0.1 | | E200.7 | 05/10/07 16:33 / ts |
| Sodium | 33 | mg/L | | 1 | | E200.7 | 05/10/07 16:33 / ts |
| Sulfate | 137 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 14:17 / jl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 482 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 10:05 / bas |
| pH | 8.11 | s.u. | | 0.01 | | A4500-H B | 05/07/07 10:05 / bas |
| Solids, Total Dissolved TDS @ 180 C | 266 | mg/L | | 10 | | A2540 C | 05/07/07 13:53 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:50 / bws |
| Arsenic | 0.007 | mg/L | | 0.001 | | E200.8 | 05/09/07 18:50 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:50 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:33 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 18:50 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:50 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:50 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 16:33 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:50 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:50 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:50 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:50 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:50 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:50 / bws |
| Uranium | 0.762 | mg/L | | 0.0003 | | E200.8 | 05/09/07 18:50 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:50 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:50 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 19:13 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 19:13 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-017
 Client Sample ID: LC19M

Report Date: 05/31/07
 Collection Date: 05/04/07 10:46
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 1470 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 9.5 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 603 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 5.7 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 423 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:14 / trs |
| Radium 226 precision (±) | 7.0 | pCi/L | | | | E903.0 | 05/17/07 09:14 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 11:56 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -4.35 | % | | | | Calculation | 05/14/07 13:22 / bws |
| Anions | 4.53 | meq/L | | | | Calculation | 05/14/07 13:22 / bws |
| Cations | 4.15 | meq/L | | | | Calculation | 05/14/07 13:22 / bws |
| Solids, Total Dissolved Calculated | 292 | mg/L | | | | Calculation | 05/14/07 13:22 / bws |
| TDS Balance (0.80 - 1.20) | 0.910 | dec. % | | | | Calculation | 05/14/07 13:22 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-018
 Client Sample ID: LC20M

Report Date: 05/31/07
 Collection Date: 05/04/07 10:18
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | 2 | mg/L | | 1 | | A2320 B | 05/07/07 10:43 / jaj |
| Bicarbonate as HCO3 | 34 | mg/L | | 1 | | A2320 B | 05/07/07 10:43 / jaj |
| Calcium | 12 | mg/L | | 1 | | E200.7 | 05/10/07 16:36 / ts |
| Chloride | 6 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:43 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:12 / jaj |
| Magnesium | ND | mg/L | | 1 | | E200.7 | 05/10/07 16:36 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 17:01 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:37 / jal |
| Potassium | 11 | mg/L | | 1 | | E200.7 | 05/10/07 16:36 / ts |
| Silica | 14.1 | mg/L | | 0.1 | | E200.7 | 05/10/07 16:36 / ts |
| Sodium | 35 | mg/L | | 1 | | E200.7 | 05/10/07 16:36 / ts |
| Sulfate | 91 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 14:27 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 322 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 10:07 / bas |
| pH | 9.04 | s.u. | | 0.01 | | A4500-H B | 05/07/07 10:07 / bas |
| Solids, Total Dissolved TDS @ 180 C | 174 | mg/L | | 10 | | A2540 C | 05/07/07 13:51 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:58 / bws |
| Arsenic | 0.011 | mg/L | | 0.001 | | E200.8 | 05/09/07 18:58 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:58 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:36 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 18:58 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:58 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:58 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 16:36 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:58 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:58 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:58 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:58 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 18:58 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 18:58 / bws |
| Uranium | 0.0254 | mg/L | | 0.0003 | | E200.8 | 05/09/07 18:58 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 18:58 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 18:58 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 19:17 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 19:17 / ts |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-018
 Client Sample ID: LC20M

Report Date: 05/31/07
 Collection Date: 05/04/07 10:18
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 31.9 | pCi/L | | 1.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Alpha precision (±) | 1.6 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta | 23.6 | pCi/L | | 2.0 | | E900.0 | 05/25/07 21:07 / res |
| Gross Beta precision (±) | 1.7 | pCi/L | | | | E900.0 | 05/25/07 21:07 / res |
| Radium 226 | 9.2 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:14 / trs |
| Radium 226 precision (±) | 1.1 | pCi/L | | | | E903.0 | 05/17/07 09:14 / trs |
| Radium 228 | 2.6 | pCi/L | | 1.0 | | RA-05 | 05/11/07 11:56 / plj |
| Radium 228 precision (±) | 0.9 | pCi/L | | | | RA-05 | 05/11/07 11:56 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -4.34 | % | | | | Calculation | 05/14/07 13:22 / bws |
| Anions | 2.68 | meq/L | | | | Calculation | 05/14/07 13:22 / bws |
| Cations | 2.46 | meq/L | | | | Calculation | 05/14/07 13:22 / bws |
| Solids, Total Dissolved Calculated | 188 | mg/L | | | | Calculation | 05/14/07 13:22 / bws |
| TDS Balance (0.80 - 1.20) | 0.930 | dec. % | | | | Calculation | 05/14/07 13:22 / bws |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-019
 Client Sample ID: LC18M

Report Date: 05/31/07
 Collection Date: 05/04/07 09:53
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:45 / jaj |
| Bicarbonate as HCO3 | 112 | mg/L | | 1 | | A2320 B | 05/07/07 10:45 / jaj |
| Calcium | 49 | mg/L | | 1 | | E200.7 | 05/10/07 16:40 / ts |
| Chloride | 5 | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:44 / jl |
| Fluoride | 0.2 | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:13 / jaj |
| Magnesium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 16:40 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 17:03 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:40 / jal |
| Potassium | 3 | mg/L | | 1 | | E200.7 | 05/10/07 16:40 / ts |
| Silica | 12.6 | mg/L | | 0.1 | | E200.7 | 05/10/07 16:40 / ts |
| Sodium | 30 | mg/L | | 1 | | E200.7 | 05/10/07 16:40 / ts |
| Sulfate | 119 | mg/L | D | 1 | | A4500-SO4 E | 05/07/07 14:28 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 467 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 10:11 / bas |
| pH | 8.09 | s.u. | | 0.01 | | A4500-H B | 05/07/07 10:11 / bas |
| Solids, Total Dissolved TDS @ 180 C | 242 | mg/L | | 10 | | A2540 C | 05/07/07 13:53 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:06 / bws |
| Arsenic | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 19:06 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:06 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:40 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 19:06 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 19:06 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 19:06 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 16:40 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 19:06 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 19:06 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 19:06 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:06 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 19:06 / bws |
| Selenium | 0.001 | mg/L | | 0.001 | | E200.8 | 05/09/07 19:06 / bws |
| Uranium | 0.419 | mg/L | | 0.0003 | | E200.8 | 05/09/07 19:06 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:06 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 19:06 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | 0.10 | mg/L | | 0.03 | | E200.7 | 05/10/07 19:20 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 19:20 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-019
 Client Sample ID: LC18M

Report Date: 05/31/07
 Collection Date: 05/04/07 09:53
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|------------------------------------|--------|--------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | 385 | pCi/L | | 1.0 | | E900.0 | 05/26/07 09:34 / res |
| Gross Alpha precision (±) | 4.9 | pCi/L | | | | E900.0 | 05/26/07 09:34 / res |
| Gross Beta | 115 | pCi/L | | 2.0 | | E900.0 | 05/26/07 09:34 / res |
| Gross Beta precision (±) | 2.8 | pCi/L | | | | E900.0 | 05/26/07 09:34 / res |
| Radium 226 | 26.4 | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:14 / trs |
| Radium 226 precision (±) | 1.8 | pCi/L | | | | E903.0 | 05/17/07 09:14 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 11:56 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | -4.44 | % | | | | Calculation | 05/14/07 13:23 / bws |
| Anions | 4.46 | meq/L | | | | Calculation | 05/14/07 13:23 / bws |
| Cations | 4.08 | meq/L | | | | Calculation | 05/14/07 13:23 / bws |
| Solids, Total Dissolved Calculated | 277 | mg/L | | | | Calculation | 05/14/07 13:23 / bws |
| TDS Balance (0.80 - 1.20) | 0.870 | dec. % | | | | Calculation | 05/14/07 13:23 / bws |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-020
 Client Sample ID: Field Blank

Report Date: 05/31/07
 Collection Date: 05/04/07 09:00
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|-------------------------------------|--------|----------|------------|--------|-------------|-------------|----------------------|
| MAJOR IONS | | | | | | | |
| Carbonate as CO3 | ND | mg/L | | 1 | | A2320 B | 05/07/07 10:47 / jaj |
| Bicarbonate as HCO3 | 2 | mg/L | | 1 | | A2320 B | 05/07/07 10:47 / jaj |
| Calcium | ND | mg/L | | 1 | | E200.7 | 05/10/07 16:43 / ts |
| Chloride | ND | mg/L | | 1 | | A4500-Cl B | 05/09/07 09:47 / jl |
| Fluoride | ND | mg/L | | 0.1 | | A4500-F C | 05/09/07 09:14 / jaj |
| Magnesium | ND | mg/L | | 1 | | E200.7 | 05/10/07 16:43 / ts |
| Nitrogen, Ammonia as N | ND | mg/L | | 0.05 | | A4500-NH3 G | 05/07/07 17:09 / jal |
| Nitrogen, Nitrate+Nitrite as N | ND | mg/L | | 0.1 | | E353.2 | 05/08/07 11:49 / jal |
| Potassium | ND | mg/L | | 1 | | E200.7 | 05/10/07 16:43 / ts |
| Silica | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:43 / ts |
| Sodium | ND | mg/L | | 1 | | E200.7 | 05/10/07 16:43 / ts |
| Sulfate | ND | mg/L | | 1 | | A4500-SO4 E | 05/07/07 14:49 / ljl |
| PHYSICAL PROPERTIES | | | | | | | |
| Conductivity | 1.1 | umhos/cm | | 1.0 | | A2510 B | 05/07/07 11:35 / bas |
| pH | 5.71 | s.u. | | 0.01 | | A4500-H B | 05/07/07 11:35 / bas |
| Solids, Total Dissolved TDS @ 180 C | ND | mg/L | | 10 | | A2540 C | 05/07/07 13:53 / bas |
| METALS - DISSOLVED | | | | | | | |
| Aluminum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:13 / bws |
| Arsenic | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 19:13 / bws |
| Barium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:13 / bws |
| Boron | ND | mg/L | | 0.1 | | E200.7 | 05/10/07 16:43 / ts |
| Cadmium | ND | mg/L | | 0.005 | | E200.8 | 05/09/07 19:13 / bws |
| Chromium | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 19:13 / bws |
| Copper | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 19:13 / bws |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 16:43 / ts |
| Lead | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 19:13 / bws |
| Manganese | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 19:13 / bws |
| Mercury | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 19:13 / bws |
| Molybdenum | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:13 / bws |
| Nickel | ND | mg/L | | 0.05 | | E200.8 | 05/09/07 19:13 / bws |
| Selenium | ND | mg/L | | 0.001 | | E200.8 | 05/09/07 19:13 / bws |
| Uranium | 0.0032 | mg/L | | 0.0003 | | E200.8 | 05/09/07 19:13 / bws |
| Vanadium | ND | mg/L | | 0.1 | | E200.8 | 05/09/07 19:13 / bws |
| Zinc | ND | mg/L | | 0.01 | | E200.8 | 05/09/07 19:13 / bws |
| METALS - TOTAL | | | | | | | |
| Iron | ND | mg/L | | 0.03 | | E200.7 | 05/10/07 19:23 / ts |
| Manganese | ND | mg/L | | 0.01 | | E200.7 | 05/10/07 19:23 / ts |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: UR Energy USA Inc
 Project: Lost Creek
 Lab ID: C07050277-020
 Client Sample ID: Field Blank

Report Date: 05/31/07
 Collection Date: 05/04/07 09:00
 Date Received: 05/04/07
 Matrix: Aqueous

| Analyses | Result | Units | Qualifiers | RL | MCL/ QCL | Method | Analysis Date / By |
|--|--------|-------|------------|-----|-------------|-------------|----------------------|
| RADIONUCLIDES - DISSOLVED | | | | | | | |
| Gross Alpha | ND | pCi/L | | 1.0 | | E900.0 | 05/26/07 09:34 / res |
| Gross Beta | ND | pCi/L | | 2.0 | | E900.0 | 05/26/07 09:34 / res |
| Radium 226 | ND | pCi/L | | 0.2 | | E903.0 | 05/17/07 09:14 / trs |
| Radium 228 | ND | pCi/L | | 1.0 | | RA-05 | 05/11/07 11:56 / plj |
| DATA QUALITY | | | | | | | |
| A/C Balance (± 5) | 28.0 | % | | | | Calculation | 05/14/07 13:23 / bws |
| Anions | 0.030 | meq/L | | | | Calculation | 05/14/07 13:23 / bws |
| Cations | 0.053 | meq/L | | | | Calculation | 05/14/07 13:23 / bws |
| - The ion balance is not appropriate for near blank results. | | | | | | | |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name UR Energy USA Inc

Date and Time Received: 5/4/2007 17:05:00

Work Order Number C07050277

Received by tth

Login completed by: Tim Hollen 5/4/2007 17:05:00
 Signature Date

Reviewed by Jim Yocum 5/7/2007
 Initials Date

Carrier name Hand Del

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No 4.6 °C On Ice
- Water - VOA vials have zero headspace? Yes No No VOA vials submitted
- Water - pH acceptable upon receipt? Yes No Not Applicable

Adjusted? _____ Checked by _____

Contact and Corrective Action Comments:

Samples split, filtered and preserved in lab where applicable.

Date: 31-May-07

CLIENT: UR Energy USA Inc
Project: Lost Creek
Sample Delivery Group: C07050277

CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

SAMPLE TEMPERATURE COMPLIANCE: 4°C (±2°C)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

SOIL/SOLID SAMPLES

All samples reported on an as received basis unless otherwise indicated.

PCB ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

CERTIFICATIONS:

USEPA: WY00002; FL-DOH NELAC: E87641; Arizona: AZ0699; California: 02118CA
Oregon: WY200001; Utah: 3072350515; Virginia: 00057; Washington: C1903

ISO 17025 DISCLAIMER:

The results of this Analytical Report relate only to the items submitted for analysis.

ENERGY LABORATORIES, INC. - CASPER, WY certifies that certain method selections contained in this report meet requirements as set forth by the above accrediting authorities. Some result requested by the client may not be covered under these certifications. All analysis data to be submitted for regulatory enforcement should be certified in the sample state of origin. Please verify ELI's certification coverage by visiting www.energylab.com

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

The total number of pages of this report are indicated by the page number located in the lower right corner.



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

| | | | |
|--|--|-------------------|--|
| Company Name: <u>U.S. Energy USA Inc.</u> <u>Leppert Associates</u> | Project Name, PWS #, Permit #, Etc.: <u>Lost Creek</u> | | |
| Report Mail Address: <u>1422 Washington Ave.</u> <u>Golden Co 80401</u> | Contact Name, Phone, Fax, E-mail: <u>Deb Lemon.</u> <u>303-216-2428 Fax 303-216-1419</u> | | Sampler Name if other than Contact: <u>Robert W. Hoover</u> |
| Invoice Address: <u>34060 Sky Line Dr.</u> <u>Golden Co 80401 Attn: Shannon Leppert.</u> | Invoice Contact & Phone #: <u>Deb Lemon.</u> <u>303-216-2428 Fax 303-216-1419</u> | Purchase Order #: | ELI Quote #: |

| | | | |
|--|--|---|--|
| Report Required For: POTW/WWTP <input type="checkbox"/> DW <input type="checkbox"/> Other _____ Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC <input type="checkbox"/> A2LA <input type="checkbox"/> Level IV <input type="checkbox"/> Other _____ EDD/EDT <input type="checkbox"/> Format _____ | ANALYSIS REQUESTED Number of Containers _____ Sample Type: A W S V B O _____ Air Water Soils/Solids Vegetation _____ Bioassay Other _____ <u>2 Liter Plastic Non Pres.</u> <u>1 Liter Plastic Non Pres.</u> <u>16oz Plastic 16 No3</u> <u>16oz Plastic He 504</u> | Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: <u>Special note:</u> <u>2 Liter bottles.</u> | Shipped by: <u>Hand</u> Cooler ID(s) _____ Receipt Temp <u>4.6 °C</u> <u>Joe</u> Custody Seal Y N _____ Intact Y N _____ Signature Y N _____ Match _____ Lab ID _____ |
|--|--|---|--|

| # | SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) | Collection Date | Collection Time | MATRIX | SEE ATTACHED | Normal Turnaround (TAT) | RUSH Turnaround (TAT) | LABORATORY USE ONLY |
|----|---|-----------------|-----------------|--------|--------------|-------------------------|-----------------------|---------------------|
| 1 | LC27m | 5/3/07 | 1643 | H2O | X | X | X | X |
| 2 | LC26m | 5/3/07 | 1551 | H2O | X | X | X | X |
| 3 | LC25m | 5/3/07 | 1451 | H2O | X | X | X | X |
| 4 | LC23m | 5/3/07 | 1329 | H2O | X | X | X | X |
| 5 | LC22m | 5/3/07 | 1303 | H2O | X | X | X | X |
| 6 | LC21m | 5/3/07 | 1231 | H2O | X | X | X | X |
| 7 | LC30m | 5/3/07 | 1201 | H2O | X | X | X | X |
| 8 | LC1 | 5/3/07 | 1125 | H2O | X | X | X | X |
| 9 | LC31m | 5/3/07 | 1055 | H2O | X | X | X | X |
| 10 | LC28m | 5/3/07 | 1046 | H2O | X | X | X | X |

| | | | | | | |
|--------------------------------------|--|-------------------------------|-------------------------------|---|-------------------------------|-------------------------------|
| Custody Record MUST be Signed | Relinquished by (print): <u>Robert W. Hoover</u> | Date/Time: <u>5/4/07 1705</u> | Signature: <u>[Signature]</u> | Received by (print): <u>Tim Holden</u> | Date/Time: <u>5/4/07 1705</u> | Signature: <u>[Signature]</u> |
| | Relinquished by (print): _____ | Date/Time: _____ | Signature: _____ | Received by (print): _____ | Date/Time: _____ | Signature: _____ |
| | Sample Disposal: Return to client: _____ Lab Disposal: _____ | | | LABORATORY USE ONLY # of fractions _____ | | |

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested.

This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

| | | | |
|--|---|---|--------------|
| Company Name: <u>U.R.-Energy USA Inc.</u> <u>Leppert Associates.</u> | Project Name, PWS #, Permit #, Etc.: <u>Lost creek.</u> | | |
| Report Mail Address: <u>1422 Washington Ave.</u> <u>Golden Co. 80401</u> | Contact Name, Phone, Fax, E-mail: <u>Deb Lemon.</u> <u>303-216-2428</u> Fax <u>303-216-1419</u> | Sampler Name if other than Contact: <u>Robert W. Hoare</u> | |
| Invoice Address: <u>34060 Skyline Dr.</u> <u>Golden Co. 80401 Apt Shuman Leppert</u> | Invoice Contact & Phone #: <u>Deb Lemon.</u> <u>303-216-2428</u> | Purchase Order #: | ELI Quote #: |

| Report Required For: POTW/WWTP <input type="checkbox"/> DW <input type="checkbox"/> Other _____ Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC <input type="checkbox"/> A2LA <input type="checkbox"/> Level IV <input type="checkbox"/> Other _____ EDD/EDT <input type="checkbox"/> Format _____ | Number of Containers _____ Sample Type: A W S V B O _____ Air Water Soils/Solids Vegetation _____ Bioassay Other _____ | ANALYSIS REQUESTED SEE ATTACHED Normal Turnaround (TAT) _____ RUSH Turnaround (TAT) _____ | Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: <u>Special notes:</u> <u>all 2 Liter samples</u> <u>Have Not been</u> <u>Presu. or Filtered</u> <u>This is to be done</u> <u>By Lab.</u> <u>Analyze per</u> <u>Contract.</u> | Shipped by: <u>Hand</u> Cooler ID(s) _____ Receipt Temp <u>4.6</u> ° <u>Joe</u> Custody Seal Y N Intact Y N Signature Y N Match _____ Lab ID _____ | | | | | | |
|--|---|---|---|---|----------|----------|----------|--|--|---------------------|
| SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) | Collection Date | Collection Time | MATRIX | | | | | | | LABORATORY USE ONLY |
| 1 <u>LC24m</u> | <u>5/4/07</u> | <u>1406</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | <u>C-2427</u> |
| 2 <u>LC16m</u> | <u>5/4/07</u> | <u>1326</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | <u>C-2430</u> |
| 3 <u>LC17m</u> | <u>5/4/07</u> | <u>1246</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | <u>C-146</u> |
| 4 <u>LC29m</u> | <u>5/4/07</u> | <u>1206</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | <u>C-2425</u> |
| 5 <u>LC15m</u> | <u>5/4/07</u> | <u>1156</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | <u>C-1340</u> |
| 6 <u>LC01m</u> | <u>5/4/07</u> | <u>1100</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | |
| 7 <u>LC19m</u> | <u>5/4/07</u> | <u>1046</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | |
| 8 <u>LC20m</u> | <u>5/4/07</u> | <u>1018</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | |
| 9 <u>LC18m</u> | <u>5/4/07</u> | <u>0953</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | |
| 10 <u>Field Blank</u> | <u>5/4/07</u> | <u>0900</u> | <u>H2O</u> | <u>X</u> | <u>X</u> | <u>X</u> | <u>X</u> | | | <u>C07050277</u> |

| | | | | | | |
|--------------------------------------|--|-------------------------------|-------------------------------|---|-------------------------------|-------------------------------|
| Custody Record MUST be Signed | Relinquished by (print): <u>Robert W. Hoare</u> | Date/Time: <u>5/4/07 1705</u> | Signature: <u>[Signature]</u> | Received by (print): <u>Tim Holle</u> | Date/Time: <u>5/4/07 1705</u> | Signature: <u>[Signature]</u> |
| | Relinquished by (print): _____ | Date/Time: _____ | Signature: _____ | Received by (print): _____ | Date/Time: _____ | Signature: _____ |
| | Sample Disposal: Return to client: _____ Lab Disposal: _____ | | | LABORATORY USE ONLY # of fractions _____ | | |

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested.

This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.