


DATE	TIME	WELL NO.	WELL NAME

NAT GAMMA SP RES MB412E16 100808			
LOG PARAMETERS			
MATRIX DENSITY: 2.65	NEUTRON POROSITY: 0.08	MATRIX SLOPE: 1.34	
SOUND VELOCITY: 5000	ELECT. RESISTIVITY: 2000		



MB-04

# Lost Creek ISR, LLC WELL COMPLETION REPORT

WELL # MB-04 SEO # 188855 Date Drilled: 10-8-08

Location: E 736,398' / N 535,868' (NAD 27)

Ground Elev: 6985.77' Measure Point Elev: 6987.27'

TD: 680' Hole Dia.: 7-7/8"

CASED to: 610' Casing: PVC SDR17 ID: 4.5" OD: 5"

GROUT: Portland Cement – Type I/II  
Pumped thru casing, displaced to surface with water

COMPLETION Aquifer: UKM Sand

Static Water Level: Depth 274' Elev: 6713' (avg.)

UNDERREAM: Blade Dia: 10.5"  
Intervals: from 610' to 640' / length 30'  
from        to        / length       

SCREEN LINER ASSEMBLY					
Description	Depth		Elev.		Length
	From	To	From	To	
<u>K-packer</u>	<u>603'</u>	<u>603'</u>	<u>6384'</u>	<u>6384'</u>	<u>      </u>
<u>Screen</u>	<u>610'</u>	<u>640'</u>	<u>6377'</u>	<u>6347'</u>	<u>30'</u>

SCREEN SPECIFICATIONS:  
Slot: 0.020" Composition 3" PVC

FILTER PACKING:  
Volume:        (bags)(ft<sup>3</sup>) Sand Specs.         
Method: N/A

WELL STIMULATION: Method Airlift  
Yield: Good / Moderate / Poor

Vertical Scale: 1"=50'