FILED

BEFORE THE ENVIRONMENTAL QUALITY COUNCIL STATE OF WYOMING

OCT 15 2008

In the Matter of the Appeal of NOV & Order 4331-08) .	Docket No. 08-3807	Jim Ruby, Executive Secretary Environmental Quality Council
Issued to KDA Construction, Inc.)		

WYOMING DEPARMENT OF ENVIRONMENTAL QUALITY'S RESPONSE TO KDA CONSTRUCTION, INC.'S PETITION

Respondent Wyoming Department of Environmental Quality (DEQ), through counsel, pursuant to the Wyoming Environmental Quality Council's (EQC) Order dated and filed September 16, 2008, answers Petitioner KDA Construction, Inc.'s (KDA) September 3, 2008 "request to appeal" (Petition) as follows:

- DEQ admits that it issued Notice of Violation (NOV) and Order
 No. 4331-08 to KDA under cover letter dated August 14, 2008 addressed to Mr.
 Mark Tobiasson.
- 2. DEQ admits that the NOV names KDA as the contractor for a large construction site in Sweetwater County that received authorization WYR103444 for storm water discharges associated with that project.
- 3. DEQ admits that authorization WYR103444 was issued to KDA for the Bluff Senior Estates in Sweetwater County, based on the Notice of Intent (NOI) signed and submitted by KDA dated 6-15-07 (copies attached).
- 4. DEQ does not have knowledge or information sufficient to form a belief as to the truth of, and therefore denies, KDA's averment that the Bluff Senior Estates project has been abandoned due to lack of financing and no work has been performed since January 31, 2008. DEQ admits that although the NOI

submitted by KDA represented construction was planned to end November 30, 2007, the NOV alleges that at the time of a DEQ inspection on May 20, 2008, the construction site appeared to be inactive.

- 5. DEQ does not have knowledge or information sufficient to form a belief as to the truth of, and therefore denies, KDA's averment that the Bluff Senior Estates project has been canceled and there are no plans to continue to build the project at this time.
- 6. DEQ denies that KDA is not responsible for compliance with Storm Water Discharge Authorization WYR103444, which was issued to KDA based on the NOI signed and submitted by KDA.
- 7. DEQ admits that the NOV and Order were sent to the mailing address listed in the NOI submitted by KDA. DEQ denies that KDA subsequently notified DEQ of an address change prior to KDA's Petition appealing the NOV and Order. DEQ does not have knowledge or information sufficient to form a belief as to the truth of, and therefore denies, KDA's averment that it did not receive the NOV until September 3, 2008.

Mike Barrash (Bar No. 5-2310)

Senior Assistant Attorney General

123 State Capitol Building

Cheyenne, Wyoming 82002

307-777-6946

CERTIFICATE OF SERVICE

This certifies that true and correct copies of the foregoing <u>WYOMING</u> <u>DEPARMENT OF ENVIRONMENTAL QUALITY'S RESPONSE TO KDA</u> <u>CONSTRUCTION, INC.'S PETITION</u> was served this <u>Jay</u> day of October, 2008 by United States mail, first class postage prepaid, and also by facsimile transmission, addressed as follows:

Brad Hankins KDA Construction, Inc. 3950 Fairview Industrial Dr., SE Suite, 210 Salem, Oregon 97302 FAX: 503-587-8766



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Come, Director

Authorization to Discharge Storm Water Associated Large Construction Activities Under the National Pollutant Discharge Elimination System

In compliance with the provisions of Chapter 2 of the Wyoming Water Quality Rules and Regulations, the Wyoming Environmental Quality Act and the federal Water Pollution Control Act.

KDA Construction Inc.

The Bluff Senior Estates

NE Section 27, Township 19 North, Range 105 West, Sweetwater County

and located within the State of Wyoming which has or may discharge storm water associated with Construction Activities, is hereby authorized to discharge to the surface waters of the State of Wyoming in accordance with the requirements of this permit which was issued September 1, 2006.

Coverage under the general permit expires March 15, 2011.

This facility has been assigned permit authorization number WYR103444

Authorization under this general permit is effective beginning November 20, 2006.

The permittee listed above is subject to a statutorily-required **annual \$100 fee** (W.S. §35-11-312) for as long as this authorization is active or until the general permit expires. See Part 5 of the general permit for information regarding termination of coverage.

Discharges from dewatering of collected storm water and minor amounts of ground water from excavations and depressions are permitted provided that requirements specified in Part 8.8 are followed and the necessary BMPs are installed and effective. Discharges that consist of process or wastewaters or more than minor amounts of ground water must be covered under a separate WYPDES permit specifically for those discharges.


Attached is a copy of the general permit. If you have any questions regarding the conditions of your permit, contact Barb Sahl at (307) 777-7570 or John Gorman at (307) 777-5622.

Authorized' Signature

Department of Environmental Quality/Water Quality Division

Mailing Address:

KDA Construction Inc.
Mark Tobiasson
3723 Fairview Industrial Drive SE, Suite 196
Salem, OR, 97302





NOTICE OF INTENT

TO REQUEST
DISCHARGE AUTHORIZATION
FOR STORM WATER FROM
LARGE CONSTRUCTION ACTIVITIES

(Under Large Construction General Permit WYR10-0000)

Wyx 103 444



Official Date					
		MESSI			
7741	Prawy Anthagas	5 % 5 %	TIN)	F 1	

ž.	Please	print	or	tvoe.	

- All items must be completed accurately and in their entirety or the NOI will be deemed incomplete and processing will be delayed.
- Storm water discharges from a large construction project are covered under the large construction general permit when the Administrator provides a letter of authorization (LOA) to the applicant (see Part 1.2.5 of the permit).
- Authorizations issued under the general permit are subject to an annual \$100 permit fee for as long as the authorization is active or until the general permit expires. The annual billing cycle is based on the state's fiscal year from July 1 to June 30. There is no need to pay the fee with the application. Permit fees are invoiced after June 30th. See Part 5 of the general permit for information regarding when and how to terminate coverage.
- An original signature of the applicant is required. Faxes cannot be accepted.

General	11 111 15 15 15 15	111111

Project Information

construction site and which will be the permittee:	त्वाच्या संबंध संबंध च्या न्या न्या क्या क्या व्याप्त स्था है।	and chimm mar	maines orreniuiñ et n	**************************************
Site Works, Inc. KDA CONST. INC.			•	
Contact person responsible for permit compliance:	Position title:			
Mark Tobiasson			•	•
Mailing address:	Gily:	State:	ZP:	·
3723 Fairview Industrial Dr. SE, Suite 196	Salem	OR	97302	
Telephone number:	Fax number:		<u>,</u>	- 1504WWW
(503) 587-8700 503-931-6953	(503) 485-1054		and the second s	

nd 29, Sweetwater County	ing filed (for linear projects give location at each end of the construction
nd 29, Sweetwater County	
n ann caron Oles stropt r	address is required.
THE PROPERTY OF THE PROPERTY O	County:
9N 105	Sweetwater .
ore space is needed allach	h addilìonaí sheel(s):
ip Range:	County:
annonnengen annihen sett a maddinini in sen mei et til in jamen kannan i strett jung, a s e <mark>nn a</mark> s e en sa sa sa sa	
	9N 105

Latitude and longitude to the nearest 15 seconds (if available	nie):
If this is a WYDOT project, list project number(s):	
ar Turning many paragraph and garage property and an extension of the state of the	
Project Description:	
Briefly describe the project:	
	a new residential site. The site is approximately 14.47 ater, sanitary sewer, storm sewer, curb, gutter sidewalk a
The surface area that will be disturbed during construction t	in acres: 14.47 acres
Date construction is planned to start:	Date construction is planned to end:
June 20, 2007	November 30, 2007
	ceive runoff from the construction project, whether it contains water or not. Include
bodies of water such as takes and wellands where applicat The nearest defined drainage is the Kill	ые. lpecker Creek, located approximately 1/2 miles northeast
bodies of water such as takes and wellands where applicat The nearest defined drainage is the Kill the construction site. A storm pipe will	ble. Ipecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker in existing borrow ditch within the WYDOT R.O.W. The
bodies of water such as takes and wellands where applicat The nearest defined drainage is the Kill the construction site. A storm pipe will Creek. The remainder will flow down at	ble. Ipecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker in existing borrow ditch within the WYDOT R.O.W. The
bodies of water such as takes and wellands where applicat The nearest defined drainage is the Kill the construction site. A storm pipe will Creek. The remainder will flow down at	ble. Ipecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker in existing borrow ditch within the WYDOT R.O.W. The
todies of water such as takes and wellands where applicate the nearest defined drainage is the Kill the construction site. A storm pipe will be creek. The remainder will flow down at WYDOT R.O.W flows into the Killpecke	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
todies of water such as takes and wellands where applicate the nearest defined drainage is the Kill the construction site. A storm pipe will be creek. The remainder will flow down at WYDOT R.O.W flows into the Killpecke	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
The nearest defined drainage is the Kill the construction site. A storm pipe will the Creek. The remainder will flow down at WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project If so, what municipality?	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
The nearest defined drainage is the Kill the construction site. A storm pipe will the Creek. The remainder will flow down as WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project If so, what municipality? Rock Springs	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
to what water body does the storm sower discharge? The nearest defined drainage is the Kill the construction site. A storm pipe will the construction site. A storm pipe will the construction site. A storm pipe will the Creek. The remainder will flow down at WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project if so, what municipality? Rock Springs To what water body does the storm sower discharge?	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
The nearest defined drainage is the Kill the construction site. A storm pipe will the Creek. The remainder will flow down as WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project If so, what municipality? Rock Springs	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
to what water body does the storm sower discharge? The nearest defined drainage is the Kill the construction site. A storm pipe will the construction site. A storm pipe will the construction site. A storm pipe will the Creek. The remainder will flow down at WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project if so, what municipality? Rock Springs To what water body does the storm sower discharge?	lpecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n.existing borrow ditch within the WYDOT R.O.W. The er Creek.
The nearest defined drainage is the Kill the construction site. A storm pipe will the Creek. The remainder will flow down as WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project if so, what municipality? Rock Springs To what water body does the storm sewer discharge? Killpecker Creek SWPPP Certification: Has a "Storm Water Pollution Prevention P	Ipecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n existing borrow ditch within the WYDOT R.O.W. The er Creek. It enter a municipal storm sewer? Yes No
The nearest defined drainage is the Kill the construction site. A storm pipe will the Creek. The remainder will flow down as WYDOT R.O.W flows into the Killpecke Will storm water discharge from the project if so, what municipality? Rock Springs To what water body does the storm sewer discharge? Killpecker Creek SWPPP Certification: Has a "Storm Water Pollution Prevention P	Ipecker Creek, located approximately 1/2 miles northeast be used to convey most of the water to the Killpecker n existing borrow ditch within the WYDOT R.O.W. The er Creek.

Note that a SWPPP must be developed <u>prior</u> to beginning any land disturbing activity at the permitted site.

Submit SWPPP with NOI for projects that will disturb 100 or more acres.

6. Attachments:

<u>For all projects:</u> Attach a site map that shows the boundaries of expected land clearing. Indicate storm water drainage patterns on the map <u>or</u> include a topographic map that includes the locations of nearby drainages, water bodies, and/or municipal storm sewers.

Alternative inspection plans only. Operators seeking approval for alternative inspection schedules at the beginning of their project must submit the project SWPPP and proposed inspection plan with their NOI. Approval for an alternative plan may be requested later (see Part 9.1.4 in the permit).

Projects that will disturb 100 or more acres only. A SWPPP must be submitted with the NOI for any project that is expected to result in 100 or more acres of disturbance (see Part 3.6 in the permit).

7. Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. In addition, I certify that I am aware of the terms and conditions of the large construction general permit and I agree to comply with those requirements.

Authorized signatories for this	notice of Intentare the following:
For corporations:	A principal executive officer of at least the level of vice president, or the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions which govern the overall operation of the facility from which the discharge originates.
For partnerships;	A general partner.
For a sole proprietorship:	The proprietor.
For a municipal, state, federal or other public facility:	Either a principal executive officer or ranking elected official.

DOUGLAS SPROUL			C 80
Printed Name of Person Signing	•	Title	
0050	6.15.07		503-587-8700
Signature of Applicant	Date		Telephone